


811.300.160
PIPE, L: 3000MM, Ø160MM



| Type no. | EAN no. | D | X | Kg |
|---------------|---------------|----|------|------|
| 811.015.040 | 5705499412635 | 40 | 150 | 0,20 |
| 811.015.040 S | 5705499412642 | 40 | 150 | 0,20 |
| 811.025.040 | 5705499412659 | 40 | 250 | 0,40 |
| 811.025.040 S | 5705499412666 | 40 | 250 | 0,29 |
| 811.050.040 | 5705499412673 | 40 | 500 | 0,60 |
| 811.050.040 S | 5705499412680 | 40 | 500 | 0,68 |
| 811.075.040 | 5705499412697 | 40 | 750 | 0,78 |
| 811.075.040 S | 5705499412703 | 40 | 750 | 0,78 |
| 811.100.040 | 5705499412710 | 40 | 1000 | 1,02 |
| 811.100.040 S | 5705499412727 | 40 | 1000 | 1,02 |
| 811.150.040 | 5705499412734 | 40 | 1500 | 1,50 |
| 811.150.040 S | 5705499412741 | 40 | 1500 | 1,50 |
| 811.200.040 | 5705499412758 | 40 | 2000 | 1,99 |
| 811.200.040 S | 5705499412765 | 40 | 2000 | 1,99 |
| 811.300.040 | 5705499412772 | 40 | 3000 | 4,00 |
| 811.300.040 S | 5705499412789 | 40 | 3000 | 4,00 |
| 811.400.040 | 5705499412796 | 40 | 4000 | 3,92 |
| 811.400.040 S | 5705499412802 | 40 | 4000 | 3,92 |
| 811.500.040 | 5705499412819 | 40 | 5000 | 4,89 |
| 811.500.040 S | 5705499412826 | 40 | 5000 | 4,89 |
| 811.600.040 | 5705499412833 | 40 | 6000 | 5,86 |
| 811.600.040 S | 5705499412840 | 40 | 6000 | 5,86 |
| ----- | | | | |
| 811.015.050 | 5705499400205 | 50 | 150 | 0,25 |
| 811.015.050 S | 5705499400212 | 50 | 150 | 0,25 |
| 811.025.050 | 5705499400281 | 50 | 250 | 0,38 |
| 811.025.050 S | 5705499400298 | 50 | 250 | 0,38 |
| 811.050.050 | 5705499400366 | 50 | 500 | 0,68 |
| 811.050.050 S | 5705499400373 | 50 | 500 | 0,68 |
| 811.075.050 | 5705499400441 | 50 | 750 | 1,00 |
| 811.075.050 S | 5705499400458 | 50 | 750 | 1,00 |
| 811.100.050 | 5705499400526 | 50 | 1000 | 1,25 |
| 811.100.050 S | 5705499400533 | 50 | 1000 | 1,25 |
| 811.150.050 | 5705499400601 | 50 | 1500 | 1,90 |
| 811.150.050 S | 5705499400618 | 50 | 1500 | 1,90 |
| 811.200.050 | 5705499400687 | 50 | 2000 | 2,45 |
| 811.200.050 S | 5705499400694 | 50 | 2000 | 2,45 |
| 811.300.050 | 5705499400762 | 50 | 3000 | 3,82 |
| 811.300.050 S | 5705499400786 | 50 | 3000 | 3,82 |
| 811.400.050 | 5705499400854 | 50 | 4000 | 5,06 |
| 811.400.050 S | 5705499400861 | 50 | 4000 | 5,06 |
| 811.500.050 | 5705499400939 | 50 | 5000 | 6,31 |
| 811.500.050 S | 5705499400946 | 50 | 5000 | 6,31 |
| 811.600.050 | 5705499401011 | 50 | 6000 | 7,56 |
| 811.600.050 S | 5705499401028 | 50 | 6000 | 7,56 |
| ----- | | | | |
| 811.015.075 | 5705499400229 | 75 | 150 | 0,41 |
| 811.015.075 S | 5705499400236 | 75 | 150 | 0,41 |
| 811.025.075 | 5705499400304 | 75 | 250 | 0,58 |
| 811.025.075 S | 5705499400311 | 75 | 250 | 0,58 |
| 811.050.075 | 5705499400380 | 75 | 500 | 1,00 |
| 811.050.075 S | 5705499400397 | 75 | 500 | 1,00 |
| 811.075.075 | 5705499400465 | 75 | 750 | 1,50 |
| 811.075.075 S | 5705499400472 | 75 | 750 | 1,50 |
| 811.100.075 | 5705499400540 | 75 | 1000 | 1,95 |
| 811.100.075 S | 5705499400557 | 75 | 1000 | 1,95 |
| 811.150.075 | 5705499400625 | 75 | 1500 | 2,75 |
| 811.150.075 S | 5705499400632 | 75 | 1500 | 2,75 |
| 811.200.075 | 5705499400700 | 75 | 2000 | 3,70 |
| 811.200.075 S | 5705499400717 | 75 | 2000 | 3,70 |
| 811.300.075 | 5705499400793 | 75 | 3000 | 5,78 |
| 811.300.075 S | 5705499400809 | 75 | 3000 | 5,78 |
| 811.400.075 | 5705499400878 | 75 | 4000 | 7,66 |
| 811.400.075 S | 5705499400885 | 75 | 4000 | 7,66 |

Continues on next page

811.300.160
PIPE, L: 3000MM, Ø160MM

Continued from previous page

| Type no. | EAN no. | D | X | Kg |
|---------------|---------------|-----|------|-------|
| 811.500.075 | 5705499400953 | 75 | 5000 | 9,54 |
| 811.500.075 S | 5705499400960 | 75 | 5000 | 9,54 |
| 811.600.075 | 5705499401035 | 75 | 6000 | 11,42 |
| 811.600.075 S | 5705499401042 | 75 | 6000 | 11,42 |
| ----- | | | | |
| 811.015.082 | 5705499411591 | 82 | 150 | 0,44 |
| 811.015.082 S | 5705499411607 | 82 | 150 | 0,44 |
| 811.025.082 | 5705499411614 | 82 | 250 | 0,64 |
| 811.025.082 S | 5705499411621 | 82 | 250 | 0,64 |
| 811.050.082 | 5705499411638 | 82 | 500 | 1,14 |
| 811.050.082 S | 5705499411645 | 82 | 500 | 1,14 |
| 811.075.082 | 5705499411652 | 82 | 750 | 1,65 |
| 811.075.082 S | 5705499411669 | 82 | 750 | 1,65 |
| 811.100.082 | 5705499411676 | 82 | 1000 | 2,15 |
| 811.100.082 S | 5705499411683 | 82 | 1000 | 2,15 |
| 811.150.082 | 5705499411690 | 82 | 1500 | 3,16 |
| 811.150.082 S | 5705499411706 | 82 | 1500 | 3,16 |
| 811.200.082 | 5705499411713 | 82 | 2000 | 4,17 |
| 811.200.082 S | 5705499411720 | 82 | 2000 | 4,17 |
| 811.300.082 | 5705499411737 | 82 | 3000 | 6,20 |
| 811.300.082 S | 5705499411744 | 82 | 3000 | 6,20 |
| 811.400.082 | 5705499411751 | 82 | 4000 | 8,22 |
| 811.400.082 S | 5705499411768 | 82 | 4000 | 8,22 |
| 811.500.082 | 5705499411775 | 82 | 5000 | 10,24 |
| 811.500.082 S | 5705499411782 | 82 | 5000 | 10,24 |
| 811.600.082 | 5705499411799 | 82 | 6000 | 12,26 |
| 811.600.082 S | 5705499411805 | 82 | 6000 | 12,26 |
| ----- | | | | |
| 811.015.110 | 5705499400243 | 110 | 150 | 0,61 |
| 811.015.110 S | 5705499400250 | 110 | 150 | 0,61 |
| 811.025.110 | 5705499400328 | 110 | 250 | 0,87 |
| 811.025.110 S | 5705499400335 | 110 | 250 | 0,87 |
| 811.050.110 | 5705499400403 | 110 | 500 | 1,50 |
| 811.050.110 S | 5705499400410 | 110 | 500 | 1,50 |
| 811.075.110 | 5705499400489 | 110 | 750 | 2,15 |
| 811.075.110 S | 5705499400496 | 110 | 750 | 2,15 |
| 811.100.110 | 5705499400564 | 110 | 1000 | 2,85 |
| 811.100.110 S | 5705499400571 | 110 | 1000 | 2,85 |
| 811.150.110 | 5705499400649 | 110 | 1500 | 4,30 |
| 811.150.110 S | 5705499400656 | 110 | 1500 | 4,30 |
| 811.200.110 | 5705499400724 | 110 | 2000 | 5,40 |
| 811.200.110 S | 5705499400731 | 110 | 2000 | 5,40 |
| 811.300.110 | 5705499400816 | 110 | 3000 | 8,34 |
| 811.300.110 S | 5705499400823 | 110 | 3000 | 8,34 |
| 811.400.110 | 5705499400892 | 110 | 4000 | 11,26 |
| 811.400.110 S | 5705499400908 | 110 | 4000 | 11,26 |
| 811.500.110 | 5705499400977 | 110 | 5000 | 14,02 |
| 811.500.110 S | 5705499400984 | 110 | 5000 | 14,00 |
| 811.600.110 | 5705499401059 | 110 | 6000 | 16,78 |
| 811.600.110 S | 5705499401066 | 110 | 6000 | 16,78 |
| ----- | | | | |
| 811.015.125 | 5705499410839 | 125 | 150 | 0,70 |
| 811.015.125 S | 5705499410846 | 125 | 150 | 0,70 |
| 811.025.125 | 5705499408218 | 125 | 250 | 1,01 |
| 811.025.125 S | 5705499408225 | 125 | 250 | 1,01 |
| 811.050.125 | 5705499408232 | 125 | 500 | 1,78 |
| 811.050.125 S | 5705499408249 | 125 | 500 | 1,78 |
| 811.075.125 | 5705499410860 | 125 | 750 | 2,55 |
| 811.075.125 S | 5705499408256 | 125 | 750 | 2,55 |
| 811.100.125 | 5705499408263 | 125 | 1000 | 3,32 |
| 811.100.125 S | 5705499408270 | 125 | 1000 | 3,32 |
| 811.150.125 | 5705499408287 | 125 | 1500 | 4,86 |
| 811.150.125 S | 5705499408294 | 125 | 1500 | 4,86 |
| 811.200.125 | 5705499408300 | 125 | 2000 | 6,40 |
| 811.200.125 S | 5705499408317 | 125 | 2000 | 6,40 |
| 811.300.125 | 5705499410907 | 125 | 3000 | 9,47 |
| 811.300.125 S | 5705499408324 | 125 | 3000 | 9,47 |
| 811.400.125 | 5705499410914 | 125 | 4000 | 12,55 |
| 811.400.125 S | 5705499410921 | 125 | 4000 | 12,55 |
| 811.500.125 | 5705499410938 | 125 | 5000 | 15,63 |
| 811.500.125 S | 5705499410945 | 125 | 5000 | 15,63 |
| 811.600.125 | 5705499410952 | 125 | 6000 | 18,71 |
| 811.600.125 S | 5705499410969 | 125 | 6000 | 18,71 |
| ----- | | | | |
| 811.015.160 | 5705499400267 | 160 | 150 | 1,19 |
| 811.015.160 S | 5705499400274 | 160 | 150 | 1,19 |

Continues on next page

BLÜCHER Metal A/S · Tel: +45 99 92 08 00 · www.blucher.com · export@blucher.com

For latest prices and delivery to your door visit MyTub Ltd - www.mytub.co.uk - info@mytub.co.uk



811.300.160

PIPE, L: 3000MM, Ø160MM

Continued from previous page

| Type no. | EAN no. | D | X | Kg |
|---------------|---------------|-----|------|-------|
| 811.025.160 | 5705499400342 | 160 | 250 | 1,69 |
| 811.025.160 S | 5705499400359 | 160 | 250 | 1,69 |
| 811.050.160 | 5705499400427 | 160 | 500 | 2,96 |
| 811.050.160 S | 5705499400434 | 160 | 500 | 2,96 |
| 811.075.160 | 5705499400502 | 160 | 750 | 4,22 |
| 811.075.160 S | 5705499400519 | 160 | 750 | 4,22 |
| 811.100.160 | 5705499400588 | 160 | 1000 | 5,48 |
| 811.100.160 S | 5705499400595 | 160 | 1000 | 5,48 |
| 811.150.160 | 5705499400663 | 160 | 1500 | 8,02 |
| 811.150.160 S | 5705499400670 | 160 | 1500 | 8,02 |
| 811.200.160 | 5705499400748 | 160 | 2000 | 10,54 |
| 811.200.160 S | 5705499400755 | 160 | 2000 | 10,54 |
| 811.300.160 | 5705499400830 | 160 | 3000 | 15,59 |
| 811.300.160 S | 5705499400847 | 160 | 3000 | 15,59 |
| 811.400.160 | 5705499400915 | 160 | 4000 | 20,64 |
| 811.400.160 S | 5705499400922 | 160 | 4000 | 20,64 |
| 811.500.160 | 5705499400991 | 160 | 5000 | 25,69 |
| 811.500.160 S | 5705499401004 | 160 | 5000 | 25,69 |
| 811.600.160 | 5705499401073 | 160 | 6000 | 30,74 |
| 811.600.160 S | 5705499401080 | 160 | 6000 | 30,74 |
| ----- | | | | |
| 811.015.200 | 5705499412291 | 200 | 150 | 1,96 |
| 811.015.200 S | 5705499411522 | 200 | 150 | 1,96 |
| 811.025.200 | 5705499412307 | 200 | 250 | 2,77 |
| 811.025.200 S | 5705499411539 | 200 | 250 | 2,77 |
| 811.050.200 | 5705499412314 | 200 | 500 | 4,62 |
| 811.050.200 S | 5705499410853 | 200 | 500 | 4,62 |
| 811.075.200 | 5705499412321 | 200 | 750 | 6,47 |
| 811.075.200 S | 5705499411546 | 200 | 750 | 6,47 |
| 811.100.200 | 5705499412338 | 200 | 1000 | 8,32 |
| 811.100.200 S | 5705499410877 | 200 | 1000 | 8,32 |
| 811.200.200 | 5705499412345 | 200 | 2000 | 15,71 |
| 811.200.200 S | 5705499410884 | 200 | 2000 | 15,71 |
| 811.300.200 | 5705499412352 | 200 | 3000 | 23,10 |
| 811.300.200 S | 5705499410891 | 200 | 3000 | 23,10 |
| ----- | | | | |
| 811.050.250 | 5705499121735 | 250 | 500 | 5,84 |
| 811.050.250 S | 5705499121551 | 250 | 500 | 5,84 |
| 811.100.250 | 5705499121742 | 250 | 1000 | 10,47 |
| 811.100.250 S | 5705499121568 | 250 | 1000 | 10,47 |
| 811.200.250 | 5705499121759 | 250 | 2000 | 19,72 |
| 811.200.250 S | 5705499121575 | 250 | 2000 | 19,72 |
| 811.300.250 | 5705499121766 | 250 | 3000 | 28,97 |
| 811.300.250 S | 5705499121582 | 250 | 3000 | 28,97 |
| ----- | | | | |
| 811.050.315 | 5705499413731 | 315 | 500 | 9,93 |
| 811.050.315 S | 5705499413748 | 315 | 500 | 9,93 |
| 811.100.315 | 5705499413755 | 315 | 1000 | 17,70 |
| 811.100.315 S | 5705499413762 | 315 | 1000 | 17,70 |
| 811.200.315 | 5705499413779 | 315 | 1867 | 33,24 |
| 811.200.315 S | 5705499413786 | 315 | 1867 | 33,24 |
| 811.300.315 | 5705499413793 | 315 | 2867 | 48,77 |
| 811.300.315 S | 5705499413809 | 315 | 2867 | 48,77 |