

SAFETY DATA SHEET

ARCTIC TRADE 2 500g JUMBO

1 IDENTIFICATION OF THE SUBSTANCE/ PREPARATION AND OF THE COMPANY/ ENTERPRISE

PRODUCT: ARCTIC TRADE 2 500g JUMBO
REF: OFASJ01
MANUFACTURER: ARCTIC PRODUCTS LIMITED
Nina Works
Gelderd Road
Leeds
LS12 6NA
0844 871 8461
0844 871 8462
Sales @ arctic-products.co.uk

2 HAZARD IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

3 COMPOSITION INFORMATION ON INGREDIENTS

NAME	CAS NO.	EC NO.	CONC.	CLASS.
1,1,1,2-TETRAFLUOROETHANE	212-377-0	811-97-2	60-100%	-

The Full Text for all R-Phrases are Displayed in Section 16

CONTAINER INFORMATION

Aerosol propelled by non flammable propellant.

4 FIRST AID MEASURES

INHALATION

If inhalation of vapours causes irritation or drowsiness, remove to fresh air.

INGESTION

Unlikely route of exposure..Do not induce vomiting.Provided the patient is conscious, wash out mouth with water and give 200ml-300ml of water to drink.Obtain immediate medical attention.

CONTACT

Rinse immediately with plenty of water. Get medical attention promptly if symptoms occur after washing. CAUSES FROST BITE , TREAT AS THERMAL BURNS.IN CASE OF FROST BITE , DO NOT REMOVE CLOTHING , BUT FIRST THAW FROZEN PARTS WITH WATER (NEVER WARM WATER) , THEN CAREFULLY REMOVE CLOTHING AND SEEK MEDICAL ADVICE

EYES

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Rinse with water. Contact physician if discomfort continues. IN CASE OF FROST BITE SPRAY WITH WATER (NEVER WARM WATER) FOR AT LEAST 15 MINUTES.APPLY A STERILE DRESSING AND OBTAIN MEDICAL ASSISTANCE.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Not combustible. Select extinguishing agent appropriate to other materials involved.

CONTAINERS EXPOSED TO FLAMES

Cool containers exposed to flames with water until well after the fire is out.

UNUSUAL REACTIONS

Possible risk of can rupture when exposed to fire/high temps.

6 ACCIDENTAL RELEASE MEASURES

ARCTIC TRADE 2 500g JUMBO

PRECAUTIONS

Avoid inhalation of vapours and aerosol spray. Avoid contact with skin and eyes.

GENERAL PRECAUTIONS

Ventilate well, stop flow of gas or liquid if possible. Remove ignition sources. Do not allow chemical to enter confined spaces such as sewers due to explosion risk. Sewers designed to preclude formation of explosive concentrations of vapour may be permitted.

7 HANDLING AND STORAGE

PRECAUTIONS

CAUTION. Pressurised container. Do not expose to temperatures exceeding 50°C Do not puncture or incinerate even when empty. Avoid contact with skin and eyes. ONLY USE IN WELL VENTILATED AREAS

8 EXPOSURE CONTROL/PERSONAL PROTECTION

Substance	WEL	TLV-C _{10h}	TLV-T _{15min}	STEL
1,1,1,2-TETRAFLUOROETHANE	WEL	1000 ppm	4240 mg/m ³	

WEL = Workplace Exposure Limit.

PRECAUTIONS



PRECAUTIONS

Protective gloves should be used if there is a risk of direct contact or splash.

PRECAUTIONS

Wear splash-proof eye goggles to prevent any possibility of eye contact.

9 PHYSICAL AND CHEMICAL PROPERTIES

Aerosol

10 STABILITY AND REACTIVITY

GENERAL

Stable under normal temperature conditions and recommended use.

11 TOXICOLOGICAL INFORMATION

HEALTH

High concentrations of vapour may cause dizziness, nausea and headaches Gas or vapour displaces oxygen available for breathing (asphyxiant).

ENVIRONMENT

Highly unlikely.-but should this occur freeze burns will result.

ENVIRONMENT

Liquid on the skin could result in freeze burns.

ENVIRONMENT

Liquid splashes could result in freezing of the eye tissue.

12 ECOLOGICAL INFORMATION

ENVIRONMENT

Not regarded as dangerous for the environment.

ARCTIC TRADE 2 500g JUNDO

13 DISPOSAL CONSIDERATIONS

RECOMMENDATIONS

Do not puncture or incinerate even when empty. Dispose of in accordance with local authority requirements.

14 TRANSPORT INFORMATION

UN1950	UN1950	CLASS	Class 2.2: Non-flammable, non-toxic gases.
UN1950	1950	HAZARD	No.
UN1950	1950		

15 REGULATORY INFORMATION

RECOMMENDATIONS

NC Not classified.

STATEMENTS

S2 Keep out of the reach of children
S9 Keep container in a well-ventilated place.
S23 Do not breathe vapour/spray.
S35 This material and its container must be disposed of in a safe way.
S51 Use only in well-ventilated areas.

16 OTHER INFORMATION

REVISION	2/9/09
CODE	A2434
DATE	18/8/05
REVISION	
NC	Not classified.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.