



Expert Solutions for Toilet Repair





Visit [fluidmaster.com](http://fluidmaster.com)



Fluidmaster: The Global Solution

4-5

Water Conservation

6-7

### Our Products

Fill Valves & Flush Valves

8-13

Repair Kits

14-17

Flappers

18-25

Tank Levers

26-31

Water Supply Connectors

32-45

Wax and Wax-Free™ Gaskets

46-51

Repair & Replacement Parts

52-55

Access Panels

56-57

Automatic Toilet Cleaners

58-63



The Toilet Repair  
Experts



# The Toilet Repair Experts

## Fluidmaster: The Global Solution

*The Legacy Continues...*

### A True Leader in the Industry

Fluidmaster, the leading global supplier of fluid management solutions, is found in more toilets than all other brands combined. As the customer's first choice and preferred supplier of toilet tank trim, we have been ingeniously engineering the internal flushing mechanisms of toilets for more than half a century. Built on and inspired by an unsurpassed history of innovation, Fluidmaster has become an icon in the plumbing industry. Our reputation for superior quality continues to grow as we cultivate and support partnerships around the world with retailers, wholesalers and toilet manufacturers, reaffirming the company as a leader in innovation and global supply of sanitaryware products.

### Pioneering Innovation for More Than 50 Years


Our company's success began with the desire and drive of founder Adolf Schoepe. Convinced that existing toilet technology was inefficient and unreliable, he sought to create a more advanced fill valve that worked with, rather than against, water pressure. Mr. Schoepe's vision became a reality when he revolutionized the toilet care industry by successfully launching Fluidmaster's innovative pilot fill valve technology in 1957.

### Comprehensive Line of Innovative Toilet Repair Products

The popularity of Fluidmaster fill valves has supported our expansion into related product lines through the years. Today, Fluidmaster markets more than 67 million toilet repair products annually and sells more toilet tank replacement valves than any other manufacturer in the world. In addition to the inaugural fill valve, our complete line of toilet repair parts includes flush valves, flappers, tank levers, dual flush valves, bowl wax, toilet repair kits and water supply connectors. Fluidmaster's growing global distribution network reaches more than 80% of the world's population and spans over 87 countries. With manufacturing facilities across the globe, Fluidmaster is quick to market, quick to manufacture and quick to deliver with unparalleled quality.



*Fluidmaster Headquarters, San Juan Capistrano, California*



WHY FLUIDMASTER



[www.fluidmaster.com/history](http://www.fluidmaster.com/history)

# The Toilet Repair Experts

## WATER CONSERVATION

### What is dual flush for toilets?

Water conservation efforts and related government requirements have reduced water consumption in toilets from 5 or more gallons per flush (gpf) through the 1970s, to 3.5 gpf in the 1980s, to the current 1.6 gpf in toilets sold in the US since 1994. Even so, the toilet is still the biggest user of water inside most homes. New legislation requires that only High Efficiency Toilets (HET) using no more than 1.28 gpf be available for sale in the US, and will be mandated by code in many parts of the country - starting with California on January 1, 2014.

Dual flush technology has been in use for many years in water conscious Australia and other parts of the world, but is only just now coming to North America. Dual flush is a relatively simple and inexpensive way to reduce water use and it allows you to choose the right flush each time:

- Less water for liquid waste (half flush)
- The right amount of water for solid waste (full flush)

Almost 50% of the toilets still being used in the U.S. and Canada are 3.5 gpf or greater and aftermarket dual flush technology allows many users to convert their high capacity toilet to more efficiently use water and save money. Although water savings potential is higher in 3.5 gpf or larger toilets, there are still benefits to using the dual flush technology in 1.6 and 1.28 gpf toilets!

### Why Duo Flush™ by Fluidmaster?

Duo Flush™ allows users to take advantage of dual flush technology without compromising flush performance. Fluidmaster products offer these competitive advantages:

- Fits more toilets than any other dual flush conversion valve
- Maximizes toilet performance and water-savings
- Outperforms all other dual flush conversion valves
- Installs in 10 minutes

duoflush™



**HALF FLUSH**  
PUSH UP TO USE LESS WATER FOR LIQUID WASTE



**FULL FLUSH**  
PUSH DOWN FOR A MORE POWERFUL FLUSH TO REMOVE SOLID WASTE



WATER CONSERVATION

### Conservation Tips

#### HOW TO CONSERVE WATER, STARTING WITH THE TOILET BY FLUIDMASTER

**Flushable Fact:** A leaky toilet can waste hundreds of gallons of water per day, putting extra strain on your checking account and the environment. With water conservation becoming an increasingly important issue for the majority of Americans (95 percent), water saving considerations are more top of mind.

TIP #1

Identify if your toilet is not working properly. Signs that the toilet is leaking include the sound of running water and the toilet turning on and off without being flushed.

TIP #2

Read your water meter before and after a two-hour period when no water is being used. If it isn't exactly the same, chances are you have a leak somewhere in the house; begin checking in the bathroom first.

For more conservation tips, visit [www.fluidmaster.com/conservation-tips](http://www.fluidmaster.com/conservation-tips)



[www.fluidmaster.com/water-conservation/duo-flush-system](http://www.fluidmaster.com/water-conservation/duo-flush-system)

# The Toilet Repair Experts

# Fluidmaster

## FILL VALVES

The fill valve refills the tank and bowl to the correct water levels after the flush. The fill valve is the engine that drives toilet flush performance. It replaces the ballcock and is more efficient and easy to install. From the easy, adjustable 400A to the water-saving Leak Sentry® 400LSR to our quietest and most powerful 400ARHR PerforMAX®, Fluidmaster has the right fill valve for your needs. Replace an old style ballcock or other fill valve with a better performing Fluidmaster fill valve today.

## FLUSH VALVES

Flush components control the release of the water from the tank into the toilet bowl once the tank lever handle has been pressed. Fluidmaster has a complete line of highly efficient flush valves to accommodate your needs. Fluidmaster flush valves are easy to install, save water and will stop leaks at the drain. Retrofit any toilet with the water-saving Duo Flush™ replacement valve and save up to 45% of the normally used water.



**Fill Valve 400A**  
The fill valve fills the toilet tank and bowl with water from the water supply line after the tank has been emptied by a flush.



**Flush Valve 507A**  
The flush valve controls the water within the tank and the flapper actuates the flushing action.



**Duo Flush™ 550DFR**  
The Fluidmaster Duo Flush™ saves more water than any other dual flush system on the market.



**PerforMAX® High Performance Fill Valve 400ARHR**  
The quietest and most powerful fill valve on the market.



FILL VALVES & FLUSH VALVES



[www.fluidmaster.com/our-products/fill-valves-repair-kits.html](http://www.fluidmaster.com/our-products/fill-valves-repair-kits.html)

## PerforMAX® HIGH PERFORMANCE FILL VALVE

### 400ARHR

The quietest and most powerful fill valve on the market. Works with all toilets, including Kohler®, Toto® and American Standard®.

- High Efficiency Toilets HET 1.28 gpf
- Dual Flush, including Duo Flush™
- 1.6 gallon toilets with 2" and 3" flush valves (1994 and newer)
- Older high gallon toilets with 2" flush valve (1994 and older)

Maximize toilet performance and save water:

- 2X greater refill rate than standard fill valves
- Avoids excessive or inadequate bowl fill level
- Quick, easy installation
- Water-saving roller clamp lets you regulate fill level in the bowl, saving water and money
- Anti-siphon
- Code approved

Visit [fluidmaster.com](http://fluidmaster.com) for expert solutions for toilet repair



7 YEAR WARRANTY

## 400A AND LEAK SENTRY® UNIVERSAL FILL VALVE

### 400LSR

- Leak Sentry® automatically suspends refill and alerts users to leaks before money and water are wasted
- Toilet easily resets, remains fully operational
- Anti-siphon, code approved
- Saves up to 3,000 gallons of water per year

5 YEAR WARRANTY

**400LSR**  
Save water and prevent a running toilet with a Leak Sentry® Fill Valve. This revolutionary valve includes a water-saving roller clamp to make sure that the right amount of water goes into the bowl with every flush.

## 400A FILL VALVE

### 400A

- Replaces ballcocks
- Easy to install
- Height adjusts 9"-14"
- Refills quickly
- Universal fit for most 1 and 2 piece toilets
- Corrosion-resistant material
- Anti-siphon operation, code approved
- Won't contaminate fresh water supply

5 YEAR WARRANTY

**400A**  
The fill valve fills the toilet tank with water from the water supply line after it has been emptied by a flush. It replaces the ballcock and is more efficient and easy to install. This is an anti-siphon design-fill valve with adjustable height from 9" to 14".

## FILL VALVE AND FLAPPER KIT

### 400CR

- Features the proven 400A anti-siphon fill valve
- Includes the rugged 501 flapper – longest lasting flapper
- Flapper is chlorine-resistant for harsh water regions

5 YEAR WARRANTY

**400CR**  
400A Anti-siphon fill valve and 501 flapper. The perfect combination for 3.5 gpf toilets or larger.



## FILL VALVE SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	PACKAGED	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
PERFORMAX® FILL VALVE ● ● 🇨🇦	400ARHR	Box	10	17.06 x 9.56 x 14.06	8	1.14	0 39961 702456	100 39961 702453
LEAK SENTRY® FILL VALVE ● ● 🇨🇦	400LS	Box	25	15.63 x 15.63 x 13.06	18	1.85	0 39961 004000	100 39961 004007
FILL VALVE ● ● 🇨🇦	400A	Box	25	15.63 x 15.63 x 13.06	16	1.85	0 39961 000026	100 39961 000023
FILL VALVE AND FLAPPER KIT ● ● 🇨🇦	400C	Box	10	15.25 x 13.25 x 13.38	9	1.45	0 39961 000736	100 39961 000733

● = 5 Year Warranty ● = 7 Year Warranty 🇨🇦 = Available in Canada

Refer to price list for packaging information for specific SKU's

The Toilet Repair  
Experts

For latest prices and delivery to your door visit MyTub Ltd - [www.mytub.co.uk](http://www.mytub.co.uk) - [info@mytub.co.uk](mailto:info@mytub.co.uk) 0844 556 1818

 **Fluidmaster**

[www.fluidmaster.com/our-products/fill-valves-repair-kits.html](http://www.fluidmaster.com/our-products/fill-valves-repair-kits.html)

## DUO FLUSH™ 550DFR

Water conservation is becoming a bigger and bigger issue all the time. The Fluidmaster Duo Flush™ is a great tool that saves more water than any other dual flush system on the market. This dual flush system retrofits onto any 2" flush valve, and is proven to use up to 45% less water than the original tank parts. It also has been shown to improve flushing power on the full flush, so you can actually see better performance than before. A dual flush tank lever is included with this system.

- Converts existing toilets to dual flush technology
- No tank removal
- Uses up to 45% less water/Save up to \$120 per year
- Durable silicone seal lasts for years
- Fully adjustable full and half flush
- Retrofits any 2" toilet flush valve
- Delivers precise and powerful flushing action
- Patent pending
- Refill module boosts performance when combined with the Fluidmaster PerforMAX® fill valve
- Wide range of settings for optional flush



Visit [fluidmaster.com](http://fluidmaster.com) for expert solutions for Toilet Repair



### 2" FLUSH VALVE 507A

- Easy to install
- Saves water, stops leaks at the drain
- Includes chlorine-resistant flapper

5  
YEAR  
WARRANTY

507A  
The flush valve controls the water within the tank and the flapper actuates the flushing action.



### 3" UNIVERSAL FLUSH VALVE 540AKR

- Replaces most common 3" flush valves including Toto and American Standard toilets
- Adjustable flapper optimizes water savings and performance
- Easy adjustable overflow tube

5  
YEAR  
WARRANTY

540AKR  
All you need to replace a 3" flush valve and restore your toilets performance. Includes bolts, nuts and gaskets.



### DUO FLUSH™ SYSTEM 550DFRK

- Converts your existing toilet to Dual Flush Technology
- Uses up to 45% less water
- Durable silicone seal lasts for years
- Fully adjustable full and half flush
- Fits any 2" toilet flush valve
- Delivers precise and powerful flushing action
- Fully adjustable for a wide range of settings

5  
YEAR  
WARRANTY

550DFRK  
It comes complete with the PerforMAX® fill valve to insure consistent flushes every single time. A dual flush tank lever is included with this system.

## FLUSH VALVE SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	PACKAGED	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
2" FLUSH VALVE ● ●	507A	Box	10	9.75 x 17.75 x 17.13	6	1.31	0 39961 015075	100 39961 025071
3" UNIVERSAL FLUSH VALVE ● ●	540AKR	Box	5	6.75 x 24.00 x 9.94	6	0.84	0 39961 300348	100 39961 083583
DUO FLUSH™ VALVE ● ●	550DFR-1	Box	10	12.50 x 23.13 x 13.00	15	1.90	0 39961 004406	100 39961 004403
DUO FLUSH™ SYSTEM ● ●	550DFRK-1	Box	5	9.25 x 23.13 x 14.00	11	1.30	0 39961 004420	100 39961 004427

● = 5 Year Warranty ● = Available in Canada

The Toilet Repair  
Experts

Fluidmaster®

[www.fluidmaster.com/our-products/flush-valves-repair-kits.html](http://www.fluidmaster.com/our-products/flush-valves-repair-kits.html)

For latest prices and delivery to your door visit MyTub Ltd - [www.mytub.co.uk](http://www.mytub.co.uk) - [info@mytub.co.uk](mailto:info@mytub.co.uk) 0844 556 1818



# The Toilet Repair Experts

# Fluidmaster

## REPAIR KITS

The right parts combined together to make your toilet run like new and priced less than if purchased separately.



**Complete Toilet Tank Repair Kit  
400AKR**

Contains a flush valve with an adjustable water saving flapper, a fill valve, a chrome tank lever, and the brass bolts and gaskets for installation – everything you need to make your toilet run like new

**Complete Flush Valve Kit  
507AK**

Flush valve replacement kit for 1.6 gpf toilets with 2" flush valve, two brass bolts, four hex nuts and four stainless steel washers, 6 rubber washers



**Complete Repair Kit with  
Flush 'n Sparkle®  
400AFS**

Flush 'n Sparkle automatically cleans your toilet with every flush



**Flush Valve Repair Kit  
555C**

Provides new drain seat for damaged flush valves



[www.fluidmaster.com/our-products/fill-valves-repair-kits.html](http://www.fluidmaster.com/our-products/fill-valves-repair-kits.html)

REPAIR KITS



## COMPLETE REPAIR KIT WITH FLUSH 'N SPARKLE®

### 400AFS

All you need to make your toilet just like new plus added bonus of Flush 'n Sparkle® automatic toilet cleaning system.

Everything you need to completely repair and replace your fill and flush valves, including a chrome tank lever. Also includes all the bolts and gaskets necessary for replacement. Our deluxe 400AFS kit includes Flush 'n Sparkle®, which automatically cleans your tank with every flush.

- Flush 'n Sparkle® automatically cleans your toilet with every flush
- Contains: Flush valve with Universal Water-Saving Long Life Flapper, 400A fill valve, chrome tank lever, washers, stainless steel nuts, two brass bolts, gasket and Flush 'n Sparkle®

Visit [fluidmaster.com](http://fluidmaster.com) for expert solutions for toilet repair



5 YEAR WARRANTY

## COMPLETE TOILET TANK REPAIR KIT

### 400AK

- Contains a flush valve with an adjustable water saving flapper, a fill valve, a chrome tank lever, and the bolts and gaskets for installation
- Chrome tank lever trims/bends to fit, no pre-measuring needed
- Flapper dials to adjust water volume for a custom flush
- Fits more 2-piece toilets with a 2" flush valve opening

5 YEAR WARRANTY

400AK  
Complete kit for 1.6 gallon per flush toilets.

## COMPLETE FLUSH VALVE KIT

### 507AK

- Easy to install
- Saves water, stops leaks at the tank drain
- Flapper dials to adjust water volume for a custom flush
- Universal gasket fits most close-coupled toilets
- Fits most 2-piece toilets with a 2" flush valve opening

5 YEAR WARRANTY

507AK  
Flush valve replacement kit for 1.6 gpf toilets with 2" flush opening.

## FLUSH VALVE REPAIR KIT

### 555C

- Provides new drain seat for damaged flush valves
- Works on most 2" flush valve toilets
- Chlorine-resistant, solid frame flapper

5 YEAR WARRANTY

555C  
Fix a bad flush valve seat in 5 minutes without taking off the tank with the 555C. The 555C fits right on top of an existing flush valve seat, and is secured down by a special sealant ring that goes on without any messy glues or adhesives.

## REPAIR KIT SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	PACKAGED	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
COMPLETE TOILET REPAIR KIT WITH FLUSH 'n SPARKLE® ● ●	400AFS	Box	5	8.38 x 17.50 x 14.00	11	1.19	0 39961 994035	100 39961 994032
COMPLETE TOILET REPAIR KIT ● ●	400AK	Blister	10	15.56 x 23.63 x 14.75	10	1.19	0 39961 014009	100 39961 014006
COMPLETE FLUSH VALVE KIT BOX ● ●	507AK	Blister	6	6.38 x 25.25 x 14.75	11	1.31	0 39961 025074	100 39961 035070
FLUSH VALVE REPAIR KIT ● ●	555C	Blister	8	6.88 x 26.63 x 7.56	6	0.72	0 39961 000392	100 39961 061079

● = 1 Year Warranty ● = 5 Year Warranty ● = Built-in Microban® fights flapper breakdown due to bacteria ● = Available in Canada

The Toilet Repair Experts

Fluidmaster

[www.fluidmaster.com/our-products/fill-valves-repair-kits.html](http://www.fluidmaster.com/our-products/fill-valves-repair-kits.html)

For latest prices and delivery to your door visit MyTub Ltd - [www.mytub.co.uk](http://www.mytub.co.uk) - [info@mytub.co.uk](mailto:info@mytub.co.uk) 0844 556 1818

# The Toilet Repair Experts

# Fluidmaster

## FLAPPERS

Upgrade or repair the flapper in your toilet with a Fluidmaster flapper. The full Fluidmaster flapper line-up ranges from our standard 2" flappers to the 3" universal water saving flapper. Fluidmaster is the only brand of flappers with Microban® anti-microbial protection that fights flapper breakdown due to bacteria (solid frame 2" versions only). Fluidmaster also has several flappers designed specifically to fit Kohler®, Eljer® and American Standard® toilets. Our 3" universal water saving, long life toilet flapper comes with a 10 year warranty!



3" Universal, Water Saving, Adjustable, Long Lasting Toilet Flapper 5403  
The long-lasting 3" universal flapper adjusts to fit any toilet on the market with a 3" flush valve



Universal Long Lasting Toilet Flapper 501  
Fights flapper breakdown due to bacteria and resists chlorine



Universal Water Saving, Adjustable, Long Lasting Toilet Flapper 502  
This long-lasting flapper can be adjusted to restore a toilet to factory specifications with a turn of the flapper



Universal Toilet Flapper 500  
This toilet flapper has a solid frame that ensures a consistent seal every single flush



Universal Long Life Toilet Flapper 504  
Long lasting toilet flapper for 3.5 gallon per flush toilets or larger



Sure-Fit Flapper 503  
Fits on flush valves with or without mounting ears



[www.fluidmaster.com/our-products/flappers.html](http://www.fluidmaster.com/our-products/flappers.html)

## UNIVERSAL ADJUSTABLE WATER SAVING TOILET FLAPPER

502

Best for 1.28 to 1.6 gpf toilets made since 1994, this long-lasting flapper is made to withstand harsh water conditions brought on by chlorine in potable water. The solid frame ensures a consistent seal every single flush.

- Built-in Microban® fights flapper breakdown due to bacteria
- Material engineered to resist chlorine
- Universal fit, works on most toilets
- Solid frame aligns the flapper and seals the drain seat every time

Visit [fluidmaster.com](http://fluidmaster.com) for expert solutions for toilet repair



**UNIVERSAL TOILET FLAPPER**  
500

- Easy to install, works on most toilets
- Solid frame seals every time
- For 3.5 gpf or larger



**UNIVERSAL LONG LIFE TOILET FLAPPER**  
501

- Chlorine-resistant material
- Easy to Install, works on most toilets
- Solid frame seals every time
- For 3.5 gpf or larger



**SURE-FIT® FLAPPER**  
503

- Works on most toilets
- Fits on flush valves with or without mounting ears
- For 3.5 gpf or larger



**SURE-FIT® LONG LIFE TOILET FLAPPER**  
504

- Chlorine-resistant
- Strong, kink-free metal chain
- Fits on flush valves with or without mounting ears
- For 3.5 gpf or larger



**UNIVERSAL TOILET FLAPPER**  
506

- Economy flapper for 3.5 Gallon Per Flush toilets
- Easy to install, fits most tanks



**UNIVERSAL WATER SAVING LONG LIFE TOILET FLAPPER**  
5051

- Adjustable float for water savings
- Chlorine-resistant
- Strong, kink-free metal chain
- Fits on flush valves with or without mounting ears

## FLAPPER SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	PACKAGED	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
UNIVERSAL TOILET FLAPPER ● ● ●	500	Blister	21 (500P21)	20.13 x 13.63 x 8.38	5	1.32	0 39961 005007	100 39961 005004
UNIVERSAL LONG LIFE TOILET FLAPPER ● ● ●	501	Blister	21 (501P21)	20.13 x 13.63 x 8.38	5	1.32	0 39961 005014	100 39961 005097
UNIVERSAL WATER SAVING LONG LIFE TOILET FLAPPER ● ● ●	502	Blister	21 (502P21)	20.13 x 13.63 x 8.38	5	1.32	0 39961 005021	100 39961 056235
SURE-FIT® FLAPPER ● ●	503	Blister	20	13.13 x 26.88 x 6.94	4	0.43	0 39961 005038	100 39961 005035
SURE-FIT® LONG LIFE TOILET FLAPPER ● ●	504	Blister	20	13.13 x 26.88 x 6.94	4	0.43	0 39961 005045	100 39961 005042
UNIVERSAL STANDARD TOILET FLAPPER ● ●	506	Bag	100	13.38 x 22.38 x 8.38	13	1.14	0 39961 506054	100 39961 506501
UNIVERSAL WATER SAVING LONG LIFE FLAPPER ●	5051	Blister	20	13.13 x 26.88 x 6.94	5	1.14	0 39961 345059	100 39961 050509

● = 1 Year Warranty ● = 5 Year Warranty ● = Built-in Microban® fights flapper breakdown due to bacteria ● = Available in Canada

The Toilet Repair  
Experts

**Fluidmaster**

[www.fluidmaster.com/our-products/flappers.html](http://www.fluidmaster.com/our-products/flappers.html)

For latest prices and delivery to your door visit MyTub Ltd - [www.mytub.co.uk](http://www.mytub.co.uk) - [info@mytub.co.uk](mailto:info@mytub.co.uk) 0844 556 1818

## 3" UNIVERSAL WATER SAVING LONG LIFE TOILET FLAPPER

5403

The 3" Universal Flapper adjusts to fit any toilet on the market with a 3" flush valve.

- Fits toilets in three easy adjustments
- Included guide tells you what settings you need for the most popular toilets
- Silicone seal lasts up to ten times longer than a regular flapper

Visit [fluidmaster.com](http://fluidmaster.com) for expert solutions for toilet repair



**SHARK FIN FLAPPER**  
(FITS KOHLER® MODELS)  
5082

Direct replacement flapper for Kohler® 1-piece models: San Raphael (3384, aa, ba, revs.), Rialto (3386, aa, ba, ca, revs.), Santa Rosa (3323), Revival (3360), Gabrielle (3322), Memoirs (3451, 3453), Portrait (3357), Ankara (14230- TF)



**FLUSH BALL FLAPPER**  
(FITS KOHLER® MODELS)  
5085

Direct replacement flapper for these Kohler® models. Wellworth (3500, 3502, 3504, 3510, 3512, 3514), Rialto (3402; before 1998), San Raphael (3395, 3397; before 1998), San Miguel (3406), Rochelle (3385; before 1998), Cabernet (3408), Cayuga (3440), Highline (3518, 3527), Vintage (3410, 3411, 3412, 3413), Palarré (3383; before 1998)



**TANK BALL WITH BRASS ROD**  
5100

- 1-year warranty
- Taper



**AMERICAN STANDARD® SEAT DISC**  
5103

- Tapered to fit all conventional flush valves
- Includes 5" brass lower lift wire
- Chlorine-resistant



**FLAPPER CHAIN**  
5104

- Installs easily

## FLAPPER SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	PACKAGED	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
3 INCH UNIVERSAL WATER SAVING LONG LIFE TOILET FLAPPER ● ● ●	5403	Blister	4	9.50 x 9.00 x 6.00	2	0.20	0 39961 015433	100 39961 508208
SHARK FIN FLAPPER (FITS KOHLER TOILETS) ● ● ●	5082	Blister	4	10.38 x 7.75 x 5.00	2	0.20	0 39961 500823	100 39961 508505
FLUSH BALL FLAPPER (FITS KOHLER MODELS) ● ● ●	5085	Blister	4	10.38 x 7.75 x 5.00	3	0.29	0 39961 500854	100 39961 051001
TANK BALL WITH BRASS ROD ●	5100	Blister	10	5.06 x 14.00 x 7.25	3	0.29	0 39961 051004	100 39961 051032
AMERICAN STANDARD SEAT DISC (ALSO IN REPAIR PARTS) ●	5103	Blister	10	5.06 x 14.00 x 7.25	1	0.29	0 39961 051035	100 39961 051049
FLAPPER CHAIN (ALSO FOUND IN REPAIR PARTS) ●	5104	Blister	8	4.56 x 5.50 x 4.81	3	0.20	0 39961 051042	100 39961 015430

● = 1 Year Warranty ● = 5 Year Warranty ● = 10 Year Warranty ● = Built-in Microban® fights flapper breakdown due to bacteria ● = Available in Canada

The Toilet Repair Experts

**Fluidmaster**

[www.fluidmaster.com/our-products/flappers.html](http://www.fluidmaster.com/our-products/flappers.html)

# The Toilet Repair Experts



FLAPPERS

## FLAPPERS PACKAGED SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	PACKAGED	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
500 FLAPPER 3 PACKS IN AN 8 COUNT DISPLAY ● ● ●	500R3P8	Blister	8	10.63 x 23.88 x 9.88	5	1.42	0 39961 805003	100 39961 500387
501 FLAPPER 3 PACKS IN AN 8 COUNT DISPLAY ● ● ●	501R3P8	Blister	8	10.63 x 23.88 x 9.88	5	1.42	0 39961 501233	100 39961 501384
502 FLAPPER 3 PACKS IN AN 8 COUNT DISPLAY ● ● ●	502R3P8	Blister	8	10.63 x 23.88 x 9.88	4	1.42	0 39961 502384	100 39961 502381
SURE FIT TOILET FLAPPER PACKAGED IN A BOX ● ●	503BX	Box	20	6.75 x 10.13 x 8.81	4	0.32	0 39961 015037	100 39961 015034
504 FLAPPER PACKAGED IN A BOX ● ●	504BX	Box	20	6.75 x 10.13 x 8.81	4	0.32	0 39961 015044	100 39961 015041
506 STANDARD TOILET FLAPPER 5 PACK ● ●	506P5	Poly Bag	20	13.38 x 22.38 x 8.38	13	1.41	0 39961 556059	100 39961 506556
500 FLAPPER 10 PACK ● ● ●	B500P10	Blister	10	11.25 x 12.25 x 4.50	2	0.35	0 39961 003171	100 39961 003178
501 FLAPPER 10 PACK ● ● ●	B501LP10	Blister	10	11.25 x 12.25 x 4.50	2	0.35	0 39961 003164	100 39961 003161
502 FLAPPER 10 PACK ● ● ●	B502P10	Blister	10	11.25 x 12.25 x 4.50	2	0.35	0 39961 003195	100 39961 003192

● = 1 Year Warranty ● = 5 Year Warranty ● = Built-in Microban® fights flapper breakdown due to bacteria ● = Available in Canada

The Toilet Repair Experts

 **Fluidmaster**

[www.fluidmaster.com/our-products/flappers.html](http://www.fluidmaster.com/our-products/flappers.html)

Refer to price list for packaging information for specific SKU's

For latest prices and delivery to your door visit MyTub Ltd - [www.mytub.co.uk](http://www.mytub.co.uk) - [info@mytub.co.uk](mailto:info@mytub.co.uk) 0844 556 1818

## TANK LEVERS

Fluidmaster's tank levers install easily and come in a variety of styles and finishes including white, chrome, brushed nickel and oil rubbed bronze. They can be trimmed and bent to fit most front, side and angle mount tanks. Fluidmaster tank levers are universal fit and come up to a 3 year warranty.



Push Button Tank Lever  
691



Designer Oil Rubbed  
Bronze Tank Lever  
687  
Universal, designer tank lever  
with brass arm



Designer Brushed  
Nickel Tank Lever  
686  
Universal, designer tank  
lever with brass arm



Designer Chrome  
Tank Lever  
684  
Universal, designer tank  
lever with brass arm



Universal Standard Tank Lever  
681  
Universal fit, for most front, side and  
angle mount tanks, bends and holds  
shape to fit, easy to install



Universal Standard Tank Lever  
680  
Universal fit, for most front, side and  
angle mount tanks, bends and holds  
shape to fit, easy to install



## WHITE TANK LEVER

680

Fluidmaster's tank levers can be trimmed and bent to fit most front, side and angle mount tanks. This is a standard tank lever that will fit almost any tank.

- White finish
- Trims/bends to fit most front, side and angle-mount tanks
- Easy to install
- Self-tightening locknut won't loosen over time

Visit [fluidmaster.com](http://fluidmaster.com) for expert solutions for toilet repair



1  
YEAR  
WARRANTY



## CHROME TANK LEVER

681

- Chrome finish
- Trims/bends to fit most front, side and angle-mount tanks
- Easy to install
- Self-tightening locknut won't loosen over time

## DESIGNER WHITE TANK LEVER

683

- White finish
- Durable brass arm
- Trims/bends to fit most front, side and angle mount tanks
- Easy to install
- Self-tightening locknut won't loosen over time

## DESIGNER CHROME TANK LEVER

684

- Chrome finish
- Durable brass arm
- Trims/bends to fit most front, side and angle mount tanks
- Easy to install
- Self-tightening locknut won't loosen over time

1  
YEAR  
WARRANTY

680, 681

*This is a standard tank lever that will fit almost any tank.*

3  
YEAR  
WARRANTY

683, 684

*Designer tank lever that can be trimmed or bent to fit almost any tank. Metal arm won't corrode or break.*

TANK LEVERS

## TANK LEVER SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	PACKAGED	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
STANDARD WHITE TANK LEVER ● 🇨🇦	680	Blister	10	7.38 x 13.13 x 4.31	2	0.28	0 39961 006806	100 39961 006803
STANDARD CHROME TANK LEVER ● 🇨🇦	681	Blister	10	7.38 x 13.13 x 4.31	2	0.28	0 39961 006813	100 39961 006810
DESIGNER WHITE TANK LEVER ● 🇨🇦	683	Blister	10	7.38 x 13.13 x 4.31	3	0.28	0 39961 006837	100 39961 006834
DESIGNER CHROME TANK LEVER ● 🇨🇦	684	Blister	10	7.38 x 13.13 x 4.31	3	0.28	0 39961 006844	100 39961 006841

● = 1 Year Warranty ● = 3 Year Warranty 🇨🇦 = Available in Canada

Refer to price list for packaging information for specific SKU's

The Toilet Repair  
Experts

For latest prices and delivery to your door visit MyTub Ltd - [www.mytub.co.uk](http://www.mytub.co.uk) - [info@mytub.co.uk](mailto:info@mytub.co.uk) 0844 556 1818

 **Fluidmaster.**

[www.fluidmaster.com/our-products/tank-levers.html](http://www.fluidmaster.com/our-products/tank-levers.html)



### DESIGNER BRUSHED NICKEL TANK LEVER

686

- Brushed nickel finish
- Durable brass arm
- Trims/bends to fit most front, side and angle mount tanks
- Easy to install
- Self-tightening locknut won't loosen over time

3  
YEAR  
WARRANTY

686  
*Designer tank lever that can be trimmed or bent to fit almost any tank. Metal arm won't corrode or break.*



### DESIGNER OIL RUBBED BRONZE TANK LEVER

687

- Oil-rubbed bronze finish
- Durable brass arm
- Trims/bends to fit most front, side and angle mount tanks
- Easy to install
- Self-tightening locknut won't loosen over time

3  
YEAR  
WARRANTY

687  
*Designer tank lever that can be trimmed or bent to fit almost any tank. Metal arm won't corrode or break.*



### PUSH BUTTON CHROME TANK LEVER

691

- Chrome finish
- Push button for easy activation
- Trims/bends to fit most front, side and angle mount tanks
- Easy to install
- Fits most American Standard™ and Universal-Rundle® brand toilets

1  
YEAR  
WARRANTY

691  
*Push button tank lever that can be trimmed or bent to fit almost any tank.*

## TANK LEVER SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	PACKAGED	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
DESIGNER BRUSHED NICKEL TANK LEVER ● ● 🇨🇦	686	Blister	10	7.38 x 13.13 x 4.31	3	0.28	0 39961 006868	100 39961 006865
DESIGNER OIL RUBBED BRONZE TANK LEVER ● ● 🇨🇦	687	Blister	10	7.38 x 13.13 x 4.31	2	0.2	0 39961 016881	100 39961 016888
PUSH BUTTON CHROME TANK LEVER ● ● 🇨🇦	691	Blister	4	4.25 x 13.00 x 4.75	2	0.14	0 39961 006912	100 39961 006919
STANDARD WHITE TANK LEVER ● ● 🇨🇦	680B	Bulk	100	12.25 x 12.25 x 12.50	8	1.2	0 39961 006813	100 39961 066807
STANDARD WHITE TANK LEVER ● ● 🇨🇦	680P20	Bulk	20	7.63 x 13.13 x 8.25	4	0.51	0 39961 006806	100 39961 016802
STANDARD WHITE TANK LEVER ● ● 🇨🇦	B680P10	Bulk	10	7.38 x 13.13 x 4.31	1	0.14	0 39961 003225	100 39961 003222
STANDARD CHROME TANK LEVER ● ● 🇨🇦	681B	Bulk	100	12.25 x 12.25 x 12.50	8	1.2	0 39961 006813	100 39961 066814
STANDARD CHROME TANK LEVER ● ● 🇨🇦	681P20	Bulk	20	7.63 x 13.13 x 8.25	4	0.51	0 39961 006813	100 39961 016819
CHROME TANK LEVER ● ● 🇨🇦	B681P10	Bulk	1	7.38 x 13.13 x 4.31	1	0.14	0 39961 003232	100 39961 003239
DESIGNER CHROME TANK LEVER PACKAGED IN A BOX ● ● 🇨🇦	684BX	Bulk	10	7.38 x 13.13 x 4.31	3	0.4	0 39961 016843	100 39961 016840

● = 1 Year Warranty ● = 3 Year Warranty 🇨🇦 = Available in Canada

Refer to price list for packaging information for specific SKU's

The Toilet Repair  
Experts

For latest prices and delivery to your door visit MyTub Ltd - [www.mytub.co.uk](http://www.mytub.co.uk) - [info@mytub.co.uk](mailto:info@mytub.co.uk) 0844 556 1818

Fluidmaster®

[www.fluidmaster.com/our-products/tank-levers.html](http://www.fluidmaster.com/our-products/tank-levers.html)

TANK LEVERS



# Fluidmaster

## WATER SUPPLY CONNECTORS

Fluidmaster offers a complete line of water supply connectors that are built to last. Made of a tough polymer core covered with braided stainless steel wire, these connectors exceed code requirements for durability. They also have a large inside diameter for higher flow capacity and a five year warranty.

We now offer our Click Seal® connectors which provide a guaranteed no-leak seal and eliminate cross threading and stripping. Fluidmaster has the supply connectors you need for washing machines, icemakers, dishwashers, water heaters, faucets and toilets.



WATER SUPPLY CONNECTORS

## WATER SUPPLY CONNECTORS

Fluidmaster water supply connectors are built to last. Made of a tough core covered with braided stainless steel wire, these connectors exceed code requirements for durability. They also have a large inside diameter for higher flow capacity.

- Exceptional flexibility for fast, easy installation
- Won't kink or crease, even in the tightest of spaces
- Heavy-duty brass hex nuts are easy to grip and nickel plated for durability
- Exceeds all code requirements for flexible water connectors

# CLICK SEAL®

Toilet & Faucet Supply Connectors

The "CLICK"  
Lets You Know  
It's Sealed!®



## STAINLESS STEEL CLICK SEAL® TOILET SUPPLY CONNECTORS SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	SUPPLY LINE CONFIGURATION	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
9" CLICK SEAL® TOILET CONNECTOR ● ● ● ●	B1T09CS	3/8" Comp. x 7/8" Ballcock	25	8.00 x 16.50 x 4.50	5	0.29	0 39961 411815	100 39961 421811
12" CLICK SEAL® TOILET CONNECTOR ● ● ● ●	B1T12CS	3/8" Comp. x 7/8" Ballcock	25	8.00 x 16.50 x 4.50	6	0.35	0 39961 411822	100 39961 401851
20" CLICK SEAL® TOILET CONNECTOR ● ● ● ●	B1T20CS	3/8" Comp. x 7/8" Ballcock	15	8.63 x 21.63 x 4.50	7	0.35	0 39961 411846	100 39961 421842
12" BLISTER PACK CLICK SEAL® TOILET UNIVERSAL CONNECTOR ● ● ● ●	4T12UCSR	(3/8" C., 7/16" C., 1/2" C., 1/2" F.I.P.) x 7/8" Ballcock	10	8.00 x 13.75 x 5.50	9	0.35	0 39961 002921	100 39961 002928

## STAINLESS STEEL CLICK SEAL® FAUCET SUPPLY CONNECTORS SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	SUPPLY LINE CONFIGURATION	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
16" UNIVERSAL CLICK SEAL® FAUCET CONNECTOR ● ● ● ●	4F16UCSR	(3/8" C., 7/16" C., 1/2" C., 1/2" F.I.P.) x 1/2" F.I.P.	10	8.00 x 16.50 x 4.50	10	0.31	0 39961 003294	100 39961 003291
12" CLICK SEAL® FAUCET CONNECTOR ● ● ● ●	B1F12CS	3/8" Comp. x 1/2" F.I.P.	25	8.00 x 16.50 x 4.50	8	0.31	0 39961 004932	100 39961 004939
16" CLICK SEAL® FAUCET CONNECTOR ● ● ● ●	B1F16CS	3/8" Comp. x 1/2" F.I.P.	25	21.63 x 8.63 x 4.50	8	0.49	0 39961 004949	100 39961 004946
20" CLICK SEAL® FAUCET CONNECTOR ● ● ● ●	B1F20CS	3/8" Comp. x 1/2" F.I.P.	25	21.63 x 8.63 x 4.50	9	0.49	0 39961 005113	100 39961 005110
30" CLICK SEAL® FAUCET CONNECTOR ● ● ● ●	B1F30CS	3/8" Comp. x 1/2" F.I.P.	25	8.30 x 21.50 x 5.80	11	0.59	0 39961 004956	100 39961 004953
12" CLICK SEAL® FAUCET CONNECTOR ● ● ● ●	B4F12CS	1/2" F.I.P. x 1/2" F.I.P.	25	8.00 x 16.50 x 4.50	8	0.31	0 39961 004963	100 39961 004960
16" CLICK SEAL® FAUCET CONNECTOR ● ● ● ●	B4F16CS	1/2" F.I.P. x 1/2" F.I.P.	25	8.63 x 21.63 x 4.50	9	0.49	0 39961 004970	100 39961 004977
20" CLICK SEAL® FAUCET CONNECTOR ● ● ● ●	B4F20CS	1/2" F.I.P. x 1/2" F.I.P.	25	8.63 x 21.63 x 4.50	10	0.49	0 39961 004994	100 39961 004991

● = 5 Year Warranty ● = Easy Install ● = Lead Free\* ● = Available in Canada



www.fluidmaster.com/our-products/connectors.html

\*Contains a weighted average lead content of ≤ 0.25%

For latest prices and delivery to your door visit MyTub Ltd - www.mytub.co.uk - info@mytub.co.uk 0844 556 1818

## WATER SUPPLY CONNECTORS

Fluidmaster water supply connectors are built to last. Made of a tough core covered with braided stainless steel wire, these connectors exceed code requirements for durability. They also have a large inside diameter for higher flow capacity.

- Exceptional flexibility for fast, easy installation
- Won't kink or crease, even in the tightest of spaces
- Heavy-duty brass hex nuts are easy to grip and nickel plated for durability
- Exceeds all code requirements for flexible water connectors

# UNIVERSAL

Toilet & Faucet Supply Lines

Fits Most Toilets & Faucets and Virtually Any Water Supply Valve!



- Standard toilet and faucet fitting
- Fits 3/8", 7/16" and 1/2" compression, or 1/2" F.I.P. shutoff valve

## STAINLESS STEEL UNIVERSAL TOILET SUPPLY CONNECTORS SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	SUPPLY LINE CONFIGURATION	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
9" TOILET UNIVERSAL TOILET CONNECTOR ● ● ● ●	B4T09U	<b>Toilet Connection:</b> 7/8" Ballcock  <b>Shut-off Valve Connection:</b> 3/8" Comp. 7/16" Comp. 1/2" Comp. 1/2" F.I.P.	25	7.13 x 11.63 x 4.50	7	0.03	0 39961 040091	100 39961 040098
12" TOILET UNIVERSAL TOILET CONNECTOR ● ● ● ●	B4T12U		25	7.13 x 14.63 x 4.50	7	0.27	0 39961 044129	100 39961 044126
16" TOILET UNIVERSAL TOILET CONNECTOR ● ● ● ●	B4T16U		25	7.13 x 18.63 x 4.50	8	0.35	0 39961 040169	100 39961 040166
20" TOILET UNIVERSAL TOILET CONNECTOR ● ● ● ●	B4T20U		25	7.13 x 22.63 x 4.50	9	0.42	0 39961 044204	100 39961 044201

## STAINLESS STEEL UNIVERSAL FAUCET SUPPLY CONNECTORS SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	SUPPLY LINE CONFIGURATION	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
9" FAUCET UNIVERSAL FAUCET CONNECTOR ● ● ● ●	B4F09U	<b>Faucet Connection:</b> 1/2" F.I.P.  <b>Shut-off Valve Connection:</b> 3/8" Comp. 7/16" Comp. 1/2" Comp. 1/2" F.I.P.	25	7.13 x 11.63 x 4.50	7	0.22	0 39961 004093	100 39961 004090
12" FAUCET UNIVERSAL FAUCET CONNECTOR ● ● ● ●	B4F12U		25	7.13 x 14.63 x 4.50	8	0.27	0 39961 004123	100 39961 004120
16" FAUCET UNIVERSAL FAUCET CONNECTOR ● ● ● ●	B4F16U		25	7.13 x 18.63 x 4.50	8	0.35	0 39961 004161	100 39961 004168
20" FAUCET UNIVERSAL FAUCET CONNECTOR ● ● ● ●	B4F20U		25	7.13 x 22.63 x 4.50	9	0.42	0 39961 004208	100 39961 004205
24" FAUCET UNIVERSAL FAUCET CONNECTOR ● ● ● ●	B4F24U		25	7.13 x 26.63 x 4.50	10	0.49	0 39961 004246	100 39961 004243
30" FAUCET UNIVERSAL FAUCET CONNECTOR ● ● ● ●	B4F30CU		25	9.25 x 22.25 x 5.25	13	0.63	0 39961 024305	100 39961 024302
36" FAUCET UNIVERSAL FAUCET CONNECTOR ● ● ● ●	4F36CU		10	7.38 x 16.38 x 7.38	8	0.52	0 39961 044365	100 39961 044362
48" FAUCET UNIVERSAL FAUCET CONNECTOR ● ● ● ●	4F48CU		10	7.38 x 16.38 x 7.38	8	0.52	0 39961 044488	100 39961 044485
60" FAUCET UNIVERSAL FAUCET CONNECTOR ● ● ● ●	4F60CU		10	7.38 x 16.38 x 7.38	9	0.52	0 39961 044600	100 39961 044607
72" FAUCET UNIVERSAL FAUCET CONNECTOR ● ● ● ●	4F72CU		10	7.38 x 16.38 x 7.38	10	0.52	0 39961 044723	100 39961 044720

● = 5 Year Warranty ● = Easy Install ● = Lead Free\* ● = Available in Canada

Refer to price list for packaging information for specific SKU's

\*Contains a weighted average lead content of  $\leq 0.25\%$

For latest prices and delivery to your door visit MyTub Ltd - [www.mytub.co.uk](http://www.mytub.co.uk) - [info@mytub.co.uk](mailto:info@mytub.co.uk) 0844 556 1818



[www.fluidmaster.com/our-products/connectors.html](http://www.fluidmaster.com/our-products/connectors.html)

## STAINLESS STEEL TOILET SUPPLY CONNECTORS SPECIFICATIONS



PRODUCT NAME / DESCRIPTION	MODEL NUMBER	SUPPLY LINE CONFIGURATION	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
6" TOILET CONNECTOR ● ● 🇨🇦	B1T06	3/8" Comp. x 7/8" Ballcock	25	6.75 x 9.75 x 5.00	4	0.19	0 39961 001801	100 39961 001808
9" TOILET CONNECTOR ● ● 🇨🇦	B1T09	3/8" Comp. x 7/8" Ballcock	25	6.75 x 9.75 x 5.00	5	0.19	0 39961 001818	100 39961 001815
12" TOILET CONNECTOR ● ● 🇨🇦	B1T12	3/8" Comp. x 7/8" Ballcock	25	6.75 x 13.75 x 5.00	5	0.27	0 39961 001825	100 39961 001822
16" TOILET CONNECTOR ● ● 🇨🇦	B1T16	3/8" Comp. x 7/8" Ballcock	25	8.25 x 16.75 x 5.00	7	0.40	0 39961 001832	100 39961 001839
20" TOILET CONNECTOR ● ● 🇨🇦	B1T20	3/8" Comp. x 7/8" Ballcock	25	8.25 x 16.75 x 5.00	7	0.40	0 39961 001849	100 39961 001846
9" TOILET CONNECTOR ● ● 🇨🇦	B3T09	1/2" Comp. x 7/8" Ballcock	25	6.75 x 9.75 x 5.00	5	0.19	0 39961 001894	100 39961 001891
12" TOILET CONNECTOR ● ● 🇨🇦	B3T12	1/2" Comp. x 7/8" Ballcock	25	6.75 x 13.75 x 5.00	6	0.27	0 39961 001900	100 39961 001907
16" TOILET CONNECTOR ● ● 🇨🇦	B3T16	1/2" Comp. x 7/8" Ballcock	25	8.25 x 16.75 x 5.00	7	0.40	0 39961 001917	100 39961 001914
20" TOILET CONNECTOR ● ● 🇨🇦	B3T20	1/2" Comp. x 7/8" Ballcock	25	8.25 x 16.75 x 5.00	8	0.40	0 39961 001924	100 39961 001921
9" TOILET CONNECTOR ● ● 🇨🇦	B4T09	1/2" F.I.P. x 7/8" Ballcock	25	6.75 x 9.75 x 5.00	6	0.19	0 39961 001948	100 39961001945
12" TOILET CONNECTOR ● ● 🇨🇦	B4T12	1/2" F.I.P. x 7/8" Ballcock	25	6.75 x 13.75 x 5.00	6	0.27	0 39961 001955	100 39961001952
16" TOILET CONNECTOR ● ● 🇨🇦	B4T16	1/2" F.I.P. x 7/8" Ballcock	25	6.75 x 13.75 x 5.00	7	0.40	0 39961 001962	100 39961001969
20" TOILET CONNECTOR ● ● 🇨🇦	B4T20	1/2" F.I.P. x 7/8" Ballcock	25	8.25 x 16.75 x 5.00	8	0.40	0 39961 001979	100 39961001976

## STAINLESS STEEL FAUCET SUPPLY CONNECTORS SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	SUPPLY LINE CONFIGURATION	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
9" FAUCET CONNECTOR ● ● 🇨🇦	B1F09	3/8" Comp. x 1/2" F.I.P.	25	6.75 x 9.75 x 5.00	5	0.19	0 39961 001405	100 39961 001402
12" FAUCET CONNECTOR ● ● 🇨🇦	B1F12	3/8" Comp. x 1/2" F.I.P.	25	6.75 x 13.25 x 5.00	6	0.30	0 39961 001412	100 39961 001419
16" FAUCET CONNECTOR ● ● 🇨🇦	B1F16	3/8" Comp. x 1/2" F.I.P.	25	8.25 x 16.75 x 5.00	7	0.40	0 39961 001429	100 39961 001426
20" FAUCET CONNECTOR ● ● 🇨🇦	B1F20	3/8" Comp. x 1/2" F.I.P.	25	8.25 x 16.75 x 5.00	8	0.40	0 39961 001436	100 39961 001433
24" FAUCET CONNECTOR ● ● 🇨🇦	B1F24	3/8" Comp. x 1/2" F.I.P.	25	8.00 x 16.50 x 4.50	8	0.34	0 39961 001115	100 39961 001112
30" FAUCET CONNECTOR ● ● 🇨🇦	B1F30	3/8" Comp. x 1/2" F.I.P.	25	8.25 x 16.75 x 5.00	10	0.40	0 39961 001443	100 39961 001440
36" FAUCET CONNECTOR ● ● 🇨🇦	1F36	3/8" Comp. x 1/2" F.I.P.	10	5.75 x 14.88 x 8.00	6	0.40	0 39961 011367	100 39961 011364
48" FAUCET CONNECTOR ● ● 🇨🇦	B1F48	3/8" Comp. x 1/2" F.I.P.	10	8.00 x 16.50 x 4.50	7	0.34	0 39961 411891	100 39961 021134
12" FAUCET CONNECTOR ● ● 🇨🇦	B3F12	1/2" Comp. x 1/2" F.I.P.	25	6.75 x 13.75 x 5.00	6	0.27	0 39961 001498	100 39961 001495
16" FAUCET CONNECTOR ● ● 🇨🇦	B3F16	1/2" Comp. x 1/2" F.I.P.	25	8.25 x 16.75 x 5.00	8	0.40	0 39961 001504	100 39961 001501
20" FAUCET CONNECTOR ● ● 🇨🇦	B3F20	1/2" Comp. x 1/2" F.I.P.	25	8.25 x 16.75 x 5.00	8	0.40	0 39961 001511	100 39961 001518
30" FAUCET CONNECTOR ● ● 🇨🇦	B3F30	1/2" Comp. x 1/2" F.I.P.	25	8.25 x 16.75 x 5.00	11	0.30	0 39961 001528	100 39961 001525
12" FAUCET CONNECTOR ● ● 🇨🇦	B4F12	1/2" F.I.P. x 1/2" F.I.P.	25	6.75 x 13.75 x 5.00	7	0.27	0 39961 001542	100 39961 001549
16" FAUCET CONNECTOR ● ● 🇨🇦	B4F16	1/2" F.I.P. x 1/2" F.I.P.	25	8.25 x 16.75 x 5.00	8	0.40	0 39961 001559	100 39961 001556
20" FAUCET CONNECTOR ● ● 🇨🇦	B4F20	1/2" F.I.P. x 1/2" F.I.P.	25	8.25 x 16.75 x 5.00	9	0.40	0 39961 001566	100 39961 001563

● = 5 Year Warranty ● = Lead Free\* 🇨🇦 = Available in Canada

Refer to price list for packaging information for specific SKU's

\*Contains a weighted average lead content of  $\leq 0.25\%$

For latest prices and delivery to your door visit MyTub Ltd - [www.mytub.co.uk](http://www.mytub.co.uk) - [info@mytub.co.uk](mailto:info@mytub.co.uk) 0844 556 1818



[www.fluidmaster.com/our-products/connectors.html](http://www.fluidmaster.com/our-products/connectors.html)

WATER SUPPLY CONNECTORS



## STAINLESS STEEL FAUCET SUPPLY CONNECTORS SPECIFICATIONS CONT.



PRODUCT NAME / DESCRIPTION	MODEL NUMBER	SUPPLY LINE CONFIGURATION	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
30" FAUCET CONNECTOR ● ● 🇨🇦	B4F30	1/2" F.I.P. x 1/2" F.I.P.	25	8.25 x 16.75 x 5.00	11	0.40	0 39961 001573	100 39961 001570
12" FAUCET CONNECTOR ● ● 🇨🇦	B6F12	3/8" Comp. x 3/8" Comp.	25	6.75 x 13.75 x 5.00	6	0.27	0 39961 002525	100 39961 002522
16" FAUCET CONNECTOR ● ● 🇨🇦	B6F16	3/8" Comp. x 3/8" Comp.	25	8.25 x 16.75 x 5.00	6	0.40	0 39961002532	100 39961 002539
20" FAUCET CONNECTOR ● ● 🇨🇦	B6F20	3/8" Comp. x 3/8" Comp.	25	8.25 x 16.75 x 5.00	7	0.40	0 39961 002549	100 39961 002546
12" FAUCET CONNECTOR ● ● 🇨🇦	B8F12	3/8" Comp. x 3/8" O.D. Comp.	25	6.75 x 13.75 x 5.00	6	0.27	0 39961 002068	100 39961 002065
16" FAUCET CONNECTOR ● ● 🇨🇦	B8F16	3/8" Comp. x 3/8" O.D. Comp.	25	8.25 x 16.75 x 5.00	7	0.40	0 39961 002815	100 39961 002812
20" FAUCET CONNECTOR ● ● 🇨🇦	B8F20	3/8" Comp. x 3/8" O.D. Comp.	25	8.25 x 16.75 x 5.00	8	0.40	0 39961 002075	100 39961 002072

## VINYL TOILET SUPPLY CONNECTORS SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	SUPPLY LINE CONFIGURATION	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
9" TOILET CONNECTOR REINFORCED VINYL ● ● 🇨🇦	B1TV09	3/8" Comp. x 7/8" Ballcock	25	6.75 x 13.75 x 5.00	5	0.27	0 39961 060273	100 39961 060270
12" TOILET CONNECTOR REINFORCED VINYL ● ● 🇨🇦	B1TV12	3/8" Comp. x 7/8" Ballcock	25	6.75 x 13.75 x 5.00	5	0.27	0 39961 060280	100 39961 060294
20" TOILET CONNECTOR REINFORCED VINYL ● ● 🇨🇦	B1TV20	3/8" Comp. x 7/8" Ballcock	25	8.88 x 21.88 x 5.00	7	0.56	3 9961 060297	100 39961 060294
9" TOILET CONNECTOR REINFORCED VINYL ● ● 🇨🇦	B4TV09	1/2" F.I.P. x 7/8" Ballcock	25	6.75 x 13.75 x 5.00	6	0.27	0 39961 060327	100 39961 060324
12" TOILET CONNECTOR REINFORCED VINYL ● ● 🇨🇦	B4TV12	1/2" F.I.P. x 7/8" Ballcock	25	6.75 x 13.75 x 5.00	6	0.27	0 39961 060334	100 39961 060331
20" TOILET CONNECTOR REINFORCED VINYL ● ● 🇨🇦	B4TV20	1/2" F.I.P. x 7/8" Ballcock	25	8.88 x 21.88 x 5.00	8	0.56	0 39961 060242	100 39961 060249

## VINYL FAUCET SUPPLY CONNECTORS SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	SUPPLY LINE CONFIGURATION	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
12" FAUCET CONNECTOR REINFORCED VINYL ● ● 🇨🇦	B1FV12	3/8" Comp. x 1/2" F.I.P.	25	6.75 x 13.75 x 5.00	6	0.27	0 39961 060044	100 39961 060041
16" FAUCET CONNECTOR REINFORCED VINYL ● ● 🇨🇦	B1FV16	3/8" Comp. x 1/2" F.I.P.	25	8.25 x 16.75 x 5.00	6	0.40	0 39961 060051	100 39961 060058
20" FAUCET CONNECTOR REINFORCED VINYL ● ● 🇨🇦	B1FV20	3/8" Comp. x 1/2" F.I.P.	25	8.88 x 21.88 x 5.00	8	0.56	0 39961 060068	100 39961 060065
30" FAUCET CONNECTOR REINFORCED VINYL ● ● 🇨🇦	B1FV30	3/8" Comp. x 1/2" F.I.P.	25	8.88 x 21.88 x 5.00	10	0.56	0 39961 060075	100 39961 060072
36" FAUCET CONNECTOR REINFORCED VINYL ● ● 🇨🇦	1FV36	3/8" Comp. x 1/2" F.I.P.	10	5.75 x 14.88 x 8.00	6	0.40	0 39961 060174	100 39961 060171
12" FAUCET CONNECTOR REINFORCED VINYL ● ● 🇨🇦	B4FV12	1/2" F.I.P. x 1/2" F.I.P.	25	6.75 x 13.75 x 5.00	6	0.27	0 39961 060082	100 39961 060089
16" FAUCET CONNECTOR REINFORCED VINYL ● ● 🇨🇦	B4FV16	1/2" F.I.P. x 1/2" F.I.P.	25	8.25 x 16.75 x 5.00	6	0.40	0 39961 060099	100 39961 060096
20" FAUCET CONNECTOR REINFORCED VINYL ● ● 🇨🇦	B4FV20	1/2" F.I.P. x 1/2" F.I.P.	25	8.88 x 21.88 x 5.00	8	0.56	0 39961 060105	100 39961 060102
30" FAUCET CONNECTOR REINFORCED VINYL ● ● 🇨🇦	B4FV30	1/2" F.I.P. x 1/2" F.I.P.	25	8.88 x 21.88 x 5.00	10	0.56	0 39961 060549	100 39961 060546

● = 5 Year Warranty ● = Lead Free\* 🇨🇦 = Available in Canada

Refer to price list for packaging information for specific SKU's

\*Contains a weighted average lead content of ≤ 0.25%

For latest prices and delivery to your door visit MyTub Ltd - [www.mytub.co.uk](http://www.mytub.co.uk) - [info@mytub.co.uk](mailto:info@mytub.co.uk) 0844 556 1818



[www.fluidmaster.com/our-products/connectors.html](http://www.fluidmaster.com/our-products/connectors.html)

WATER SUPPLY CONNECTORS



## STAINLESS STEEL UNIVERSAL DISHWASHER SUPPLY CONNECTORS SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	SUPPLY LINE CONFIGURATION	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
48" DISHWASHER UNIVERSAL CONNECTOR ● ● ● ● L O	1W48CU	<b>Dishwasher Connection:</b> 3/8" Comp. <b>Shut-off Valve Connection:</b> 3/8" Comp. 7/16" Comp. 1/2" Comp. 1/2" F.I.P.	10	7.38 x 16.38 x 7.38	8	0.46	0 39961 011480	100 39961 011487
48" DISHWASHER UNIVERSAL CONNECTOR ● ● ● ● L O	1W48CUK		10	7.38 x 16.38 x 7.38	8	0.46	0 39961 011497	100 39961 011494
60" DISHWASHER UNIVERSAL CONNECTOR ● ● ● ●	1W60CU		10	7.38 x 16.38 x 7.38	8	0.46	0 39961 011602	100 39961 011609
72" DISHWASHER UNIVERSAL CONNECTOR ● ● ● ●	1W72CU		10	7.38 x 16.38 x 7.38	10	0.46	0 39961 011725	100 39961 011722

## STAINLESS STEEL DISHWASHER SUPPLY CONNECTORS SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	SUPPLY LINE CONFIGURATION	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
48" DISHWASHER CONNECTOR ● ● ●	1W48	3/8" Comp. x 1/2" F.I.P.	10	5.75 x 12.25 x 8.00	8	0.29	0 39961 000835	100 39961 000832
72" DISHWASHER CONNECTOR ● ● ●	1W72	3/8" Comp. x 1/2" F.I.P.	10	5.81 x 17.69 x 8.00	10	0.48	0 39961 002761	100 39961 002768
48" DISHWASHER CONNECTOR ● ● ●	6W48	3/8" Comp. x 3/8" Comp.	10	5.75 x 12.25 x 8.00	7	0.33	0 39961 001160	100 39961 001167
48" DISHWASHER CONNECTOR ● ● ● L O	6W48K	3/8" Comp. x 3/8" Comp.	10	5.75 x 12.25 x 8.00	7	0.33	0 39961 371362	100 39961 507003
60" DISHWASHER CONNECTOR ● ● ●	6W60	3/8" Comp. x 3/8" Comp.	10	5.75 x 14.88 x 8.00	8	0.40	0 39961 002778	100 39961 002775
60" DISHWASHER CONNECTOR ● ● ● L O	6W60K	3/8" Comp. x 3/8" Comp.	10	5.75 x 14.88 x 8.00	8	0.40	0 39961 371379	100 39961 401172
72" DISHWASHER CONNECTOR ● ● ●	6W72	3/8" Comp. x 3/8" Comp.	10	5.81 x 17.69 x 8.00	10	0.48	0 39961 002785	100 39961 002782
72" DISHWASHER CONNECTOR ● ● ● L O	6W72K	3/8" Comp. x 3/8" Comp.	10	5.81 x 17.69 x 8.00	10	0.48	0 39961 371355	100 39961 507096
48" DISHWASHER CONNECTOR ● ● ●	B1W48	3/8" Comp. x 1/2" F.I.P.	10	8.55 x 16.75 x 5.00	7	0.40	0 39961 001580	100 39961 001587
60" DISHWASHER CONNECTOR ● ● ●	B1W60	3/8" Comp. x 1/2" F.I.P.	10	8.88 x 21.88 x 5.00	8	0.56	0 39961 003010	100 39961 003017
72" DISHWASHER CONNECTOR ● ● ●	B1W72	3/8" Comp. x 1/2" F.I.P.	10	8.88 x 21.88 x 5.00	9	0.56	0 39961 003003	100 39961 003000
48" DISHWASHER CONNECTOR ● ● ●	B6W48	3/8" Comp. x 3/8" Comp.	10	8.25 x 16.75 x 5.00	7	0.40	0 39961 001603	100 39961 001600
48" DISHWASHER CONNECTOR ● ● ● L O	B6W48K	3/8" Comp. x 3/8" Comp.	10	8.25 x 16.75 x 5.00	7	0.40	0 39961 371300	100 39961 37130 0
60" DISHWASHER CONNECTOR ● ● ●	B6W60	3/8" Comp. x 3/8" Comp.	10	8.88 x 21.88 x 5.00	8	0.56	0 39961 003027	100 39961 003024
60" DISHWASHER CONNECTOR ● ● ● L O	B6W60K	3/8" Comp. x 3/8" Comp.	10	8.88 x 21.88 x 5.00	8	0.56	0 39961 371393	100 39961 401189
72" DISHWASHER CONNECTOR ● ● ●	B6W72	3/8" Comp. x 3/8" Comp.	10	8.88 x 21.88 x 5.00	9	0.56	0 39961 003034	100 39961 003031
72" DISHWASHER CONNECTOR ● ● ● L O	B6W72K	3/8" Comp. x 3/8" Comp.	10	8.88 x 21.88 x 5.00	9	0.56	0 39961 371386	100 39961 207033



## STAINLESS STEEL WASHING MACHINE SUPPLY CONNECTORS SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	SUPPLY LINE CONFIGURATION	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
48" WASHING MACHINE CONNECTOR ● ●	9WM48	3/4" Hose Fitting x 3/4" Hose Fitting	10	5.75 x 12.25 x 8.00	7	0.33	0 39961 009487	100 39961 009484
60" WASHING MACHINE CONNECTOR ● ●	9WM60		10	5.75 x 14.88 x 8.00	8	0.40	0 39961 009609	100 39961 009606

● = 5 Year Warranty ● = Easy Install ● = Lead Free\* 🇨🇦 = Available in Canada L = Brass Elbow 3/8" Comp. Pre 2004 Dishwasher O = Brass Elbow 3/4" Hose Fitting After 2004 Dishwasher

STAINLESS STEEL WASHING MACHINE SUPPLY CONNECTORS SPECIFICATIONS CONT.



PRODUCT NAME / DESCRIPTION	MODEL NUMBER	SUPPLY LINE CONFIGURATION	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
60" WASHING MACHINE CONNECTOR (2-PACK) ● ● ●	9WM60P2	Washing Machine Connection: 3/4" Hose Fitting  <b>Shut Off Valve Connection:</b> 3/4" Hose Fitting 	10	15.63 x 13.06 x 6.50	13	0.57	0 39961 029607	100 39961 029604
72" WASHING MACHINE CONNECTOR ● ● ●	9WM72		10	5.81 x 17.69 x 8.00	9	0.48	0 39961 009722	100 39961 009729
48" WASHING MACHINE CONNECTOR ● ● ●	B9WM48		10	8.25 x 16.75 x 5.00	6	0.40	0 39961 002822	100 39961 002829
60" WASHING MACHINE CONNECTOR ● ● ●	B9WM60		10	8.88 x 21.88 x 5.00	7	0.56	0 39961 002839	100 39961 002836
72" WASHING MACHINE CONNECTOR ● ● ●	B9WM72		10	8.88 x 21.88 x 5.00	9	0.56	0 39961 002846	100 39961 002843
48" HIGH EFFICIENCY WASHING MACHINE CONNECTOR ● ●	9WM48HE	<b>High Efficiency Washing Machines</b>  <b>Connection:</b> 3/4" Hose Fitting X 3/4" Hose Fitting <b>Shut Off Valve Connection:</b> 3/4" Hose Fitting  1/2" Inner Diameter for Higher Flow Required 	10	6.75 x 12.25 x 10.63	9	0.59	0 39961 009494	100 39961 009491
60" HIGH EFFICIENCY WASHING MACHINE CONNECTOR ● ●	9WM60HE		10	6.75 x 15.75 x 10.63	7	0.70	0 39961 409614	100 39961 409611
60" HIGH EFFICIENCY WASHING MACHINE CONNECTOR (2 PACK) ● ●	9WM60P2HE		10	15.63 x 18.31 x 7.13	18	1.10	0 39961 409621	100 39961 409628
72" HIGH EFFICIENCY WASHING MACHINE CONNECTOR ● ●	9WM72HE		10	6.75 x 18.75 x 12.63	10	0.84	0 39961 409737	100 39961 409734
48" HIGH EFFICIENCY WASHING MACHINE CONNECTOR ● ●	B9WM48HE		10	8.75 x 7.50 x 18.25	9	0.62	0 39961 402837	100 39961 402834
60" HIGH EFFICIENCY WASHING MACHINE CONNECTOR ● ●	B9WM60HE		10	8.75 x 7.50 x 18.25	9	0.62	0 39961 402851	100 39961 402858
72" HIGH EFFICIENCY WASHING MACHINE CONNECTOR ● ●	B9WM72HE		10	8.75 x 7.50 x 20.25	10	0.69	0 39961 402868	100 39961 402865

STAINLESS STEEL WATER HEATER SUPPLY CONNECTORS SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	SUPPLY LINE CONFIGURATION	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
12" WATER HEATER CONNECTOR ● ● ●	B1H12	3/4" F.I.P. x 3/4" F.I.P.	10	6.75 x 13.75 x 5.00	5	0.27	0 39961 003133	100 39961 003130
18" WATER HEATER CONNECTOR ● ● ●	B1H18		10	8.25 x 16.75 x 5.00	6	0.40	0 39961 003140	100 39961 003147
24" WATER HEATER CONNECTOR ● ● ●	B1H24		10	8.88 x 21.88 x 5.00	7	0.56	0 39961 003157	100 39961 003154
18" WATER HEATER CONNECTOR ● ● ●	B2H18	3/4" M.I.P. x 3/4" Compression Coupling	10	8.25 x 16.75 x 5.00	7	0.40	0 39961 003058	100 39961 003055
18" WATER HEATER CONNECTOR ● ● ●	B3H18	3/4" M.I.P. x 3/4" F.I.P.	10	8.25 x 16.75 x 5.00	6	0.40	0 39961 003089	100 39961 003086
12" WATER HEATER CONNECTOR ● ● ●	B4H12	3/4" F.I.P. x 3/4" Compression Coupling	10	6.75 x 13.75 x 5.00	7	0.27	0 39961 003102	100 39961 003109
18" WATER HEATER CONNECTOR ● ● ●	B4H18		10	8.25 x 16.75 x 5.00	8	0.40	0 39961 003119	100 39961 003116
24" WATER HEATER CONNECTOR ● ● ●	B4H24		10	8.88 x 21.88 x 5.00	9	0.56	0 39961 003126	100 39961 003123

STAINLESS STEEL ICE MAKER SUPPLY CONNECTORS SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	SUPPLY LINE CONFIGURATION	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
60" ICE MAKER CONNECTOR ● ● ●	12IM60	1/4" Comp. x 1/4" Comp.	10	5.75 x 14.88 x 8.00	4	0.40	0 39961 120601	100 39961 120608
72" ICE MAKER CONNECTOR ● ● ●	12IM72	1/4" Comp. x 1/4" Comp.	10	5.75 x 12.25 x 8.00	5	0.33	0 39961 120724	100 39961 120721
84" ICE MAKER CONNECTOR ● ● ●	12IM84	1/4" Comp. x 1/4" Comp.	10	5.75 x 14.88 x 8.00	5	0.40	0 39961 120847	100 39961 120844
96" ICE MAKER CONNECTOR ● ● ●	12IM96	1/4" Comp. x 1/4" Comp.	10	5.75 x 14.88 x 8.00	5	0.40	0 39961 120960	100 39961 120967
120" ICE MAKER CONNECTOR ● ● ●	12IM120	1/4" Comp. x 1/4" Comp.	10	5.75 x 14.88 x 8.00	6	0.40	0 39961 121202	100 39961 121209

● = 5 Year Warranty ● = Lead Free\* ● = Available in Canada

Refer to price list for packaging information for specific SKU's

\*Contains a weighted average lead content of ≤ 0.25%

For latest prices and delivery to your door visit MyTub Ltd - [www.mytub.co.uk](http://www.mytub.co.uk) - [info@mytub.co.uk](mailto:info@mytub.co.uk) 0844 556 1818



[www.fluidmaster.com/our-products/connectors.html](http://www.fluidmaster.com/our-products/connectors.html)

WATER SUPPLY CONNECTORS



# The Toilet Repair Experts

# Wax & Wax-Free Gaskets

## WAX & WAX-FREE™ GASKETS

Fluidmaster has 3" and 4" wax gaskets for all floor outlet toilet bowls. These are available with or without flange.

For a Wax-free installation, try the Fluidmaster Wax-Free™ gaskets. All gaskets are easy to install and come with the necessary parts to insure a simple and successful installation.




Wax Toilet Bowl Gasket  
7510  
For all floor outlet toilet bowls.  
Fits 3" and 4" waste lines.



Extra Thick Wax Toilet Bowl Gasket  
with Flange  
7513  
Includes extra thick wax ring with  
polyethylene flange.



Extra Thick Reinforced Wax Kit  
7514  
More wax for floors with recessed  
flange.



Reinforced Gasket with Flange  
7512  
Provides better seal on uneven  
flooring.



Wax-Free™ Bowl Gasket  
7500  
This easy to install Wax-Free™ gasket  
adapts to all types of flooring and  
fits 3" or 4" drain pipes, providing a  
secure seal.



WAX & WAX-FREE GASKETS





## WAX-FREE™ BOWL GASKET

7500

If you're tired of dealing with messy wax, try the Fluidmaster Wax-Free™ Bowl Gasket. This easy to install, Wax-Free™ gasket adapts to all types of flooring and drain pipes, providing a secure seal. Made from a special rubber, the Wax-Free™ bowl gasket will provide a consistent, complete seal every time without using wax.

- Fits 3" or 4" drain pipes
- Adapts to all types of flooring and drain pipes
- Clean to install, no messy wax
- Seals on uneven floors or over tile floors with recessed flange
- Can be readjusted during installation
- Moisture-proof O-ring seal prevents splash up and rotting of floor flange, and seals tightly to block sewer gases



- No minimum temperature required for installation
- Solid brass bolts and nuts secure bowl to floor

Visit [fluidmaster.com](http://fluidmaster.com) for expert solutions to toilet repair



### 3" WAX-FREE™ BOWL GASKET

7503

- Fits 3" drain pipes
- Adapts to all types of flooring and drain pipes
- Clean to install, no messy wax
- Seals on uneven floors or over tile floors with recessed flange
- Can be readjusted during installation
- Moisture-proof seal and O-ring prevent splash up and rotting of floor flange
- Heavy duty O-ring seals tightly to block sewer gases
- No minimum temperature required for installation
- Solid brass bolts and nuts secure bowl to floor

10 YEAR WARRANTY



### 4" WAX-FREE™ BOWL GASKET

7504

- Fits 4" drain pipes
- Adapts to all types of flooring and drain pipes
- Clean to install, no messy wax
- Seals on uneven floors or over tile floors with recessed flange
- Can be readjusted during installation
- Moisture-proof seal and O-ring prevent splash up and rotting of floor flange
- Heavy duty O-ring seals tightly to block sewer gases
- No minimum temperature required for installation
- Solid brass bolts and nuts secure bowl to floor

10 YEAR WARRANTY



### WAX TOILET BOWL GASKET

7510

For all floor outlet toilet bowls, fits 3" and 4" waste lines.



### WAX TOILET BOWL GASKET WITH FLANGE AND BOLTS

7511

- Flange for easy install
- Brass bolts and nuts with stainless washers included

## WAX & WAX-FREE™ GASKET SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	PACKAGED	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
WAX FREE™ BOWL GASKET ●	7500	Box	8	10.13 x 20.00 x 5.06	6	0.59	0 39961 075000	100 39961 750089
3" WAX-FREE™ BOWL GASKET ●	7503	Box	24	14.94 x 19.75 x 9.50	14	1.62	0 39961 175038	100 39961 075038
4" WAX FREE™ BOWL GASKET ●	7504	Box	24	14.94 x 19.75 x 9.50	14	1.62	0 39961 075048	100 39961 075045
WAX TOILET BOWL GASKET 🇨🇦	7510	Box	48	18.50 x 12.50 x 10.50	21	1.42	0 39961 475107	100 39961 475104
WAX TOILET BOWL GASKET WITH FLANGE AND BOLTS ● 🇨🇦	7511	Box	24	12.50 x 12.31 x 12.25	14	1.08	0 39961 475114	100 39961 475111

● = 10 Year Warranty   ● = Easy Install   🇨🇦 = Available in Canada

The Toilet Repair  
Experts

Fluidmaster®

[www.fluidmaster.com/our-products/wax-and-wax-free-gaskets.html](http://www.fluidmaster.com/our-products/wax-and-wax-free-gaskets.html)

WAX & WAX-FREE GASKETS





### REINFORCED WAX TOILET BOWL GASKET WITH FLANGE AND BOLTS

7512

- Flange for easy install
- Brass bolts and nuts with stainless washers included
- Added strength provides guaranteed seal



### EXTRA THICK REINFORCED WAX TOILET BOWL GASKET WITH FLANGE AND BOLTS

7514

- 40% more wax for different floor heights
- Extra long brass bolts and hardware kit
- Flange for easy install
- Added strength provides guaranteed seal



### EXTRA THICK WAX TOILET BOWL GASKET WITH FLANGE

7513

- 40% More Wax for different floor heights
- Seals on uneven floors or over tile floors with recessed flange
- Flange for easy install



### WAX TOILET BOWL GASKET WITH FLANGE

7516

- Seals on uneven floors or over tile floors with recessed flange
- Flange for easy install

7514  
Complete kit for all floor outlet toilet bowls. Fits 3" and 4" waste lines.

7516  
For all floor outlet toilet bowls. Fits 3" and 4" waste lines.

## WAX & WAX-FREE™ GASKET SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	PACKAGED	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
REINFORCED WAX TOILET BOWL GASKET WITH FLANGE AND BOLTS ● ● 🇨🇦	7512	Box	30	18.50 x 10.31 x 12.63	23	1.34	0 39961 475121	100 39961 475128
EXTRA THICK WAX TOILET BOWL GASKET WITH FLANGE ● 🇨🇦	7513	Box	24	12.50 x 12.31 x 12.25	16	1.08	0 39961 475138	100 39961 475135
EXTRA THICK REINFORCED WAX TOILET BOWL GASKET WITH FLANGE AND BOLTS ● ● 🇨🇦	7514	Box	24	12.50 x 12.31 x 12.25	22	1.12	0 39961 475145	100 39961 475142
WAX TOILET BOWL GASKET WITH FLANGE ● 🇨🇦	7516	Box	24	12.50 x 12.31 x 12.25	9	1.08	0 39961 476166	100 39961 476163
WAX FREE TOILET BOWL GASKET CONTRACTOR PACK FOR 3" DRAINS ● 🇨🇦	B7503P24	Box	24	18.31 x 18.75 x 7.75	8	1.54	0 39961 175038	100 39961 175035
WAX FREE TOILET BOWL GASKET CONTRACTOR PACK FOR 4" DRAINS ● 🇨🇦	B7504P24	Box	24	18.31 x 18.75 x 7.75	9	1.54	0 39961 175045	100 39961 175042

● = 10 Year Warranty ● = Easy Install 🇨🇦 = Available in Canada

Refer to price list for packaging information for specific SKU's

The Toilet Repair Experts

Fluidmaster®

www.fluidmaster.com/our-products/wax-and-wax-free-gaskets.html

For latest prices and delivery to your door visit MyTub Ltd - www.mytub.co.uk - info@mytub.co.uk 0844 556 1818

WAX & WAX-FREE GASKETS

## REPAIR & REPLACEMENT PARTS

Fluidmaster has a complete line of high quality replacement parts. Fluidmaster has everything you need to repair a rocking toilet or to make some quick aesthetic fixes. Whether you are looking for refill tubes or supply nuts, toilet bolt caps or replacement seals, Fluidmaster has what you need to get the job done.

### REPAIR & REPLACEMENT PARTS SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	SCCI 2 OF 5
ANGLE ADAPTER FOR 400A ● ● ●	B12-350	100 39961 023503
REPLACEMENT SEAL FOR 400A ● ● ●	B212	100 39961 032123
10 PACK OF REPLACEMENT SEALS FOR 400A ● ● ●	B212-10	100 39961 022124
REFILL TUBE FOR 400A ● ● ●	B213	100 39961 021271
SUPPLY NUT ● ● ●	B234	100 39961 021219
ANGLE ADAPTER AND CLIP FOR 400A ● ● ●	B282	100 39961 021233
CONE/SHANK WASHER PACKAGED IN BULK ● ● ●	B415	100 39961 021325
PARTS ASSEMBLY FOR 400A ● ● ●	B4-1500	100 39961 014655
PARTS ASSEMBLY FOR 400A ● ● ●	B4-660	100 39961 046601
TORQUE GUARD LOCK NUT ● ● ●	B5-1270	100 39961 021226
REPLACEMENT CAP ASSEMBLY FOR 400A ● ●	B4-1571	100 39961 012934

● = 1 Year Warranty ● = Easy Install ● = Available in Canada

Refer to price list for packaging information for specific SKU's



### TANK TO BOWL GASKET

6100

- Fits most close-coupled toilets
- Universal fit for both round and hex-shaped flush valve nuts
- Sponge rubber material
- Not for use in Gerber toilets



### 2 3/4" TANK TO BOWL BOLTS

6101

- Durable solid-brass bolts with washers and nuts



### 2 3/4" TANK TO BOWL BOLTS AND GASKET

6102

Fluidmaster bolts, screws and gaskets are what you need to install or repair a rocking toilet. All bolts are made from solid brass, and all gaskets are made from high-quality rubber.



### WHITE TOILET BOLT CAPS

7115

Two toilet bowl caps with snap-on inserts in white.

# REPAIR & REPLACEMENT PARTS SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
WATER SAVING REFILL TUBE ● ● 🇨🇦	215	10	5.06 x 14.00 x 7.25	6	0.30	0 39961 311368	100 39961 372267
REFILL TUBE AND ANGLE ADAPTER FOR 400A REFILL TUBE AND CLIP ● ● 🇨🇦	218	10	5.06 x 14.00 x 7.25	1	0.30	0 39961 000057	100 39961 002188
REPLACEMENT SEAL FOR 400A IN A BLISTER CARD TOILET REPLACEMENT SEAL ● ● 🇨🇦	242	10	4.56 x 5.50 x 4.81	1	0.07	0 39961 000064	100 39961 002423
FILL VALVE INSTALLATION KIT CONTAINING TORQUE GUARD FILL VALVE INSTALLATION PARTS ● ● 🇨🇦	250	10	5.06 x 14.00 x 7.25	2	0.30	0 39961 000125	100 39961 000115
REPLACEMENT CAP ASSEMBLY FOR 400A FOR VALVES WITH A SS LINK REPLACEMENT VALVE CAP FOR OLD STYLE 400A ● ● 🇨🇦	350	10	5.06 x 7.50 x 7.50	1	0.17	0 39961 000378	100 39961 000375
REPLACEMENT CAP ASSEMBLY FOR 400A FOR VALVES WITH A PLASTIC ADJUSTMENT SCREW ● ● 🇨🇦	385	10	5.06 x 7.50 x 7.50	1	0.17	0 39961 803528	100 39961 803525
FILL TUBE AND CLAMP FOR USE WITH UNIVERSAL RUNDLE® OR SEARS® TILT FLUSH FILL TUBE AND CLAMP ● ● 🇨🇦	599	10	5.06 x 14.00 x 7.25	2	0.30	0 39961 005991	100 39961 005998
SEALANT RING FOR THE 555C FLUSH VALVE SEALANT RING ● ● 🇨🇦	2602	10	5.06 x 14.00 x 7.25	2	0.29	0 39961 026026	100 39961 026023
AMERICAN STANDARD SEAT DISK FOR ALL AMERICAN STANDARD ACTUATOR FLUSH VALVES ● ● 🇨🇦	5103	10	5.06 x 14.00 x 7.25	2	0.29	0 39961 051035	100 39961 051032
UNIVERSAL FLAPPER CHAIN ● ● 🇨🇦	5104	10	4.56 x 5.50 x 4.81	1	0.07	0 39961 051042	100 39961 051049
TANK TO BOWL GASKET ● ● 🇨🇦	6100	10	5.06 x 14.00 x 7.25	3	0.29	0 39961 061003	100 39961 061000
2 3/4" TANK TO BOWL BOLTS ● ● 🇨🇦	6101	10	5.13 x 5.75 x 5.31	4	0.90	0 39961 061010	100 39961 061017
2 3/4" TANK TO BOWL BOLTS AND GASKET ● ● 🇨🇦	6102	10	5.06 x 14.00 x 7.25	5	0.29	0 39961 061027	100 3996106102 4
2 3/4" TANK TO BOWL BOLTS - THREE BOLTS ● ● 🇨🇦	6105	10	5.13 x 5.75 x 5.31	4	0.09	0 39961 061058	100 3996106105 5
2 3/4" TANK TO BOWL 3 BOLTS AND A GASKET ● ● 🇨🇦	6106	10	5.06 x 14.00 x 7.25	5	0.29	0 39961 061065	100 39961 061062
2 1/4" BOWL TO FLOOR BOLTS ● ● 🇨🇦	7110	10	5.13 x 5.75 x 5.31	2	0.09	0 39961 071101	100 39961 071108
3 1/2" BOLTS / 3" BOWL TO FLOOR BOLTS ● ● 🇨🇦	7111	10	5.13 x 5.75 x 5.31	2	0.09	0 39961 071118	100 39961 071115
2 1/4" BOWL TO FLOOR SCREWS ● ● 🇨🇦	7112	10	5.13 x 5.75 x 5.31	2	0.09	0 39961 071125	100 39961 071122
3 1/2" BOWL TO FLOOR SCREWS ● ● 🇨🇦	7113	10	5.13 x 5.75 x 5.31	2	0.09	0 39961 071132	100 39961 071139
TOILET BOWL BOLTS AND SCREWS KIT / BOWL TO FLOOR BOLTS AND SCREWS ● ● 🇨🇦	7114	10	5.13 x 5.75 x 5.31	2	0.09	0 39961 071149	100 39961 071146
TOILET BOLT CAPS - WHITE ● ● 🇨🇦	7115	10	5.13 x 5.75 x 5.31	1	0.09	0 39961 071156	100 39961 071153
TOILET BOLT CAPS - BONE ● ● 🇨🇦	7116	10	5.13 x 5.75 x 5.31	1	0.09	0 39961 071163	100 39961 071160
REPLACEMENT SEAL FOR 400A PACKAGED IN BLISTERS (25 PACK) ● ● 🇨🇦	242P25	25	5.06 x 7.50 x 7.50	1	0.17	0 39961 000064	100 39961 022421

● = 1 Year Warranty ● = Easy Install 🇨🇦 = Available in Canada

Refer to price list for packaging information for specific SKU's

The Toilet Repair  
Experts

 **Fluidmaster**

[www.fluidmaster.com/our-products/repair-parts.html](http://www.fluidmaster.com/our-products/repair-parts.html)

For latest prices and delivery to your door visit MyTub Ltd - [www.mytub.co.uk](http://www.mytub.co.uk) - [info@mytub.co.uk](mailto:info@mytub.co.uk) 0844 556 1818

REPAIR & REPLACEMENT PARTS



# The Toilet Repair Experts

## CLICK FIT ACCESS PANELS

Fluidmaster's easy to use panels provide easy access to in-wall plumbing and electrical. The panels are available in two sizes and are simple to install. There is no framing required as Fluidmaster's access panels use flip clips to hold in place.

- Conceals and allows access to plumbing, wiring and cables
- Pops in and out of position, no visible clamps or screws
- Works in walls and ceilings up to 3/4 inch thick
- Great for spa pumps, security systems, computer /audio/ TV cables

Visit [fluidmaster.com](http://fluidmaster.com) for easy installation instructions and templates.

## 8" x 8" ACCESS PANEL

AP-0808

Fluidmaster's access panels install quickly and easily to cover up plumbing, electrical wiring and audio / visual cables.

- Available in 8" x 8" or 14" x 14"
- No framing required
- Click Fit for easy installation



Visit [www.fluidmaster.com](http://www.fluidmaster.com) for expert solutions for Toilet Repair

## 14" x 14" ACCESS PANEL

AP-1414

- Available in 8" x 8" or 14" x 14"
- No framing required
- Click Fit for easy installation



## ACCESS PANEL SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	PACKAGED	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
8" x 8" ACCESS PANEL ● ● ●	AP-0808	Box	10	11.50 x 9.50 x 10.00	5	0.63	0 39961 008084	100 39961 008081
14" x 14" ACCESS PANEL ● ● ●	AP-1414	Box	10	15.50 x 15.50 x 12.00	14	1.67	0 39961 014146	100 39961 014143

● = 1 Year Warranty ● = Easy Install 🇨🇦 = Available in Canada



[www.fluidmaster.com/our-products/access-panels.html](http://www.fluidmaster.com/our-products/access-panels.html)

ACCESS PANELS

# The Toilet Repair Experts



## AUTOMATIC TOILET BOWL CLEANING SYSTEMS

Flush 'n Sparkle is Fluidmaster's own automatic toilet cleaning kit. It drips directly into the overflow tube so no chemicals ever touch the fill valve or flapper, avoiding the damage done by drop in tank tablets. Replacing a cartridge is a snap and takes less than one minute. You can install the whole system in less than five minutes. Available with blue cleaning, bleach cleaning or with the BioBalance® septic kit which releases biodegradable enzymes to break down household waste and reduce clogging.



Flush 'n Sparkle® Bleach Kit  
8300  
The 8300 kit contains a bleach cleaning solution that provides a thorough cleaning and lasts up to three months



Flush 'n Sparkle® Cleaning Kit  
8100  
Flush 'n Sparkle® puts a cleaning solution directly into the overflow tube of the flush valve, so no chemicals ever touch the flapper or fill valve



Flush 'n Sparkle® BioBalance® Septic Kit  
8200  
The Septic Care Kit injects biodegradable enzymes into the septic system every time the toilet is flushed, helping to keep the septic system working smoothly





## BLEACH KIT

8300

Automatically cleans your toilet with every flush.

This environmentally friendly product provides cleaning solution directly into the bowl without harming the toilet tank components. Every plumber knows that there is nothing more destructive to toilet tank parts than drop-in bleach tablets. The alternative is Flush 'n Sparkle® Bowl Cleaning System. Flush 'n Sparkle® puts a cleaning solution directly into the overflow tube of the flush valve, so no chemicals ever touch the flapper or fill valve. This prevents the damage that a drop-in tablet normally inflicts while keeping the bowl clean and sparkling. The 8300 kit contains a bleach cleaning solution that provides a thorough cleaning and lasts up to three months. Replacing the cleaning cartridge takes less than one minute.

Visit [fluidmaster.com](http://fluidmaster.com) for expert solutions for toilet repair



- Environmentally friendly
- Cleans toilet for three months
- Added Bleach Cleaning Power
- Easily installed in less than five minutes
- Isolates cleaner from the tank water so tank parts aren't damaged by the detergents or bleach used by other in-tank cleaners
- Cleanser-treated water is injected only to the bowl, where it is needed, so cleaner application is efficient
- Surfactant-based cleaning agent reduces spread of viruses and bacteria



## CLEANING KIT

8100

- Environmentally friendly
- Cleans toilets for three months
- Easily installed in less than five minutes
- Repels stains with every flush
- Isolates cleaner from the tank water so tank parts aren't damaged by the detergents or bleach used by other in-tank cleaners
- Cleanser-treated water is injected only to the bowl, where it is needed, so cleaner application is efficient
- Surfactant-based cleaning agent reduces spread of viruses and bacteria

8100

The 8100 kit contains a blue cleaning solution that lasts up to three months.



## BIOBALANCE® SEPTIC KIT

8200

- Environmentally friendly
- Easily installed in less than five minutes
- Every flush delivers instant septic bio-action
- Biodegradable enzymes break down household waste
- Every flush delivers instant septic bio-action
- Frequent, measured doses reduce drain field clogging

8200

There is nothing worse than having your septic system back up. A way to prevent septic back up is with a Flush 'n Sparkle® with BioBalance® Septic Care Kit. The Septic Care Kit injects biodegradable enzymes into the septic system every time the toilet is flushed, helping to keep the septic system working smoothly. The Septic Care Kit works for three months, and replacing the cartridge takes less than a minute.

## AUTOMATIC TOILET CLEANER SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	PACKAGED	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
FLUSH 'n SPARKLE® TOILET BOWL CLEANING SYSTEM BLUE CLEANING FORMULA IN TRAY PACK FLUSH 'n SPARKLE® CLEANING KIT ● ● 🇨🇦	8100P8 8100	Box	8	7.56 x 5.25 x 18.75	4	0.43	0 39961 880017	100 39961 881004
FLUSH 'n SPARKLE® BIOBALANCE® SEPTIC TANK CARE SYSTEM IN TRAY PACK FLUSH 'n SPARKLE® BIOBALANCE® SEPTIC KIT ● ● 🇨🇦	8200P8 8200	Box	8	7.56 x 5.25 x 18.75	4	0.43	0 39961 880055	100 39961 882025
FLUSH 'n SPARKLE® BIOBALANCE® SEPTIC TANK CARE SYSTEM IN TRAY PACK FLUSH 'n SPARKLE® BIOBALANCE® SEPTIC KIT ● ● 🇨🇦	8300P8 8300	Box	8	7.56 x 5.25 x 18.75	4	0.43	0 39961 083005	100 39961 830088

● = Easy Install ● = Fits All Brands 🇨🇦 = Available in Canada

The Toilet Repair  
Experts



[www.fluidmaster.com/our-products/automatic-toilet-cleaners.html](http://www.fluidmaster.com/our-products/automatic-toilet-cleaners.html)

For latest prices and delivery to your door visit MyTub Ltd - [www.mytub.co.uk](http://www.mytub.co.uk) - [info@mytub.co.uk](mailto:info@mytub.co.uk) 0844 556 1818



## BLEACH REFILLS

8302

Automatically cleans your toilet with every flush.

This environmentally friendly product provides cleaning solution directly into the bowl without harming the toilet tank components. These are the replacement cleaning cartridges for Flush 'n Sparkle® Bleach Cleaning System.

- Environmentally friendly
- Installs easily

Visit [fluidmaster.com](http://fluidmaster.com) for expert solutions for toilet repair



## CLEANING REFILLS

8102

- Isolates cleaner from the tank water so tank parts aren't damaged by the detergents or bleach used by other in-tank cleaners
- Cleanser-treated water is injected only to the bowl, where it is needed, so cleaner application is efficient
- Surfactant-based cleaning agent reduces spread of viruses and bacteria

8102, 8202  
Automatically cleans your toilet with every flush.

8202  
Replacement cleaning cartridge for Flush 'n Sparkle® with BioBalance® Septic Care Kit.



## BIOBALANCE® SEPTIC REFILLS

8202

- Every flush delivers instant septic bio-action
- Frequent, measured doses reduce drain field clogging

## AUTOMATIC TOILET CLEANER SPECIFICATIONS

PRODUCT NAME / DESCRIPTION	MODEL NUMBER	PACKAGED	CASE QUANTITY	CASE DIMENSIONS W/D/H (INCHES)	CASE WEIGHT (LBS)	CUBIC FEET	UPC	SCCI 2 OF 5
FLUSH 'n SPARKLE® REFILL CARTRIDGES BLUE CLEANING FORMULA IN TRAY PACK FLUSH 'n SPARKLE® CLEANING REFILLS ● ●	8102P8 8102	Box	8	7.56 x 5.25 x 18.75	3	0.43	0 39961 880031	100 39961 881028
FLUSH 'n SPARKLE® BIOBALANCE® SEPTIC TANK CARE REFILL CARTRIDGES IN TRAY PACK FLUSH 'n SPARKLE® BIOBALANCE® SEPTIC REFILLS ● ●	8202P8 8202	Box	8	7.56 x 5.25 x 18.75	3	0.43	0 39961 880079	100 39961 820287
FLUSH 'n SPARKLE® TOILET BOWL CLEANING REFILL CARTRIDGES BLEACH CLEANING FORMULA IN TRAY PACK FLUSH 'n SPARKLE® BLEACH REFILLS ● ●	8302P8 8302	Box	8	7.56 x 5.25 x 18.75	4	0.43	0 39961 830203	100 39961 830286

● = Easy Install ● = Fits All Brands

The Toilet Repair  
Experts



[www.fluidmaster.com/our-products/automatic-toilet-cleaners.html](http://www.fluidmaster.com/our-products/automatic-toilet-cleaners.html)

For latest prices and delivery to your door visit MyTub Ltd - [www.mytub.co.uk](http://www.mytub.co.uk) - [info@mytub.co.uk](mailto:info@mytub.co.uk) 0844 556 1818







Installed in more toilets than all other brands combined

30800 Rancho Viejo Rd.  
San Juan Capistrano, CA 92675  
Phone: 949-728-2000  
02/13 FM91438

Visit [fluidmaster.com](http://fluidmaster.com)