

hansgrohe



Catalogue



Mixer

Hand shower

Overhead shower





PuraVida



Elegance



Style



Classic



The right style for every bathroom. Discover your bathroom style. Because we want you to enjoy our products for years to come, our style recommendations offer professional guidance to help you make an informed decision. You can choose between the worlds of Elegance, Style and Classic – either for individual products or for an entire bathroom line. Your personal style preference will guide you in the choice of matching products. While trends and fashions might come and go, the authenticity of our style worlds will last. A new bathroom is a personal space for relaxation that will offer you lasting pleasure. The latest Hansgrohe line – PuraVida – represents a completely new addition to the range of available bathroom styles.

Overview of styles. Discover in one glance which mixers and showers can be combined. In this way, you will always achieve a harmonious outcome. Whether it be Elegance, Style or Classic – the Hansgrohe style recommendations meet every expectation for the modern bathroom. Be inspired by the possibilities. Leave this overview page folded out while you're browsing through the catalogue and it will guide you on your journey through the Hansgrohe world of showers and mixers. Enjoy yourself while discovering!

Hansgrohe – Efficient Water Pleasure

Our passion, your pleasure.
Caring for people and the
environment. Since 1901.



„From the very beginning, we at Hansgrohe have always had a genuine passion for water, the element of life. Water fascinates and inspires us. We therefore invest an extraordinary amount of energy in the development of innovative technologies and environmentally friendly products which ingeniously combine water pleasure, superior comfort and the sustainable use of this precious resource.“

Richard Grohe



Our company	Originality & Ecology	6
Mixers	Innovation & Originality	7
	New: PuraVida	10
	Style recommendations	16
	Elegance	20
	Style	24
	Classic	28
	Mixer technology	32
Showers	Shower Fun	36
	Shower options	40
	Shower technology	42
	Crometta 85	44
	Croma 100	48
	Raindance	54
	Pontos	78
Kitchen	Kitchen mixers	80
System technology	iBox universal	84
	Waste technology	86
Product overview	Everything at a glance	88





From left to right: As a young man Hans Grohe founds the company in 1901. Company members in 1912. Hans Grohe in his element in the late 1930s. Hans Grohe with his sons Hans junior and Friedrich in 1943. Hans Grohe with his son Klaus in 1937. Klaus Grohe with his sons Richard and Philippe in 2007.

Hansgrohe. The original. With more than 100 years of company history, we are committed to building on our strong sense of tradition. Hansgrohe's maxim has always been to strive for excellence and to think and act ahead of the times. Evidence of this distinctive Hansgrohe approach can be found in the numerous innovations from our think tank which have set new global standards, won numerous design awards – and been copied time and again. The most convincing evidence, however, is our many satisfied customers.



From left to right: Unica, the invention of the shower bar (1953). Selecta, the first adjustable hand shower (1968). iBox universal, the revolution in concealed installation (2001). Talis S, a highly successful mixer series (2002). Raindance, for Shower Fun XXL (2003). PuraVida, our most recent collection with DualFinish in white and chrome (2009).

Water is our element. Hansgrohe develops products that are made to last while offering the utmost in satisfaction – all in a very appealing design. Our customers appreciate our many revolutions in comfort and technology that free them to make the most of water. In our philosophy, it's all about savouring the moment, relaxing or setting a highlight at the start or at the end of the day. We simply want people to be able to pamper and indulge themselves. To this end, Hansgrohe products are offered in comprehensive style classes, which help you choose a consistent range of products and create compositions with superior design quality.

Discover your bathroom style.

My bathroom. Today, and for many years to come. A new bathroom should offer you lasting pleasure. Whether you're replacing mixers or showers, whether you're renovating your bathroom or creating a bathroom from scratch – it is an investment that will last. It is therefore very important to us that your enjoyment of our products lasts as long as the products themselves. Hansgrohe's innovations and technologies make operation easy and comfortable. Moreover, numerous water-saving features are already incorporated in the product technology. For us, quality and an aura of value are prerequisites of customer satisfaction.

My style in the bathroom. Have fun exploring and discovering your own bathroom style. Choose between Elegance, Style or Classic – or our latest addition, PuraVida, which will be introduced in the following pages. This line exudes purity and clarity with its signature DualFinish – the perfect and harmonious fusion of white and chrome materials. The poetic, distinctive lines accentuate both the character of the product and the precise transition between the two different finishes. The shape and design of the mixers and showers match the ceramic sanitary ware, bathroom furniture and accessories for a consistent, harmonious bathroom style.



New: PuraVida®. Experience sensuality in the bathroom. Poetic, pure and clear. A fresh feeling we can cherish day by day. The design is concentrated on just a few elements, including subtle, clean curves and elegant surfaces, which helps to accentuate this purity. This is also a technologically and functionally innovative line, from the mixer through to the body contour overhead shower.



Our company

Mixers

Showers

Kitchen

System technology



Product overview



PuraVida® basin mixer. Its shape commands attention and is an invitation to touch. The mixer's seamless operation complements its sculptural appearance. A pure jet of water is released. It conveys clarity and an overall sense of grace and tranquility.



PuraVida® hand shower. The pearls of rain typical of Hansgrohe's AirPower technology wrap your entire body in a pleasant layer of water, creating that unique Raindance feeling. The large shower head offers exceptional Shower Fun. The new Caresse function, activated with the EasyClick, mixes five jets together to form flowing waves of water, offering an entirely new, pampering massage.



Single lever basin mixer, Highriser



Overhead shower with shower arm

The new PuraVida® line stands for modernity in the bathroom, both in design and technology. The Highriser has a majestic air: with serenity and elegance, the water flows into the matching wash basin. The body contour overhead shower offers the purest shower enjoyment, designed with the contour of the human body in mind – particularly the width of the shoulders. This allows your entire body to be pampered by the unique, generous rain shower of Hansgrohe's AirPower technology.



The complete series is shown on pages 90/91 of the product overview.



Single lever bath and shower mixer for exposed fitting



Baton hand shower



An invigorating infusion of air produces a pleasantly soft jet of water.



Sustainable use of water and energy through flow rate reduction.



Greater durability: limescale can simply be rubbed off the silicone jets.



Ergonomic design for comfortable, easy operation.

My style at home. My style in the bathroom.



Elegance



Style

The Hansgrohe style recommendations. These lines are consistent with the existing Elegance, Style and Classic style worlds that help you choose the products that suit your personality and taste. Authentic styles that are timeless




Caracalla bed – Zanotta Spa



Classic

and unconstrained by fleeting trends: this is the prerequisite of a new bathroom as an enduring space for retreat and relaxation. Our style recommendations help you find the right line for a bathroom that suits your personality.

Your guidance: Three styles, three price categories. For every Hansgrohe style, you can choose among different series with varying features and price ranges. The difference lies in the visual characteristics of the products. Superior quality and durability are decisive factors in our manufacturing process and the foundation of all of our products. Hansgrohe's quality standard promises user-oriented, innovative product design and products that can be enjoyed for many years to come.




Elegance is the love of gently curved lines and playful, sensual details, reminiscent of the features of a figure. In the world of Elegance, you will find tasteful compositions that are pleasant to the touch and that exude a personal, welcoming ambience.

Style. The art of leaving out extraneous details and focussing on symbolic, functional design. Simplicity accentuates the sense of space. The shapes are linear, pure and cylindrical. The room is characterised by subtlety and tranquillity.

Classic is the expression of classical beauty. Representing timeless harmony, Classic conveys lasting values and an air of history. If you like surrounding yourself with warmth and beauty and if enduring values are important to you, this is the style for you.



My style in the bathroom: Elegance. Beautiful, decorative shapes and details awaken the senses. Elegance is a way of living that expresses class and warmth. There are three different mixers that suit your preference for an elegant bathroom.



Focus E²



Talis E²



Metris E



My style in the bathroom: Elegance.



Metris E



Talis E²



Focus E²



All mixers are equipped with signature Hansgrohe technologies.

An invigorating infusion with air produces a pleasantly soft jet of water.



Sustainable water and energy consumption through flow rate reduction.



Greater durability: limescale can simply be rubbed off the silicone jets.



Ergonomic design for comfortable, easy operation.

Softness. Flowing lines, gentle curves – Metris E creates class in the bathroom. The soft, elegant shapes and subtle curves blend into the surrounding space. The tongue-shaped handle adds the perfect finishing touch to this series.


Clarity. Talis E² features smooth, precise surfaces and lines in combination with organic shapes. The beautiful curves and the characteristic, shiny surfaces create an exciting contrast. If you're looking for a distinctive, minimalist series and you prefer a pure, but warm ambience in your bathroom, this is your ideal choice.

Freshness is the face of Focus E². The contrast between organic shapes and clean, geometrical lines is accentuated by the dynamic tilt of the spout. This design contrast is combined with sophisticated technology to create a product that speaks of superior quality.

For more information, please refer to pages 92/93 in the product overview or visit www.hansgrohe.com.



My style in the bathroom: Style. Style represents a focus on clean lines and functional design. Simplicity and clarity help create a generous sense of space. If subtlety and tranquillity appeal to you, Style will mirror this aspect of your personality. Hansgrohe presents Style in three different series.



Focus S



Talis S²



Metris S



My style in the bathroom: Style.



Metris S



Talis S²



Focus S



All mixers are equipped with signature Hansgrohe technologies.

An invigorating infusion with air produces a pleasantly soft jet of water.



Sustainable water and energy consumption through flow rate reduction.



Greater durability: limescale can simply be rubbed off the silicone jets.



Ergonomic design for comfortable, easy operation.

Simplicity. The serenity of Metris S speaks of timelessness. A place of stability, tranquillity and contentment is accentuated by this design. Metris S expresses a passion for geometry, as exemplified in the slim, minimalist handle. The focus is on the essential.


Dynamic. The firm, straight lines and slim appearance are accentuated by the dynamic tilt of the mixer and the pin handle. Talis S is a popular, modern series in minimalist design. It adds life and verve to the bathroom, but in a calm and discreet manner.

Natural beauty. With its straightforward simplicity, the Focus S mixer line blends subtly and naturally into any bathroom. Its clean, natural design is timeless and unconstrained by fleeting trends. Enjoy the superior quality of Hansgrohe products in an attractive price range.

For more information, please refer to pages 94 - 97 in the product overview or visit www.hansgrohe.com.



My style in the bathroom: Classic. Perfect balance and harmony – an expression of modern classic style in history and tradition. Refined ambience and a passion for classic décor and furniture with a hint of nostalgic charm – that is the distinct, timeless subtlety of the Classic style. Hansgrohe presents two lines – in different variations.



Talis Classic



Talis Classic
Natural



Metris Classic



My style in the bathroom: Classic.



Metris Classic



Talis Classic



All mixers are equipped with signature Hansgrohe technologies.

An invigorating infusion with air produces a pleasantly soft jet of water.



Sustainable water and energy consumption through flow rate reduction.



Greater durability: limescale can simply be rubbed off the silicone jets.



Ergonomic design for comfortable, easy operation.

Modern classic. Metris Classic is inspired by the classic shapes of past times, bringing them back to life in modern mixers. Handle and spout are subtly curved. With an air of lightness and liveliness, Metris Classic exudes exceptional luxury and the memory of a golden age.

Sweet nostalgia. Characterised by subtle details and an air of nostalgic style, these two mixer types complement each other perfectly. Whether it be the wide, open channel, reminiscent of a fountain, or the architectural inspiration of the curved spout – both models have a discreet but characteristic presence in a bathroom.

For more information, please refer to pages 98 -101 in the product overview or visit www.hansgrohe.com.

Mixer technology



EcoSmart



AirPower



QuickClean



An invigorating infusion with air produces a pleasantly soft jet of water.



Sustainable water and energy consumption through flow rate reduction.



Greater durability: limescale can simply be rubbed off the silicone jets.



Ergonomic design for comfortable, easy operation.

EcoSmart and AirPower technology: for greater utility and efficiency. How can the full potential of water be realised while using less of it? EcoSmart is a technology that regulates the flow rate. The precision „O“ ring flexibly responds to the available water pressure and maintains the flow rate at a consistently low level. The higher the pressure, the smaller the opening for the water becomes; the lower the pressure, the more the ring widens. In addition, the AirPower technology infuses the water with air, producing a voluminous, splash-free jet, while using the water efficiently. The following example shows how much water and energy can be saved using Hansgrohe mixers.

Saving water and energy with Hansgrohe basin mixers

Standard basin mixer, (13.5 l/min/3 bar), 3 minutes/day ¹	40.5 litres
Hansgrohe basin mixer, (5 l/min/3 bar), 3 minutes/day ¹	15.0 litres

Water consumption, family of four, with standard basin mixer/year	58,968 litres
Water consumption, family of four, with Hansgrohe basin mixer/year	21,840 litres

Cost of water, standard basin mixer, family of four/year ² , approx.	265 €/year
Cost of water, Hansgrohe basin mixer, family of four/year ² , approx.	98 €/year
Savings, approx.	167 €/year

Cost of oil/gas ³ , standard basin mixer, family of four/year ⁴ , approx.	107 €/year
Cost of oil/gas ³ , Hansgrohe basin mixer, family of four/year ⁴ , approx.	40 €/year
Savings, approx.	67 €/year

Total water and energy savings in one year, approx.	234 €/year

CO ₂ savings ⁵ approx.	245 kg/year

The Hansgrohe EcoSmart basin mixer⁶ **pays for itself after approx. 8 months – in a household of 4.**

1) Usage according to manufacturer of aerator

2) Average in Germany/incl. waste water and base rate/Cost of water varies greatly in different regions.

3) Average cost of oil/gas in Germany approx. 0.60 €/l oil, 0.065 €/kWh gas, varies greatly according to demand.

4) Energy required to increase the temperature of 1 litre of water by 1 degree Celsius: 1 kcal or 0.00116 kWh. Energy required to increase the temperature of 1 litre of water from 10 degrees Celsius (cold tap water) to 35 degrees Celsius (warm water temperature): 0.029 kWh/litre of water. Calculated with the energy formula on the basis of the general calculation principles according to the International System of Units (SI). Conversion from kWh to oil: 10 kWh = 1 litre of oil

5) Calculation of CO₂ amount: 1 kWh oil = 0,26 kg CO₂, 1 kWh gas = 0,2 kg CO₂

6) Purchase price of a Hansgrohe basin mixer approx. 160 €

Thermostat technology



This technology is featured in all thermostats.

Safety through temperature control: extremely rapid correction of fluctuations in pressure and temperature protects against scalding – once it has been set, the temperature remains constant. With the Ecostop function you can reduce water consumption in the shower by up to 50% – and save energy.



Ecostat® E Bath



Ecostat® S Shower



Sustainable water and energy consumption through flow rate reduction.



Greater durability: limescale can simply be rubbed off the silicone jets.



Ergonomic design for comfortable, easy operation.





Shower Fun

Efficient Water Pleasure – full enjoyment combined with ingenious efficiency and sustainability: Hansgrohe offers products to suit every desire. Enjoy an invigorating start to the day or a relaxing shower in the evening. Experience the wonderful feeling of the soft pearls of rain from a large overhead shower – knowing that this is the most beautiful way to shower. And it's sustainable: thanks to new technologies, water is used with the utmost respect. With Hansgrohe products you can realise a savings potential of up to 50 %.

Simply enjoy every moment – each one is unique, just like your shower.



Mixer for exposed installation – for a single shower. Single lever mixer for manual operation: flow rate and temperature are adjusted by manually.



Thermostat for exposed installation – for a single shower. Temperature and flow rate are regulated thermostatically. Within seconds, the temperature is automatically set and remains constant.



Thermostat for concealed installation – for two outlets. The thermostat is built into the wall. It automatically controls the temperature and two types of showers. A visually elegant solution.

Mixers to suit all shower options. Choose the right mixer for you, depending on the number of showers, desired ease of operation and your design preferences. Mixers for exposed installation are mounted directly onto the wall and are equipped with a manual single lever mixer or a thermostat. In a concealed installation, the mixer body is built into the wall. The only visible parts are the operating lever and a slim wall plate. The more diverse the shower functions, the more complex becomes the piping behind the wall. No matter which shower family you choose, Hansgrohe has the right solution – from a simple exposed mixer to an electronic remote controlled shower.



iControl in combination with a thermostat for concealed installation. Controls the temperature automatically. With one single control element, three different showers can be turned on and off.



iControl mobile in combination with a thermostat for concealed installation. Controls the temperature automatically. Thanks to digital radio technology, the control element can be detached and operated like a remote control. In this way, the shower can be started from the outside – when entering the shower, the water will already have reached the desired temperature.



RainBrain – an electronic system for controlling up to five different showers. With the RainBrain touch screen, showering is pure pleasure. All shower functions can easily be controlled via the touch screen: the choice of shower, spray mode, lighting – even your music, which can be transferred as MP3s directly from your iPod.



Ergonomic design for comfortable, easy operation.

Shower options




Hand shower

Equipped with different spray modes and AirPower technology, the Raindance hand showers are ideal for fitness, wellness and beauty applications.

Shower set

Adjustable along the entire length of the body, the Raindance hand shower can be used as an overhead, shoulder, hand or side shower. It is quick and easy to install on the wall.




Overhead shower

The large plate overhead shower provides a soft rain shower that completely envelopes the body. Can be installed either on the ceiling or on the wall.

Side showers

Point the large side showers in the desired direction and enjoy invigorating jets of water from all sides.



Showerpipe


For rich shower rain directly from above. In combination with a thermostat on the wall, it can easily be added to your existing bathroom – the quickest way to a large overhead shower.

Showerpanel

Shower rain from the Raindance hand shower and from the powerful side showers: the panel is installed on the wall and can be mounted onto existing connections.

Visit

<http://showerguide.hansgrohe.com/> to configure your personal shower.



Hansgrohe shower technology

AirPower – water infused with air. Hansgrohe’s brilliant shower technology. The water is mixed with air and released in voluminous drops for the experience of a pure rain shower. You can easily alternate between pleasantly soft summer rain and a powerful, concentrated massage jet. And thanks to AirPower, the water is used with the utmost efficiency.

EcoSmart. This technology for regulating the flow rate makes for more efficient use of water and energy. The precision „O” ring flexibly responds to the available water pressure and maintains the flow rate at a consistent level. The higher the pressure, the smaller the opening for the water becomes; the lower the pressure, the more the ring widens.

QuickClean. Depending on the hardness of the water, limescale deposit can be a nuisance and may impair the functioning of showers. QuickClean is a technology that makes it easy to rub limescale deposits off the flexible silicone jets.

Bigger is more beautiful: Shower Fun **XXL**. Hand showers and overhead showers with a diameter from 100 to 600 mm. Large spray discs release an extra wide rain shower that envelops your entire body in a wonderful layer of water. The water is distributed efficiently across the entire spray disc to minimise water consumption.

Spray modes. The two main shower spray modes are the large, soft rain shower, which creates a pleasant layer of water around your body, and a powerful massage jet that can be pointed directly at the parts of your body that are in need of a massage.



Crometta 85



Croma 100



Raindance





Crometta 85® – A quality shower experience. The new Crometta 85 has everything a good shower needs. It offers the superior functions of a Hansgrohe brand shower in the entry-level price range. Attractive spray modes and enduring quality are among its many features. The Unica' Crometta wall bar matches the shower in form and function. As a set, they provide even greater shower pleasure.



Crometta 85 Multi
Hand shower with Normal, Soft and
Massage spray



Crometta 85 Vario/
Unica' Crometta Set





Saving water and energy with Hansgrohe Crometta Green showers

Water consumption, Crometta 85 Variojet hand shower, (16 l/min/3 bar), 3 minutes/day	48.0 litres
Water consumption, Crometta 85 1jet Green hand shower, (6 l/min/3 bar), 3 minutes/day	18.0 litres

Water consumption, family of four, with Crometta 85 Variojet hand shower/year	69,888 litres
Water consumption, family of four, with Crometta 85 1jet Green hand shower/year	26,208 litres

Cost of water ¹ , family of four, with Crometta 85 Variojet hand shower/year, approx.	314 €/year
Cost of water ¹ , family of four, with Crometta 85 1jet Green hand shower/year, approx.	118 €/year
Savings, approx.	197 €/year

Cost of oil/gas ² with Crometta 85 Variojet hand shower/year ³ , approx.	142 €/year
Cost of oil/gas ² with Crometta 85 1jet Green hand shower/year ³ , approx.	53 €/year
Savings, approx.	89 €/year

Total water and energy savings in one year, approx.	286 €/year

CO ₂ savings ⁵ approx.	326 kg/year

The Crometta 85 1jet Green hand shower⁵ **pays for itself after approx. one month – in a household of 4.** Use our interactive savings calculator at www.hansgrohe-int.com/savings-calculator to discover your personal savings potential.

- 1) Average in Germany/incl. waste water and base rate/Cost of water varies greatly in different regions.
- 2) Average cost of oil/gas in Germany approx. 0.60 €/l oil, 0.065 €/kWh gas, varies greatly according to demand.
- 3) Energy required to increase the temperature of 1 litre of water by 1 degree Celsius: 1 kcal or 0.00116 kWh. Energy required to increase the temperature of 1 litre of water from 10 degrees Celsius (cold tap water) to 38 degrees Celsius (shower temperature): 0.03248 kWh/litre of water. Calculated with the energy formula on the basis of the general calculation principles according to the International System of Units (SI). Conversion from kWh to oil: 10 kWh = 1 litre of oil
- 4) Calculation of CO₂ amount: 1 kWh oil = 0,26 kg CO₂. 1 kWh gas = 0,2 kg CO₂
- 5) Purchase price of a Crometta 85 Variojet approx. 18 €/Crometta 85 Green approx. 23 €



Sustainable water and energy consumption through flow rate reduction.

Crometta® Green. The specially developed, water-saving Crometta 85 Green accelerates the jets of water by enriching them with air before they are released. Despite reducing the water consumption to only 6 litres per minute, this procedure delivers an invigorating shower jet with noticeably higher volume.



Crometta 85 Green
Hand shower with water-saving
Normal spray 6l/min



Crometta 85 Green
Overhead shower with DN15 swivel joint and
water-saving Normal spray 6l/min



**Crometta 85 Green 1jet/
Unica 'Crometta Set** 6l/min





Croma® 100. Large and striking. Its 100 mm diameter exhilarates the senses with a wide and voluminous downpour of water. Choose from a variety of spray modes to suit the widest range of shower preferences. Its clean, timeless design blends into any modern bathroom. The hand shower is also available in the Classic style.

XXL
100

Croma 100 Multi
Hand shower with Rain, Mono
and Massage spray



XXL
100

Croma Classic 100 Multi
Hand shower with Rain, Mono
and Massage spray





A downpour from high above. More and more people wish to experience this natural shower pleasure. With a shower system like Unica Reno Lift, the Croma 100 hand shower transforms into an overhead shower. Simultaneously, the slim, elegant Croma 100 Showerpanel pampers you with invigorating side showers. The Croma 100 Showerpipe promises abundant Shower Fun: with its thermostat and large overhead shower, it is a perfect system for wellbeing under the shower.



XXL
100

Unica Reno Lift Set
adjustable shower bar



XXL
100

Croma 100 Showerpanel
with single lever mixer



XXL
160

Croma 100 Showerpipe
with thermostat, also available
for the bath tub



XXL
160

Croma 160 Overhead shower





Saving water and energy with Hansgrohe Croma EcoSmart showers

Water consumption, Croma 100 Multi hand shower, (18.5 l/min/3 bar), 3 minutes/day	55.5 litres
Water consumption, Croma 100 Multi EcoSmart hand shower, (9 l/min/3 bar), 3 minutes/day	27.0 litres

Water consumption, family of four, with Croma 100 Multi hand shower/year	80,808 litres
Water consumption, family of four, with Croma 100 Multi EcoSmart hand shower/year	39,312 litres

Cost of water ¹ , family of four, with Croma 100 Multi hand shower/year, approx.	364 €/year
Cost of water ¹ , family of four, with Croma 100 Multi EcoSmart hand shower/year, approx.	177 €/year
Savings, approx.	187 €/year

Cost of oil/gas ² with Croma 100 Multi hand shower/year ³ , approx..	164 €/year
Cost of oil/gas ² with Croma 100 Multi EcoSmart hand shower/year ³ , approx.	80 €/year
Savings, approx.	84 €/year

Total water and energy savings in one year, approx.	271 €/year

CO ₂ savings ⁴ approx.	310 kg/year

The Croma 100 Multi EcoSmart hand shower⁵ **pays for itself after approx. 2 months – in a household of 4.** Use our interactive savings calculator at www.hansgrohe-int.com/savings-calculator to discover your personal savings potential.

- 1) Average in Germany/incl. waste water and base rate/Cost of water varies greatly in different regions.
- 2) Average cost of oil/gas in Germany approx. 0.60 €/l oil, 0.065 €/kWh gas, varies greatly according to demand.
- 3) Energy required to increase the temperature of 1 litre of water by 1 degree Celsius: 1 kcal or 0.00116 kWh. Energy required to increase the temperature of 1 litre of water from 10 degrees Celsius (cold tap water) to 38 degrees Celsius (shower temperature): 0.03248 kWh/litre of water. Calculated with the energy formula on the basis of the general calculation principles according to the International System of Units (SI). Conversion from kWh to oil: 10 kWh = 1 litre of oil
- 4) Calculation of CO₂ amount: 1 kWh oil = 0,26 kg CO₂, 1 kWh gas = 0,2 kg CO₂
- 5) Purchase price of product approx. 50€ in the standard version and approx. 54€ in the EcoSmart version



Sustainable water and energy consumption through flow rate reduction.

Thanks to the EcoSmart technology you can save water without sacrificing shower comfort. The sophisticated flow limitation system with “O” ring maintains a consistent flow rate and special spray jets reduce the water consumption by up to 50%. To maintain the shower’s spray power, the diameter of the jet openings is made smaller. This accelerates the speed with which the water is released, and the sprays become more powerful.

Product examples



l/min 9.0 **XXL** 100 **ECO SMART**

Croma 100 Multi EcoSmart
Hand shower with Rain, Mono and Massage spray



l/min 9.0 **XXL** 100 **ECO SMART**

Croma 100 Vario EcoSmart
Hand shower with adjustable Vario spray



l/min 9.0 **ECO SMART**

Croma 100 Showerpipe EcoSmart
Thermostat version with Croma 100 Vario hand shower



l/min 9.0 **XXL** 160 **ECO SMART**

Croma 160 EcoSmart
Overhead shower with swivel joint DN15



Elegance



XXL 100
XXL 120
XXL 150

Raindance E 150 AIR 3jet

Style



XXL 100
XXL 120
XXL 150

Raindance S 150 AIR 3jet

Raindance Unica 'D Set

Raindance – Make the most of water. Raindance is the embodiment of a lush, heavenly rain shower and is available in three different sizes – 100, 120 and 150 mm. You can choose your hand shower from the Elegance, Classic and Style classifications. Together with the matching shower bars, you can enjoy pure Shower Fun.



AirPower spray modes: Rain AIR, Balance AIR, Whirl AIR: featured in all Raindance 3jet hand showers.



Raindance Unica 'S Set



XXL
100

Raindance Classic 100 AIR 3jet

Raindance Unica 'Classic Set



A heavenly shower experience. A soothing rain shower, pouring straight down onto your head and shoulders – the Raindance AIR plate overhead showers wrap your entire body in a wonderful cloak of water. Whether you choose Style for its super-slim design or Classic for its more elaborate appearance – Hansgrohe rain showers turn every shower into a unique experience. A truly royal feast of water is offered by the Raindance AIR Royale, made from solid metal and brought to perfection by expert hands. A shower that pampers you with a diameter of 350 mm.



Raindance Royale S 350 AIR
Overhead shower



Raindance S 300 AIR
Overhead shower




Raindance S 240 AIR
Overhead shower



Raindance S 180 AIR
Overhead shower





New: Raindance Elegance overhead showers. Matching the Elegance mixers, these new E overhead showers are a perfect addition to the world of Elegance. The rectangular design was chosen with the shape of the human body in mind – particularly the width of the shoulders. It is available in a generous width of up to 420 mm. Thanks to its slim form and reduced height, the overhead shower still looks light. The version with two spray modes offers a wide flood jet for an entirely unique shower experience.



Raindance E 420 AIR 2jet



Raindance E 360 AIR 1jet



Raindance E 240 AIR 1jet





Experience the natural power of water. Raindance® Rainfall®. The Rainfall is a special experience – in so many respects. As the first horizontal rain panel, it has an entirely new look. The flat shower, installed flush with the wall, projects far into the room. Experience an entirely new shower sensation and enjoy the space to move around freely – in all three spray modes. The 240 mm overhead shower with AirPower technology lets you experience a rich rain shower, the Whirl spray gives you a relaxing massage with several jets, while the unique broad Rainflow flood jet places you under a lush waterfall. The matching Hansgrohe mixer and controls make the shower very easy to operate: the volume of water and the spray modes can be easily adjusted at the wall.



RainAir. The 240 mm overhead shower with AirPower technology creates voluminous rain drops.



Whirl. The massage jets will not tilt forward until the water is switched on.



RainFlow. With warm water, the flood jet creates a rich feast for the senses.





Showering in new dimensions: Raindance® Rainmaker®. Our multi-functional Rainmaker brings you a very natural experience: water, air and a remarkably generous sense of space. Considering its size, it remains discreet in appearance, because it is installed flush with the ceiling – transforming itself into an attractive architectural element. With a heavenly diameter of 600 mm, the Rainmaker creates the sensation of standing in the warm rain under open skies. Shower Fun XXL can be enjoyed either within a concentrated diameter of 300 mm or using the entire 600 mm width. The choice between a round or rectangle format is yours to make. Special feature: upon request, both models can be equipped with atmospheric lighting. Easy regulation of your shower experience is possible via RainBrain or iControl.




Rain AIR: Central overhead shower with AirPower technology, Ø 300 mm



Rain AIR XXL: soft, rich rain with AirPower technology, Ø 600 mm




Whirl AIR: three rotating massage jets with AirPower technology


















The Rainmaker is available in two versions: round or rectangle.





Intelligent control: RainBrain®. The source of relaxation. RainBrain is a small computer that indulges your senses each and every time you enter the shower. The simple, intuitive symbols on your touch screen make it easy to control your personal shower program. From warm-up function to interval function, from the choice of shower sources to atmospheric music via Bluetooth – the finishing touch to your shower experience. Your pre-configured personal settings for the showers, spray modes and functions are shown on the display in a clear and intuitive manner. Enjoy alternating hand, overhead and side showers – RainBrain engages all of your senses and is the ideal control for the superior quality Raindance Rainfall and Raindance Rainmaker overhead showers.



-  Choice of overhead shower
 -  Choice of hand shower
 -  Choice of side showers
 -  Light (on/off control)
 -  Warm-up function
 -  Flow rate adjustment
 -  Menu
 -  Music control
 -  Interval function
 -  Cascade function
 -  **38,0**°C Temperature display
 -  **00:52** Time
 -  Control knob: cold/hot, pause
 -  On/Off button
 -  User settings
- All user settings can be customised.



Shower systems for every bathroom. Because pleasure increases with the size of the shower, the large overhead shower has set a new trend in the bathroom world. The Hansgrohe Showerpipes make it possible to introduce overhead showers into any bathroom. This has never been easier: Hansgrohe Showerpipes combine all of the individual elements such as overhead shower and hand shower, shower bar and mixer into a single visually appealing unit which is easy and quick to install. Hansgrohe Showerpipes make it easy to upgrade any bathroom for superior Shower Fun.



XXL
420

Raindance E Showerpipe
2 spray modes: Rain and Flood jet



iBox  **XXL**
240

Raindance Showerpipe
concealed installation with iBox universal



XXL
240

Raindance Showerpipe
with thermostat





Shower systems for the bath tub. The new Raindance Showerpipe for the bath tub makes it possible to add a large overhead shower to your bath tub. Only a few quick and easy steps are required to replace your old shower with the new one. The new shower pipe is available in two different shower arm lengths and can therefore be placed on either the long side or the short side of the bath tub.



**XXL
240**

Raindance Showerpipe
Bath tub





The quickest way to a large overhead shower. Amazingly simple, requires no renovation work, and fits into any shower or bath tub. Simply remove your old hand shower, connect the new baton hand shower with the existing hose and mount the Raindance Showerpipe Connect onto the wall. With one simple click, the baton hand shower becomes an overhead shower! The water pours down directly from above to envelope your head and shoulders. Raindance Connect fits into any bathroom and can be used wherever a hand shower is already installed. Its clean, minimalist design makes it an eye catcher in your bathroom.

XXL
240

Raindance Showerpipe Connect
e.g. in combination with Ecostat S



Rain Connector. Simply brilliant: plug the hand shower into the Rain Connector to activate the overhead shower. The water is automatically directed through the shower bar – no need for a diverter. One click and it's done.



Easy to mount on any existing mixer or shower connection.





The Showerpanel® for unparalleled, all around Shower Fun: simple, compact, comfortable. With a Showerpanel, the transformation of your bathroom becomes easy. Overhead, hand and side showers, a variety of different spray modes and an invigorating massage function – for Shower Fun in its many variations. The Pharo Lift 2 Showerpanel can easily be adjusted to any body height.



XXL
180

Pharo Lift 2 with Raindance



XXL
150

Raindance Showerpanel
for concealed installation



XXL
150

Raindance Showerpanel
for exposed installation



Product technology: Raindance showers



Innovative Hansgrohe shower technology. At Hansgrohe, we draw on knowledge gained from our own research and from the experience we have acquired over more than 100 years of operation. One of our major innovations is the AirPower technology: water jets mixed with air turn into a gentle rain shower or a powerful massage jet. EcoSmart protects the environment through a focused reduction of the flow rate. QuickClean makes it easy to rub limescale deposits off the flexible silicone jets. For a product that will last for many years to come.



An invigorating infusion of air produces a pleasantly soft jet of water.



Sustainable use of water and energy through flow rate reduction.



Greater durability: limescale can simply be rubbed off the silicone jets.



Saving water and energy with Hansgrohe Raindance EcoSmart showers

Water consumption, Raindance E 150 AIR hand shower, (14.5l/min/3 bar), 3 minutes/day	43.5 litres
Water consumption, Raindance E 150 AIR EcoSmart hand shower, (9l/min/3 bar), 3 minutes/day	27.0 litres

Water consumption, family of four, with Hansgrohe Raindance shower/year	63,336 litres
Water consumption, family of four, with Hansgrohe Raindance EcoSmart shower/year	39,312 litres

Cost of water ¹ , family of four, with E 150 AIR hand shower/year, approx.	285 €/year
Cost of water ¹ , family of four, with Raindance E 150 AIR EcoSmart hand shower/year, approx.	177 €/year
Savings, approx.	108 €/year

Cost of oil/gas ² with E 150 AIR hand shower/year ³ , approx.	129 €/year
Cost of oil/gas ² with Raindance E 150 AIR	80 €/year
Savings, approx.	49 €/year

Total water and energy savings in one year, approx.	157 €/year
---	-------------------

CO ₂ savings ⁴ approx.	180 kg/year
--	--------------------

The Hansgrohe Raindance E 150 AIR hand shower EcoSmart⁵ **pays for itself after approx. 7 months – in a household of 4.** Use our interactive savings calculator at www.hansgrohe-int.com/savings-calculator to discover your personal savings potential.

1) Average in Germany/incl. waste water and base rate/Cost of water varies greatly in different regions.
 2) Average cost of oil/gas in Germany approx. 0.60 €/l oil, 0.065 €/kWh gas, varies greatly according to demand.
 3) Energy required to increase the temperature of 1 litre of water by 1 degree Celsius: 1 kcal or 0.00116 kWh. Energy required to increase the temperature of 1 litre of water from 10 degrees Celsius (cold tap water) to 38 degrees Celsius (shower temperature): 0.03248 kWh/litre of water. Calculated with the energy formula on the basis of the general calculation principles according to the International System of Units (SI). Conversion from kWh to oil: 10 kWh = 1 litre of oil
 4) Calculation of CO₂ amount: 1 kWh oil = 0,26 kg CO₂. 1 kWh gas = 0,2 kg CO₂
 5) Purchase price approx. 100 € per product.



Sustainable water and energy consumption through flow rate reduction.

Saving resources. Especially with the advance of climate change, it has become ever more important to use water, one of our most precious resources, in an economically and ecologically sustainable way – especially since water consumption also has a direct impact on energy consumption. The EcoSmart technology cleverly reduces the flow rate of water. AirPower infuses air into the water jets, creating luscious pearls of water, a sense of greater spray volume, and superior shower comfort.

Product examples



l/min
9.0 **XXL**
100 **ECO**
SMART

Raindance E 100 AIR 3jet
EcoSmart 9.0 l/min
Hand shower with Rain AIR,
Whirl AIR and Balance AIR



l/min
9.0 **XXL**
150 **ECO**
SMART

Raindance S 150 AIR 3jet
EcoSmart 9.0 l/min
Hand shower with Rain AIR,
Whirl AIR and Balance AIR



l/min
9.0 **XXL**
240 **ECO**
SMART

Raindance S 240 AIR EcoSmart
with Rain AIR spray



l/min
9.0 **XXL**
180 **ECO**
SMART

Raindance Showerpipe Connect
EcoSmart 9.0 l/min





l/min
9.0 **XXL**
150 **ECO**
SMART

Raindance S 150 AIR 3jet EcoSmart/
Raindance Unica 'S Set



l/min
9.0 **XXL**
180 **ECO**
SMART

Raindance Showerpipe
EcoSmart Shower 9.0 l/min



Pontos. It's smart to use water twice. Why use clean water, our life-giving resource, for flushing the toilet if it's possible to use the recycled waste water from shower and bath tub? Using a patented, chemical-free, biological-mechanical process, Pontos AquaCycle recycles the water from shower and bath tub in a multi-stage process and makes it available for a second use – for flushing the toilet, cleaning, watering or running the washing machine. Consistently high water quality in compliance with the EU hygienic standard for bathing waters is guaranteed. The quality of the tried-and-tested Pontos AquaCycle grey water technology is certified by TÜV Süd for its cleaning process, its products and its production process – a triple acknowledgement. We also offer professional support and advice in the use of Pontos AquaCycle plants.



Operation


Pre-filtration. First, the grey water enters a filter which retains larger particles such as hair and textile fragments. The filter is automatically cleaned at regular intervals and the residues are fed into the main waste water drain.

Biological treatment process in two stages. Micro-organisms that are naturally present in the water adhere to the surface of the carrier material introduced during stages 1 and 2. The addition of atmospheric oxygen allows these organisms to break down the biodegradable content of the water. After a set period of time, the water is pumped from stage 1 to stage 2, where it undergoes the same treatment a second time.

Sedimentation. During the biological recycling process (stages 1 and 2) surplus biologically active sediments are produced. These sediments are automatically removed at set intervals and fed into the waste water drain.

UV disinfection. After the sedimentation stage, the water enters a third stage in which it passes under a UV lamp for sterilisation purposes. The recycled water is now odourless and can be stored. It can be reused as high-quality process water, according to the hygienic standards of the EU bathing water directive (76/160/EEC).

Special features. If the amount of available recycled grey water is insufficient, this shortfall is automatically compensated for by the addition of drinking water. If there is too much grey water, it is diverted into the waste water drain via an overflow pipe, preventing system overflow.




AquaCycle projects: Swimming pool in Yerres (F), Hamburg municipal cleaning (D) and Hotel Casa Camper in Barcelona (E)



Hansgrohe technology and quality – also in the kitchen. The pleasure of a good meal begins with cooking – choosing fresh ingredients, washing and cutting the vegetables ... A Hansgrohe kitchen mixer is an attractive, reliable tool to help with all of these preparations. Solid workmanship, high-quality materials and sophisticated technology are the distinctive features of our mixers.

Kitchen mixers



An invigorating infusion of air produces a pleasantly soft jet of water.



Greater durability: limescale can simply be rubbed off the silicone jets.



Ergonomic design for comfortable, easy operation.



Hansgrohe kitchen mixers. For all meal preparations, the kitchen equipment is an essential element of an enjoyable cooking experience. Kitchen mixers need to fulfil a variety of different functions and provide easy access to water. Many of our mixer features have proven to be great helpers in the kitchen: such as the large swivel area and the pull-out spray with its two settings that lets you use the water exactly where you need it.



Talis S² Variarc
Single lever kitchen mixer with pull-out spout



Focus E²
Single lever kitchen mixer



Focus S
Single lever kitchen mixer



The pull-out spray and pull-out spout increase the radius of movement by up to 50 cm.



The pull-out spray offers two settings - Normal and Spray mode.



The mixers offer a swivel area of up to 360°.



Combinations with iBox® universal

Showerpipes



Shower mixers



Bath mixers



iBox® universal: a truly universal solution for concealed installation in the bathroom. Hansgrohe's iBox can be used in a variety of different ways – it is the universal solution for every Hansgrohe and Axor mixer line. Patented and continually refined, the iBox offers many advantages, including greater freedom

Overhead showers



Showerpanels



iControl mobile



iControl



Thermostat



Thermostat with shut-off and diverter valve



in installation for the most varied of functions and scenarios. With the iBox, you don't have to decide on the final product until after the completion of the building stage - the iBox is compatible with all models.

Waste systems

Bath tub



Bath tub



Exafill® S. Bath filler, waste and overflow system in a single product. The Exafill S does away with a separate bath filler. The integrated flood jet is ultra-slim and very practical. Equipped with the QuickClean function, it combines exceptional ease of use with a simple installation process.

Flexaplust® and Flexaplust® S.

Waste and overflow system for the bath tub. The overflow regulating element which lets you enjoy more water in the bath tub: the Flexaplust S waste and overflow system makes it possible to increase the water level in the tub by up to 25 mm. For greater enjoyment in every bath tub.

Shower




Basin



Raindrain® 90 XXL. The perfect waste system for the shower. Particularly suitable for large showers with high flow performance such as the Raindance Rainmaker. With a waste capacity of 51 l/min, Raindrain makes large amounts of water disappear quickly and is easy to install.

Flowstar® and Push-Open. Waste system and siphon for the wash basin: Flowstar offers clean design underneath the wash basin. The push-open valve can be opened and closed with a light touch and makes it easy to let water in or out of the wash basin.





**Product overview:
Everything at a
glance**

New: PuraVida®

Basin



Single lever basin mixer
Highriser
15072,-000,-400



Single lever basin mixer
15070,-000,-400
with waste set
15074,-000,-400
(not shown)



Single lever basin mixer
for small basins
15075,-000,-400



3-hole basin mixer
15073,-000,-400



Single lever bidet mixer
15270,-000,-400

Bidet

Shower



Single lever shower mixer
for exposed fitting
15672,-000,-400



Single lever shower mixer
for concealed installation
15665,-000,-400



Thermostat for concealed
installation
with integrated shut-off
and diverter valve
15771,-000,-400
with integrated shut-off valve
15775,-000,-400
(not shown)



Thermostat for concealed
installation
15770,-000,-400
Highflow thermostat concealed
15772,-000,-400



Baton hand shower 120 ljet
28558,-000,-400

Shower control



Porter 'S
Shower support
28331,-000



PuraVida®/Unica® Set
90 cm # 27853,-000,-400
PuraVida®/Unica®
Wall bar
90 cm # 27844,-000,-400



RainBrain® Finish Set
with flow rate control
15842,-000,-400
without flow rate control
15841,-000,-400
(not shown)



iControl® mobile
electronic shut-off and
diverter valve for concealed
installation for PuraVida
15776,-000,-400



iControl®
integrated shut-off
and diverter valve
for PuraVida
15777,-000,-400

Bath



3-hole bidet mixer
15273,-000,-400



Single lever bath
and shower mixer
for exposed fitting
15472,-000,-400



Single lever bath
and shower mixer
for concealed installation
15445,-000,-400
with Safety function
15447,-000,-400



Single lever bath
and shower mixer
Base fixed with baton
hand shower
15473,-000,-400



Bath spout
for concealed installation
15412,-000,-400



Hand shower 150 3jet
28557,-000,-400



Overhead shower 400 mm
with shower arm 387 mm
27437,-000,-400
with ceiling connection DN15
27390,-000,-400
(not shown)



Body shower 100
28430,-000,-400



Fixfit® wall outlet
with back-flow preventer
27414,-000



TravelShower
28564,-400

Accessories



Liquid soap dispenser
Ceramic
41503,-000



Tumbler
Ceramic
41504,-000



Soap dish
Ceramic
41502,-000



Towel hook
41501,-000



Roll holder
41508,-000



WC brush holder
Ceramic
41505,-000



Towel holder
41512,-000



Grab rail
300 mm
41513,-000



Bath towel rail
600 mm
41506,-000

Metris® E

Basin



Single lever basin mixer
31070,-000



Single lever basin mixer
for small basins
31072,-000

Bidet



Single lever bidet mixer
31270,-000

Bath



Single lever bath
and shower mixer
for exposed fitting
31470,-000



Single lever bath
and shower mixer
for concealed installation
31475,-000
with Safety function
31476,-000

Talis® E²

Basin



Single lever basin mixer
31612,-000
without waste set
31614,-000 (not shown)



Bidet



Single lever bidet mixer
31622,-000

Bath



Single lever bath
and shower mixer
for exposed fitting
31642,-000



Single lever bath
and shower mixer
for concealed installation
31645,-000
with Safety function
31646,-000 (not shown)



Bath spout
13414,-000

Focus® E²

Basin



Single lever basin mixer
31730,-000
without waste set
31733,-000 (not shown)



Bidet



Single lever bidet mixer
31920,-000

Bath



Single lever bath
and shower mixer
for exposed fitting
31940,-000



Single lever bath
and shower mixer
for concealed installation
31945,-000
with Safety function
31946,-000 (not shown)



Bath spout
13414,-000

Shower



Bath spout
13414,-000



Single lever shower mixer
for exposed fitting
31670,-000



Single lever shower mixer
for concealed installation
31675,-000



Raindance® E 150 AIR 3jet Set
90 cm # 27874,-000
150 cm # 27888,-000
(not shown)

XXL
150

Shower



Single lever shower mixer
for exposed fitting
31662,-000



Single lever shower mixer
for concealed installation
31666,-000



Croma® 100 Vario Set
90 cm # 27771,-000
65 cm # 27772,-000
(not shown)

XXL
100

Shower



Single lever shower mixer
for exposed fitting
31960,-000



Single lever shower mixer
for concealed installation
31965,-000



Crometta® 85 Vario Set
90 cm # 27762,-000
65 cm # 27763,-000
(not shown)

Ø
85

Kitchen



Single lever kitchen mixer
31806,-000
for boilers
31804,-000
with shut-off valve
31803,-000 (not shown)

Metris® S

Basin



Single lever basin mixer
31060,-000
without waste set
31068,-000 (not shown)



Single lever basin mixer
Highriser
31022,-000
without waste set
31023,-000 (not shown)



Single lever basin mixer
with swivel spout
31161,-000



Electronic basin mixer
Battery-powered 6 V
31100,-000
31101,-000
Electricity
31102,-000 (not shown)
31103,-000 (not shown)



2-hole basin mixer
wall mounted
165 mm # 31162,-000
225 mm # 31163,-000
(not shown)

Bath



Single lever bath
and shower mixer
for concealed installation
31465,-000
with Safety function
31466,-000 (not shown)



Bath spout
14420,-000,-880

Bidet

Bath



Single lever bidet mixer
31261,-000



Single lever bath
and shower mixer
for exposed fitting
31460,-000



4-hole bath and
shower mixer rim-mounted
for exposed fitting
31446,-000

Shower



Single lever shower mixer
for exposed fitting
31660,-000



Single lever shower mixer
for concealed installation
31665,-000



Raindance® S 150 AIR 3jet Set
90 cm # 27893,-000
150 cm # 27638,-000
(not shown)

Talis® S²

Basin



Single lever basin mixer
32040,-000
without waste set
32041,-000 (not shown)



Single lever basin mixer
32080,-000
with swivel spout
32082,-000 (not shown)



2-handle basin mixer
with swivel spout
32030,-000



2-hole basin mixer
wall mounted
165 mm # 31618,-000
225 mm # 31611,-000
(not shown)



Electronic basin mixer
Battery-powered 6 V
32110,-000
32111,-000
Electricity (not shown)
32112,-000
32113,-000

Shower



Single lever shower mixer
for exposed fitting
32640,-000



Single lever shower mixer
for concealed installation
32675,-000



Croma® 100 Multi Set
90 cm # 27774,-000
65 cm # 27775,-000
(not shown)

Focus® S

Basin



Single lever basin mixer
31701,-000
without waste set
31711,-000 (not shown)



Single lever basin mixer
with swivel spout
31710,-000



Single lever bidet mixer
37121,-000



Single lever bath
and shower mixer
for exposed fitting
31742,-000



Single lever bath
and shower mixer
for concealed installation
31743,-000

Bidet

Bath

Bidet

Bath



Pillar tap
13132,-000



Single lever bidet mixer
32240,-000



Single lever bath
and shower mixer
for exposed fitting
32440,-000



Single lever bath
and shower mixer
for concealed installation
32475,-000
with Safety function
32477,-000 (not shown)



Bath spout
13414,-000

Kitchen



Single lever kitchen mixer
14870,-000,-750,-800
for boilers
14873,-000,-750,-800
with shut-off valve
14875,-000,-750,-800
(not shown)



Single lever kitchen mixer
with pull-out spray
14877,-000,-750,-800
with pull-out spout
14872,-000,-750,-800
(not shown)



Single lever kitchen mixer
with pull-out spray
32841,-000,-800
for boilers
32842,-000,-800



Single lever kitchen mixer
with fixed spout
32851,-000
for boilers
32852,-000
with shut-off valve
32855,-000 (not shown)

Shower

Kitchen



Bath spout
13414,-000



Single lever shower mixer
for exposed fitting
31762,-000



Single lever shower mixer
for concealed installation
31763,-000



Crometta® 85 Multi Set
90 cm # 27766,-000
65 cm # 27767,-000
(not shown)



Single lever kitchen mixer
31786,-000
for boilers
31785,-000
with shut-off valve
31783,-000 (not shown)

Metris® Classic

Basin



Single lever basin mixer
31075,-000,-820
without waste set
31077,-000,-820
(not shown)



Single lever basin mixer
Highriser
31078,-000,-820



2-hole basin mixer
wall mounted
165 mm # 31000,-000,-820
225 mm # 31003,-000,-820
(not shown)



3-hole basin mixer
31073,-000,-820

Bath



Single lever bath
and shower mixer
for exposed fitting
31478,-000,-820



Single lever bath
and shower mixer
for concealed installation
31485,-000,-820
with Safety function
31486,-000,-820
(not shown)



Bath spout
13413,-000,-820

Bidet



Single lever bidet mixer
31275,-000,-820



3-hole bidet mixer
31273,-000,-820

Shower



Single lever shower mixer
for exposed fitting
31672,-000,-820



Single lever shower mixer
for concealed installation
31676,-000,-820



Raindance® Classic 100 AIR 3jet Set
90 cm # 27841,-000,-820
65 cm # 27843,-000,-820 (not shown)

Talis® Classic

Basin



Single lever basin mixer
14111,-000,-820
without waste set
14118,-000,-820 (not shown)
for boilers
14115,-000,-820



Single lever basin mixer
Natural
14127,-000,-820



Single lever basin mixer
Highriser
14116,-000,-820



3-hole basin mixer
14113,-000,-820

Bath



Single lever bath
and shower mixer
for exposed fitting
14140,-000,-820



Single lever bath
and shower mixer
for concealed installation
14145,-000,-820
with Safety function
14146,-000,-820 (not shown)



Bath spout
14148,-000,-820

Bidet



Single lever bidet mixer
14120,-000,-820

3-hole bidet mixer
14123,-000,-820

Shower



Single lever shower mixer
for exposed fitting
14161,-000,-820



Single lever shower mixer
for concealed installation
14165,-000,-820



Croma® Classic 100 Multi Set
90 cm # 27768,-000,-820
65 cm # 27769,-000,-820
(not shown)

Accessories Logis



Liquid soap dispenser
Glass
40514,-000,-820



Toothbrush tumbler
Glass
40518,-000,-820



Soap dish
Glass
40515,-000,-820



Towel hook
40511,-000,-820



Roll holder
40523,-000,-820



Grab rail
300 mm
40513,-000,-820



Bath towel rail
600 mm
40516,-000,-820

Accessories Logis Classic



Liquid soap dispenser
Ceramic
41614,-000,-820



Toothbrush tumbler
Ceramic
41618,-000,-820



Soap dish
Ceramic
41615,-000,-820



Towel hook
41611,-000,-820



Roll holder
41623,-000,-820



Grab rail
300 mm
41613,-000,-820



Bath towel rail
600 mm
41616,-000,-820



Roll holder
without cover
40526,-000,-820



Spare roll holder
40517,-000,-820



WC brush holder
Glass
40522,-000,-820



Towel holder
40512,-000,-820



Roll holder
without cover
41626,-000,-820



Spare roll holder
41617,-000,-820



WC brush holder
Ceramic
41632,-000,-820



Towel holder
41612,-000,-820

Mirrors



Comtess de Luxe
Shaving and cosmetic
mirror with light and plug
73520,-000



Shaving and
cosmetic mirror
with light
40490,-000

Exposed thermostats



Ecostat® E Bath
13145,-000



Ecostat® E Shower
13125,-000



Croma® 100 Multi/
Ecostat® E Set
90 cm # 27055,-000
65 cm # 27056,-000
(not shown)



Ecostat® S Bath
13245,-000



Ecostat® S Shower
13235,-000

Concealed thermostats



PuraVida® Thermostat
with integrated shut-off
and diverter valve
15771,-000,-400
with integrated shut-off valve
15775,-000,-400
(not shown)



PuraVida® Thermostat
15770,-000,-400
Highflow thermostat concealed
15772,-000,-400



Ecostat® E
15710,-000,-090,-880



Ecostat® E
with integrated shut-off
and diverter valve
15720,-000,-090,-880
with integrated shut-off valve
15700,-000,-090,-880
(not shown)



Ecostat® E
Start/Stop Electronic
15740,-000



Ecostat® Classic
15751,-000
Highflow thermostat concealed
15754,-000



Ecostat® Classic
with integrated shut-off
and diverter valve
15753,-000,-820
with integrated shut-off valve
15752,-000,-820
(not shown)



iBox® universal basic set
01800180

Basic set extension
13595,-000 (not shown)
Extension collar
Ø 170 mm # 13596,-000,-880 (not shown)
Extension collar
Ø 150 mm # 13597,-000,-880 (not shown)
Fitting set
96615,-000 (not shown)



Croma® 100 Multi/
Ecostat® S Set
90 cm # 27053,-000
65 cm # 27054,-000
(not shown)



Croma® 100 Multi/
Ecostat® 1001 SL Set
90 cm # 27085,-000
65 cm # 27086,-000
(not shown)



Ecostat® 1001 SL Bath
13241,-000,-800

Ecostat® 1001 SL Shower
13261,-000,-800



Ecostat® S
15711,-000,-880
Highflow thermostat concealed
15715,-000



Ecostat® S
with integrated shut-off and
diverter valve
15721,-000,-880
with integrated shut-off valve
15701,-000,-880 (not shown)



Ecostat® S
Start/Stop Electronic
15740,-800

Manual Controls



iControl®
with integrated shut-off and
diverter valve for PuraVida
15777,-000,-400



Trio®/Quattro®
Shut-off and diverter valve
for PuraVida
15937,-000,-400



Shut-off valve
for PuraVida
15978,-000,-400



iControl® E
with integrated shut-off
and diverter valve
15958,-000



Trio®/Quattro®
Shut-off and diverter valve
Finish Set E
15931,-000,-090,-880



Trio®/Quattro®
Shut-off and diverter valve
Finish Set Classic
15934,-000,-820



Shut-off valve
Finish Set Classic
15961,-000,-820



Shut-off valve
Finish Set E
15971,-000,-090,-880



iControl® S
with integrated shut-off
and diverter valve
15955,-000



Trio®/Quattro®
Shut-off and diverter valve
Finish Set S
15932,-000,-800



Shut-off valve
Finish Set S
15972,-000,-880

Shower control



iControl® mobile
Basic set
15941180



iControl® mobile
for Rainmaker with light
15945,-000
for Rainmaker without light
15943,-000 (not shown)
for Rainfall with external light
15944,-000 (not shown)
for Rainfall without light
15942,-000 (not shown)



iControl® mobile Porter Set
for Rainmaker with light
15952,-000
for Rainfall without light
15951,-000 (not shown)
iControl® mobile Porter
15950,-000 (not shown)



iControl® mobile
electronic shut-off and
diverter valve for concealed
installation for PuraVida
15776,-000,-400



RainBrain® Finish Set
with flow rate control
15842,-000,-400
without flow rate control
15841,-000,-400
(not shown)

Hand showers



PuraVida® Hand shower
150 3jet
28557,-000,-400



PuraVida® Baton hand shower
120 1jet
28558,-000,-400



Raindance® E 150 AIR 3jet
Hand shower with Rain AIR,
Whirl AIR and Balance AIR
28518,-000



Raindance® E 120 AIR 3jet
Hand shower with Rain AIR,
Whirl AIR and Balance AIR
28507,-000



Raindance® E 100 AIR 3jet
Hand shower with Rain AIR,
Whirl AIR and Balance AIR
28502,-000
Raindance® E 100 AIR 1jet
Hand shower with Rain AIR
28508,-000 (not shown)



Croma® 100 Multi
Hand shower with Rain,
Mono and Massage spray
28536,-000



Croma® 100 Vario
Hand shower with
adjustable Vario spray
28535,-000



Croma® Classic 100 Multi
Hand shower with Rain,
Mono and Massage spray
28539,-000,-820



Crometta® 85 Multi
Hand shower with Normal,
Soft and Massage spray
28563,-000



Crometta® 85 Vario
Hand shower with Normal
and Vario spray
28562,-000



Raindance® S 150 AIR 3jet
Hand shower with Rain AIR,
Whirl AIR and Balance AIR
28519,-000,-880

Raindance® S 150 AIR 1jet
Hand shower with Rain AIR
28505,-000,-800
(not shown)



Raindance® S 120 AIR 3jet
Hand shower with Rain AIR,
Whirl AIR and Balance AIR
28514,-000,-880



Raindance® S 100 AIR 3jet
Hand shower with Rain AIR,
Whirl AIR and Balance AIR
28504,-000,-880

Raindance® S 100 AIR 1jet
Hand shower with Rain AIR
28509,-000,-800,-880
(not shown)



Raindance® Classic 100 AIR 3jet
Hand shower with Rain AIR,
Whirl AIR and Balance AIR
28548,-000,-820



PuraVida® TravelShower
28564,-400



Raindance® Travel Kit
comprising travel case,
Raindance S 100 AIR 1jet
and hose pliers
28526,-000



Raindance® S 100 AIR 3jet
Hand shower with Froggy
attachment
28545,-000



Joco®
Hand shower with
Normal and Soft spray
28560,-000


Overhead showers



XXL
600



Raindance® Rainmaker AIR 600 mm including Highflow thermostat concealed on iBox universal basis
Overhead shower with light # 28404,-000
Overhead shower without light # 28403,-000 (not shown)



XXL
600

Raindance® Rainmaker AIR 680 x 460 mm
Overhead shower with light # 28418,-000
Overhead shower without light # 28417,-000 (not shown)



XXL
240



DESIGN PLUS



Raindance® Rainfall® 520 x 280 mm
Overhead shower with Rain AIR, Whirl and Rainflow for iBox universal # 28411,-000



XXL
360

Raindance® E 360 AIR 1jet
Overhead shower with shower arm DN15 223 mm # 27371,-000
with ceiling connection DN15 100 mm # 27381,-000 (not shown)



XXL
240

Raindance® E 240 AIR 1jet
Overhead shower with shower arm DN15 223 mm # 27370,-000
with ceiling connection DN15 100 mm # 27380,-000 (not shown)



XXL
350



Raindance® Royale S 350 AIR
Overhead shower DN20 Ø 350 mm # 28420,-000
Shower arm DN20 470 mm # 27410,-000 (not shown)
Ceiling connection DN20 100 mm # 27418,-000 (not shown)



XXL
350

Raindance® Royale Classic 350 AIR
Overhead shower with swivel joint DN20 Ø 350 mm # 28435,-000,-820
Shower arm DN20 470 mm # 27410,-000,-820
Ceiling connection DN20 100 mm # 27418,-000,-820 (not shown)



XXL
300

Raindance® Classic 300 AIR
Overhead shower with shower arm DN15 470 mm Ø 300 mm # 27430,-000,-820
with ceiling connection DN15 100 mm Ø 300 mm # 27406,-000,-820 (not shown)



XXL
240

Raindance® Classic 240 AIR
Overhead shower with shower arm DN15 383 mm Ø 240 mm # 27424,-000,-820
with ceiling connection DN15 100 mm Ø 240 mm # 27405,-000,-820 (not shown)



XXL
400

PuraVida® 400
Overhead shower with shower arm
DN15 387 mm
27437,-000,-400
with ceiling connection DN15 100 mm
27390,-000,-400 (not shown)



XXL
420 **iBox**

Raindance® E 420 AIR 2jet
Overhead shower with shower arm
DN15 383 mm
27373,-000



XXL
420

Raindance® E 420 AIR 1jet
Overhead shower with shower arm
DN15 385 mm
27372,-000



XXL
300

Raindance® S 300 AIR
Overhead shower with shower arm
DN15 383 mm
Ø 300 mm # 27493,-000
with shower arm DN15 450 mm
Ø 300 mm # 27492,-000
with ceiling connection DN15 100 mm
Ø 300 mm # 27494,-000 (not shown)



XXL
240

Raindance® S 240 AIR
Overhead shower with shower arm
DN15 383 mm
Ø 240 mm # 27474,-000
with ceiling connection DN15 100 mm
Ø 240 mm # 27477,-000 (not shown)



XXL
180

Raindance® S 180 AIR
Overhead shower with ceiling connection
DN15 100 mm
Ø 180 mm # 27478,-000
with shower arm DN15 233 mm
Ø 180 mm # 27476,-000 (not shown)
with shower arm DN15 383 mm
Ø 180 mm # 27468,-000 (not shown)



XXL
180

Raindance® Classic 180 AIR
Overhead shower with ceiling connection
DN15 100 mm
Ø 180 mm # 27400,-000,-820
with shower arm DN15 383 mm
Ø 180 mm # 27428,-000,-820 (not shown)



XXL
160

Croma® 160
Overhead shower with swivel joint DN15,
Rain spray
27450,-000
optional shower arm
27412,-000

Overhead showers



XXL
100

Croma® 100 Multi
Overhead shower
with swivel joint DN15,
Normal, Mono and
Massage spray
27443,-000

Croma® 100 Vario
Overhead shower
with adjustable Vario spray
27441,-000 (not shown)
optional shower arm
27411,-000



Ø
85

Crometta® 85 Multi
Overhead shower
with swivel joint DN15,
Normal, Mono and
Massage spray
28425,-000
optional shower arm
27411,-000



Ø
85

Crometta® 85 Vario
Overhead shower
with swivel joint DN15,
Normal and Vario spray
28424,-000
optional shower arm
27411,-000



XXL
150

Raindance® Classic 150 AIR 3jet
Overhead shower
with swivel joint DN15,
Rain AIR, Whirl AIR and
Balance AIR
28471,-000,-820



XXL
100

Croma® Classic 100 Multi
Overhead shower
with swivel joint DN15,
Normal, Mono and
Massage spray
27436,-000,-820

Side showers



XXL
100

PuraVida® 100
Body shower
28430,-000,-400



XXL
100

Raindance® AIR
Body shower
with Normal spray
28477,-000,-800,-880



XXL
100

Raindance® Classic 100
Body shower
with Normal spray
28445,-000,-820



Bodyvette®
Body shower
with Normal spray
28466,-000,-090,
-450,-800,-880
Bodyvette® Stop
Body shower
with Normal spray,
with manual turn-off control
28467,-000,-090,-800,-880
(not shown)



Flood shower
with condensed,
fanned out spray
DN15 # 28441,-000
DN20 # 28440,-000

Soap dishes



Casetta® 'D
suitable for Unica 'D
28664,-000



Casetta® 'C
suitable for Unica 'C
and Unica 'Crometta
28678,-000



Casetta® 'S Puro
suitable for Unica 'S Puro
28679,-000



Casetta® 'S
suitable for Unica 'S
28684,-000

Shower Sets



PuraVida®/Unica® Set
90 cm # 27853,-000,-400
PuraVida®/Unica®
Wall bar
27844,-000,-400 (not shown)



Raindance® Allrounder Set
with Raindance E 150 AIR 3jet
28110,-000
Adapter for concealed installation
28108,-000 (not shown)
Adapter for corner fitting
28105,-000 (not shown)



**Raindance® E 150 AIR 3jet/
Raindance® Unica® Set**
90 cm # 27874,-000
150 cm # 27888,-000 (not shown)
**Raindance® E 150 AIR 3jet EcoSmart/
Raindance® Unica® Set**
90 cm # 27657,-000 (not shown)



**Raindance® E 150 AIR 3jet/
Unica® 'D Set**
90 cm # 27894,-000
65 cm # 27897,-000 (not shown)



**Raindance® S 150 AIR 3jet/
Unica® 'S Puro Set**
90 cm # 27895,-000
65 cm # 27898,-000 (not shown)



**Raindance® Classic 100 AIR 3jet/
Unica® 'Classic Set**
90 cm # 27841,-000,-820
65 cm # 27843,-000,-820 (not shown)



**Croma® Classic 100 Multi/
Unica® 'Classic Set**
90 cm # 27768,-000,-820
65 cm # 27769,-000,-820 (not shown)



**Croma® 100 Multi/
Unica® 'C Set**
90 cm # 27774,-000
65 cm # 27775,-000 (not shown)
**Croma® 100 Multi EcoSmart/
Unica® 'C Set**
90 cm # 27655,-000 (not shown)
65 cm # 27777,-000 (not shown)





Raindance® E 100 AIR 3jet/
Unica® D Set
90 cm # 27881,-000
65 cm # 27883,-000 (not shown)
Raindance® E 120 AIR 3jet/
Unica® D Set
90 cm # 27885,-000 (not shown)
65 cm # 27887,-000 (not shown)



Rainbow® Set
with Raindance S 150 AIR 3jet
90 cm # 27876,-000



Raindance® S 150 AIR 3jet/
Raindance Unica® S Set
90 cm # 27893,-000
150 cm # 27638,-000 (not shown)
Raindance® S 150 AIR 3jet EcoSmart/
Raindance Unica® S Set
90 cm # 27658,-000 (not shown)



Raindance® S 120 AIR 3jet/
Unica® S Puro Set
90 cm # 27884,-000
65 cm # 27886,-000 (not shown)
Raindance® S 100 AIR 3jet/
Unica® S Puro Set
90 cm # 27880,-000 (not shown)
65 cm # 27882,-000 (not shown)



Croma® 100 Vario/
Unica® C Set
90 cm # 27771,-000
65 cm # 27772,-000 (not shown)
Croma® 100 Vario EcoSmart/
Unica® C Set
90 cm # 27653,-000 (not shown)
65 cm # 27776,-000 (not shown)



Croma® 100 Multi/
Unica® Reno Lift Set
105 cm # 27791,-000
Croma® 100 Vario/
Unica® Reno Lift Set
105 cm # 27811,-000 (not shown)



Crometta® 85 Multi/
Unica® Crometta® Set
90 cm # 27766,-000
65 cm # 27767,-000 (not shown)
Crometta® 85 Green 1jet/
Unica® Crometta® Set
90 cm # 27651,-000 (not shown)
65 cm # 27652,-000 (not shown)



Crometta® 85 Vario/
Unica® Crometta® Set
90 cm # 27762,-000
65 cm # 27763,-000 (not shown)

Wall bars



Raindance® Unica® 'S'
Wall bar with shower hose
Isiflex 1.60 m
90 cm # 27636,-000
150 cm # 27637,-000
(not shown)



Raindance® Unica®
Wall bar with shower hose
Isiflex 1.60 m
90 cm # 27590,-000



Unica® 'S Puro'
Wall bar with shower hose
Isiflex 1.60 m
90 cm # 28631,-000,-800
65 cm # 28632,-000,-800
(not shown)



Unica® 'Classic'
Wall bar with shower hose
Sensoflex 1.60 m
90 cm # 27616,-000,-820
65 cm # 27617,-000,-820
(not shown)



Unica® 'D'
Wall bar with shower hose
Isiflex 1.60 m
90 cm # 27930,-000,
-090,-450,-840,-880
65 cm # 27933,-000,
-090,-880 (not shown)

Porter Sets



**Raindance® E 100 AIR 1jet/
Porter'D Set**
1.25 m # 27572,-000
1.60 m # 27573,-000



**Raindance® S 100 AIR 1jet/
Porter'S Set**
1.25 m # 27580,-000
1.60 m # 27581,-000



**Croma® 100 Multi/
Porter'S Set**
1.25 m # 27593,-000
1.60 m # 27595,-000



**Croma® 100 Vario/
Porter'S Set**
1.25 m # 27592,-000
1.60 m # 27594,-000



**Crometta® 85 Multi/
Porter'C Set**
1.25 m # 27568,-000
1.60 m # 27569,-000



Unica® 'C'
Wall bar with shower hose
Isiflex 1.60 m
90 cm # 27610,-000
65 cm # 27611,-000
(not shown)



Unica® 'Crometta®'
Wall bar with shower hose
Metaflex 1.60 m
90 cm # 27614,-000
65 cm # 27615,-000
(not shown)



Crometta® 85 Vario/
Porter'C Set
1.25 m # 27558,-000
1.60 m # 27559,-000

Shower supports



Porter 'A'
variable shower support,
tilt angle up to 25°
27520,-000,-880



Porter 'E'
variable shower support,
tilt angle up to 42°,
Isiflex shower hose 1.25 m
27507,-000,-090,-450,
-880
without wall-connecting bend
27504,-000,-450,-880



Porter 'D'
variable shower support,
tilt angle up to 42°
27526,-000,-450,-880



Porter 'Classic'
Shower support
28324,-000,-820



Porter 'C'
Shower support
27521,-000

Hose connectors



PuraVida® Fixfit®
Hose connector DN15
with back-flow preventer
27414,-000



Fixfit® E
Hose connector DN15
27454,-000,-450,-840,-880
with back-flow preventer DN15
27458,-000,-450,-880
(not shown)



Fixfit® S
Hose connector DN15
27453,-000



Fixfit® Stop Shut-off valve
with hose connector DN15
with thread adapter DN20
27452,-000



Porter 'S
Shower support
28331,-000,-800,-880

Shower hoses



Sensoflex®
Metall shower hose with inside
silicone inliner and swivel joint
1.25 m # 28132,-000,-820
1.60 m # 28136,-000,-820
2.00 m # 28134,-000,-820



Isiflex® 'XXL
Synthetic shower hose with
metal effect and swivel joint
for high flow rate
1.25 m # 28252,-000
1.60 m # 28255,-000
2.00 m # 28258,-000



Isiflex®
Synthetic shower hose with
metal effect and swivel joint
1.25 m # 28272,-000,
-450,-800,-880
1.60 m # 28276,-000,
-090,-450,-800,-880
2.00 m # 28274,-000,
-450,-880



Metaflex®
Synthetic shower hose with
metal effect and spiral optic
1.25 m # 28262,-000
1.60 m # 28266,-000
2.00 m # 28264,-000

Showerpipes



**Raindance® E Showerpipe Shower
420 mm**
Thermostat version with
baton hand shower 1jet
Overhead shower 2jet
Shower arm 400 mm
27149,-000



Raindance® Showerpipe Bath
Thermostat version with
Raindance S 100 AIR 3jet
Shower arm 460 mm
Ø 240 mm # 27147,-000
Shower arm 350 mm
Ø 240 mm # 27142,-000 (not shown)



Raindance® Showerpipe Shower
Thermostat version with
Raindance S 100 AIR 3jet
Shower arm 460 mm
Ø 240 mm # 27160,-000
with hand shower 2 spray modes,
shower arm 460 mm
Ø 240 mm # 27167,-000 (not shown)



**Raindance® Showerpipe Shower
Concealed installation**
Thermostat version with
Raindance S 100 AIR 3jet
Shower arm 460 mm
Ø 240 mm # 27145,-000



XXL
240

Raindance® Showerpipe Bath
Single lever mixer version with
Raindance S 100 AIR 3jet
Shower arm 460 mm
Ø 240 mm # 27102,-000
Shower arm 350 mm
Ø 240 mm # 27101,-000 (not shown)



XXL
240

Raindance® Showerpipe Shower
Single lever mixer version with
Raindance S 100 AIR 3jet
Shower arm 460 mm
Ø 240 mm # 27193,-000



Raindance® Showerpipe Connect
with baton hand shower 2 spray modes
Shower arm 460 mm
Ø 240 mm # 27164,-000
Shower arm 350 mm
Ø 240 mm # 27421,-000 (not shown)
Corner mounting set
27158,-000 (not shown)

Showerpipes



XXL
160

Croma® 100 Showerpipe Bath
Thermostat version with
Croma 100 Vario
Ø 160 mm # 27143,-000
Single lever mixer version with
Croma 100 Vario
Ø 160 mm # 27201,-000 (not shown)



XXL
160

Croma® 100 Showerpipe Shower
Thermostat version with
Croma 100 Vario
Ø 160 mm # 27169,-000



XXL
160

Croma® 100 Showerpipe Shower
Single lever mixer version with
Croma 100 Vario
Ø 160 mm # 27154,-000



XXL
160

Croma® 100 Showerpipe Reno
with Croma 100 Vario
Ø 160 mm # 27139,-000
Corner mounting set
27158,-000 (not shown)

Showerpanel®



XXL
180

Pharo® Showerpanel® SkyLine®
Thermostat Version with
Raindance S 180 AIR overhead shower
Raindance 150 AIR 3jet shoulder shower
baton hand shower 2jet
26017,-000



XXL
180

Pharo® Showerpanel® Lift 2
Thermostat Version with
Raindance S 180 AIR overhead shower
Axor Uno 3jet hand shower
Satin chrome # 26871,-000
White # 26870,-000



XXL
150

Pharo® Showerpanel® SideWay®
Thermostat Version with
Raindance S 150 AIR 3jet
Satin chrome # 26311,-000
White # 26310,-000



XXL
150

Pharo® Showerpanel® Comfort Plus
Thermostat Version with
Raindance S 150 AIR 3jet
Satin chrome # 26353,-000
White # 26354,-000

Showerpanel®



Raindance® Showerpanel®
Concealed installation
Thermostat version with
Raindance E 150 AIR 3jet
27100,-000
iBox universal basic set
01800180



Raindance® Showerpanel®
Thermostat version with
Raindance S 150 AIR 3jet
27005,-000



Croma® 100 Showerpanel®
Single lever mixer version with
Croma 100 Multi
27105,-000

EcoSmart Hand showers



XXL
150



Raindance® E 150 AIR 3jet
EcoSmart 9.0l/min
Hand shower with Rain AIR,
Whirl AIR and Balance AIR
28551,-000



XXL
120

Raindance® E 120 AIR 3jet
EcoSmart 9.0l/min
Hand shower with Rain AIR,
Whirl AIR and Balance AIR
28549,-000



XXL
100 DESIGN PLUS

Raindance® E 100 AIR 3jet
EcoSmart 9.0l/min
Hand shower with Rain AIR,
Whirl AIR and Balance AIR
28553,-000



XXL
150



Raindance® S 150 AIR 3jet
EcoSmart 9.0l/min
Hand shower with Rain AIR,
Whirl AIR and Balance AIR
28550,-000



XXL
120



Raindance® S 120 AIR 3jet
EcoSmart 9.0l/min
Hand shower with Rain AIR,
Whirl AIR and Balance AIR
28554,-000,-880

For water-saving shower sets see Shower Sets overview

EcoSmart Overhead showers



XXL
240

Raindance® 240 AIR EcoSmart 9.0l/min
Overhead shower with shower arm
DN15 383 mm
Ø 240 mm # 27461,-000
with ceiling connection DN15 100 mm
Ø 240 mm # 27463,-000 (not shown)



XXL
180

Raindance® 180 AIR EcoSmart 9.0l/min
Overhead shower with ceiling connection
DN15 100 mm
Ø 180 mm # 27464,-000
with shower arm DN15 383 mm
Ø 180 mm # 27462,-000 (not shown)



XXL
160

Croma® 160 EcoSmart 9.0l/min
Overhead shower with
swivel joint DN15,
Rain spray
28450,-000
optional shower arm
27412,-000



Raindance® S 100 AIR 3jet
EcoSmart 9.0l/min
Hand shower with Rain AIR,
Whirl AIR and Balance AIR
28552,-000



Croma® 100 Multi
EcoSmart 9.0l/min
Hand shower with Rain,
Mono and Massage spray
28538,-000



Croma® 100 Vario
EcoSmart 9.0l/min
Hand shower with
adjustable Vario spray
28537,-000



Crometta® 85 Green 6l/min
Hand shower with
watersaving Normal spray
28561,-000



Croma® 100 Multi EcoSmart 9.0l/min
Overhead shower with swivel joint DN15,
Normal, Mono and Massage spray
28460,-000

Croma® 100 Vario EcoSmart 9.0l/min
Overhead shower with swivel joint DN15,
adjustable Vario spray
28462,-000 (not shown)
optional shower arm
27411,-000



Crometta® 85 Green 1jet 6l/min
Overhead shower with swivel joint DN15,
watersaving Normal spray
28423,-000
optional shower arm
27411,-000

EcoSmart Showerpipes



XXL
180

Raindance® Showerpipe Bath
EcoSmart 9.0l/min
Thermostat version with
Raindance S 100 AIR 3jet
Shower arm 460 mm
Ø 180 mm # 27146,-000
Shower arm 350 mm
Ø 180 mm # 27141,-000 (not shown)



XXL
180

Raindance® Showerpipe Bath
EcoSmart 9.0l/min
Single lever mixer version with
Raindance S 100 AIR 3jet
Shower arm 460 mm
Ø 180 mm # 27104,-000
Shower arm 350 mm
Ø 180 mm # 27103,-000 (not shown)



XXL
180

Raindance® Showerpipe Shower
EcoSmart 9.0l/min
Thermostat version with
Raindance S 100 AIR 3jet
Shower arm 460 mm
Ø 180 mm # 27165,-000



XXL
180

Raindance® Showerpipe Shower
EcoSmart 9.0l/min
Single lever mixer version with
Raindance S 100 AIR 3jet
Shower arm 460 mm
Ø 180 mm # 27191,-000



XXL
180

iBox

if
product
design
award
2010

Raindance® Showerpipe Shower
EcoSmart 9.0l/min
Concealed installation
Thermostat version with
Raindance S 100 AIR 3jet
Shower arm 460 mm
Ø 180 mm # 27192,-000



DESIGN PLUS

XXL
240

reddot design award
winner 2007

Innovationpreis
#Innovation und Technik

Designpreis
Deutschland
2010
SILBER

Raindance® Showerpipe Connect
EcoSmart 9.0l/min
with baton hand shower 2 spray modes
Shower arm 460 mm
Ø 180 mm # 27166,-000
Corner mounting set
27158,-000 (not shown)

EcoSmart Showerpipes



XXL
160

Croma® 100 Showerpipe Bath
EcoSmart 9.0l/min
Thermostat version with
Croma 100 Vario
Ø 160 mm # 27144,-000



XXL
160

Croma® 100 Showerpipe Shower
EcoSmart 9.0l/min
Thermostat version with
Croma 100 Vario
Ø 160 mm # 27159,-000



XXL
160

Croma® 100 Showerpipe Bath
EcoSmart 9.0 l/min
Single lever mixer version with
Croma 100 Vario
Ø 160 mm # 27202,-000



XXL
160

Croma® 100 Showerpipe Shower
EcoSmart 9.0 l/min
Single lever mixer version with
Croma 100 Vario
Ø 160 mm # 27155,-000

Bath sets



Exafill® S
Bath filler with waste
and Overflow Set
Basic set for standard tubs
58115180



Exafill® S
Bath filler with waste
and Overflow Set
Basic set for special tubs
58116180



Exafill® S
Bath filler with waste
and Overflow Set
Complete set for standard tubs
58113,-000



Exafill® S
Finish Set
58117,-000,-090,-450,
-800,-820,-830,-880



Flexaplus®
Waste and Overflow Set
with flexible hose
Basis set for standard tubs
58140180



Flexaplus®
Waste and Overflow Set
with flexible hose
Basis set for special tubs
58141180



Flexaplus® S
Waste and Overflow Set
with flexible hose
Complete set for standard tubs
58150,-000



Flexaplus®
Waste and Overflow Set
with flexible hose
Complete set for standard tubs
58143,-000



Flexaplus®
Finish Set
58185,-000,-090,-450,
-800,-840,-880

Siphons and Valves



Flowstar® S Designer siphon
52100,-000,-800,-820,
-830,-840,-880
Set: 1 Flowstar, 2 angle valves
slip cases (without angle valve)
52110,-000
Set: 1 Flowstar, 2 angle valves
slip cases (with angle valve)
52120,-000



Flowstar® S Designer siphon
52105,-000



Basin Valve
Push-Open
50100,-000,-800,-820,
-830,-880



Basin Valve
with closed cover plate
50001,-000,-800,-820,
-830,-880



Waste Set
with lever
94139,-000,-450,-800,
-840,-880



Staro® '90
Basic Set
60054180



Staro® '90
Finish Set
60055,-000,-450,-800,
-820,-830,-880



Staro® '90
Complete Set
60056,-000



Starolift® '52
Basic Set
60052180



Starolift® '52
Finish Set
60053,-000,-450,-800,
-820,-830,-880



Flexaplustm
Waste and Overflow Set
with rigid overflow hose
Basis set for standard tubs
58145180



Flexaplustm
Waste and Overflow Set
with rigid overflow hose
Basis set for special tubs
58146180



Flexaplustm S
Waste and Overflow Set
with rigid overflow hose
Complete set for standard tubs
58155,-000



Flexaplustm
Waste and Overflow Set
with rigid overflow hose
Complete set for standard tubs
58148,-000



Flexaplustm S
Finish Set
58186,-000,-800,-820,
-830,-880



Raindraintm 90 XXL
Basic Set
60065180



Raindraintm 90 XXL
Finish Set
60066,-000,-450,-800,
-820,-830,-880



Raindraintm 90 XXL
Complete Set
60067,-000



Staro 52
Complete Set
60060,-000

Photography: Christian von Alvensleben, Hamburg; Federico Cedrone, Mailand (for Poliform); Kuhnle & Knödler, Radolfzell, Uli Maier, Stuttgart; Peter Schumacher, Stuttgart **Lithography:** Eder GmbH, Ostfildern **Print:** Mohn media, Gütersloh **Illustrations:** Media 4D, Boll; Technical Art, Dietzenbach **Concept/Design:** mmschade Design, Nürtingen **Typography:** Stolz-Krechting, Lahr

Surface finishes

The order number should have eight digits, including the surface finish digits.

Example: **28500,-000** = Chrome

-000 Chrome

-090 Chrome/Gold-optic

-400 White/Chrome

-450 White

-750 Alux

-800 Steel

-880 Satin Chrome

-820 Brushed Nickel

-830 Polished Nickel

-840 Fine Brass



For more information about the world of Hansgrohe
please visit our website on www.hansgrohe.com



We did our utmost to ensure that the printing of this catalogue was friendly to the environment. By using a new kind of paper (UPM Finesse Silk) we were able to reduce the CO₂ emission for the production process by more than 30% compared to the previous year's catalogue. You too can contribute to the protection of our environment by passing on the catalogue to others when you've finished reading it, or by recycling it.

Headquarter – Hansgrohe AG · P.O. Box 1145 · D-77757 Schiltach
Tel. +49 7836 51-0 · Fax +49 7836 51-1300 · info@hansgrohe.com · www.hansgrohe.com

India – Hansgrohe India (pvt.) Ltd. · Office Nos. 601 - 604 · Sky Station
Viman Nagar · 411 016 Pune · Maharashtra · India
Tel. +91 20 6625 9595 · info@hansgrohe.in

Portugal – Hansgrohe · Rua Antoine de Saint Exupéry Alapraia · P-2765-043 Estoril
Tel. +351 21 4667110 · Fax +351 21 4667119 · hansgrohe@jrb.pt · www.hansgrohe.com

South Africa – Hansgrohe South Africa (Pty) Ltd. · P.O. Box 2912 · 136 Walton Road
Carlswald Midrand · ZA-1685 Halfway House · Tel. +27 11 468 11-50 · Fax +27 11 468 11-52
sales@hansgrohe.co.za · www.hansgrohe.co.za

United Kingdom – Hansgrohe · Units D1 and D2 · Sandown Park · Trading Estate · Royal Mills
Esher · Surrey · KT10 8BL · Tel. +44 (0) 1372 465 655 · Fax +44 (0) 1372 470 670
enquiries@hansgrohe.co.uk · www.hansgrohe.co.uk

