



Hep2O®

**Pocket  
Trade Price List**



FOR RESIDENTIAL, COMMERCIAL  
AND INDUSTRIAL APPLICATIONS

**March 1st 2010**

www.mytub.co.uk - info@mytub.co.uk

## Contents

	Page
<b>Introduction to Hep<sub>2</sub>O</b>	<b>2</b>
<b>Hep<sub>2</sub>O</b>	<b>3</b>
Polybutylene Pipe	3
Demountable Fittings	4-6
Slimline Fittings	7-8
Auxiliary Fittings	9-13
Ancillary Pipe and Fittings	14-15
Accessories	15
Fitting Components and Ancillaries	16
Pipe Ancillaries	16
Conduit System	17
Heating Room Packs	17
<b>Important Notes</b>	<b>18</b>
Important Notes	18
Quality Assurance	18
Contact	18

## Introduction to



**Hep<sub>2</sub>O** is the UK's leading plastic push fit plumbing system. The range comes complete with standard and barrier pipe in both straight lengths and coils in four diameters. **Hep<sub>2</sub>O** is solder free, easy to install and can be connected to traditional copper pipes. It is also the only system of its type to carry a 50 year guarantee.

**Hep<sub>2</sub>O** is Kitemarked to Class S of BS 7291, parts 1 and 2 and is manufactured within a Quality Management System which satisfies BS EN ISO 9002.

**Hep<sub>2</sub>O** is also approved by **WRAS** – deemed safe for use in the supply of drinking water

### **Hep<sub>2</sub>O Guarantee**

As a result of its rigorous Quality Management programme, **Hep<sub>2</sub>O** carries a 50 year guarantee against defect in materials or manufacturing of all its pipe and fittings.

Prices are for individual items within a pack unless otherwise stated.



## Key to abbreviations

Bl	Black	Gr	Grey
Bu	Blue	Rd	Red
Gn	Green	Wh	White

## Symbols

### **British Standards Kitemark**

Identifies pipe and fittings which are manufactured under the BSI Kitemark Certification Scheme.





### **Important Note:**

**Fittings of all product ranges must be ordered in their pack multiples as illustrated in price list.**










Email: [info@hep2o.co.uk](mailto:info@hep2o.co.uk)

Web: [www.hep2o.co.uk](http://www.hep2o.co.uk)



Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £	
 <b>Straight Coiled Pipe</b> Straight Coiled Lengths in SmartPack dispensers Please Note: Order pipe by unit (coil) not by metre	<b>Standard</b>					
	50m ♡	10	HXP50/10	1	Gr	53.77
	100m ♡	10	HXP10010	1	Gr	105.88
	25m ♡	15	HXP25/15	1	Gr	31.20
	50m ♡	15	HXP50/15	1	Gr	61.79
	100m ♡	15	HXP10015	1	Gr	121.67
	25m ♡	22	HXP25/22	1	Gr	61.07
	50m ♡	22	HXP50/22	1	Gr	120.95
	25m ♡	28	HXP25/28	1	Gr	84.48
	50m ♡	28	HXP50/28	1	Gr	168.96
	<b>Barrier</b>					
	50m ♡	10	HXX50/10	1	Gr Wh	60.79
	100m ♡	10	HXX10010	1	Gr Wh	119.77
	25m ♡	15	HXX25/15	1	Gr	36.32
	50m ♡	15	HXX50/15	1	Gr Wh	71.85
	100m ♡	15	HXX10015	1	Gr	141.49
	25m ♡	22	HXX25/22	1	Gr	70.87
	50m ♡	22	HXX50/22	1	Gr Wh	140.34
	25m ♡	28	HXX25/28	1	Gr	95.56
	50m ♡	28	HXX50/28	1	Gr	190.21
 <b>Pipe in Pipe System</b> Coil of Hep <sub>2</sub> O Barrier Pipe in Blue or Red Conduit Please Note: Order pipe by unit (coil) not by metre	<b>Barrier</b>					
	50m ♡	10	HXXC5010	1	Bu Rd	121.68
	50m ♡	15	HXXC5015	1	Bu Rd	139.92
	50m ♡	22	HXXC5022	1	Bu Rd	215.22
	25m ♡	28	HXXC2528	1	Bu Rd	177.18
 <b>Cut Lengths</b> Please Note: Order pipe by unit (length) not by metre	<b>Standard</b>					
	3.0m ♡	15	HXP03/15	40	Gr	3.80
	6.0m ♡	15	HXP06/15	40	Gr	7.51
	3.0m ♡	22	HXP03/22	20	Gr	7.38
	6.0m ♡	22	HXP06/22	20	Gr	14.73
	3.0m ♡	28	HXP03/28	12	Gr	10.15
	6.0m ♡	28	HXP06/28	12	Gr	20.29
	<b>Barrier</b>					
 <b>6m cut lengths only available in full pack quantities</b>	3.0m ♡	15	HXX03/15	40	Gr Wh	4.38
	6.0m ♡	15	HXX06/15	40	Gr	8.72
	3.0m ♡	22	HXX03/22	20	Gr Wh	8.57
	6.0m ♡	22	HXX06/22	20	Gr	17.10
	3.0m ♡	28	HXX03/28	12	Gr	11.75
	6.0m ♡	28	HXX06/28	12	Gr	23.51












	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	<b>Straight Connector</b>					
	♥	10	HD1/10	10	Gr Wh	2.45
	♥	15	HD1/15	10	Gr Wh	1.55
	♥	22	HD1/22	10	Gr Wh	2.07
	♥	28	HD1/28	10	Gr	5.31
	<b>Socket Reducer</b>					
	15 x 10mm ♥	15	HD2/15	10	Gr Wh	2.39
	22 x 15mm ♥	22	HD2/22	10	Gr Wh	1.85
	28 x 22mm ♥	28	HD2/28	10	Gr	4.27
	<b>Socket Adaptor</b> Reduces 22mm socket to 10mm 22 x 10mm ♥	22	HD9/2210	10	Gn	1.85
	<b>Imperial Copper Adaptor</b> 22mm - 3/4" ♥	22	HD3A/22	10	Gr	2.84
	<b>Double Spigot Reducer</b>					
	15 x 10mm ♥	15	HX310/15	5	Gr	1.28
	28 x 22mm ♥	28	HX42/28	5	Gr	2.74
	<b>Spigot Elbow 90°</b> Single Socket					
	♥	10	HD4/10	10	Gr Wh	2.78
	♥	15	HD4/15	10	Gr	1.89
	♥	15x10	HD4A/15	10	Gr Wh	2.78
	♥	22	HD4/22	10	Gr	2.78
	<b>Elbow 90°</b>					
	♥	10	HD5/10	10	Gr Wh	2.78
	♥	15	HD5/15	10	Gr Wh	1.89
	♥	22	HD5/22	10	Gr Wh	2.78
	♥	28	HD5/28	10	Gr	6.37
	<b>Obtuse Bend 135°</b> Single Socket					
	♥	10	HD8/10	10	Gr	2.83
	♥	15	HD8/15	10	Gr	1.96
	♥	22	HD8/22	10	Gr	2.83
	<b>Equal Tee</b>					
	♥	10	HD10/10	10	Gr	3.43
	♥	15	HD10/15	10	Gr Wh	2.67
	♥	22	HD10/22	10	Gr Wh	3.43
	♥	28	HD10/28	10	Gr	8.79




**Important Note:**

All fittings are pre-lubricated - no additional lubrication required.  
Hep2O fittings are fully compatible with Hep2O and copper pipe.












	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	<b>End Reduced Tee</b> 22 x 15 x 22mm ♡	22	HD12/22	5	Gr	3.43
	28 x 22 x 28mm ♡	28	HD12/28	5	Gr	8.79
	<b>Double End Reduced Tee</b> 10 x 10 x 15mm ♡	15	HD18/15	5	Gr	3.43
	10 x 10 x 22mm ♡	22	HD18A/22	5	Gr	3.43
	15 x 15 x 22mm ♡	22	HD18/22	5	Gr	3.43
	22 x 22 x 28mm ♡	28	HD18/28	5	Gr	8.79
	<b>Branch Reduced Tee</b> 15 x 15 x 10mm ♡	15	HD13/15	5	Gr	3.43
	22 x 22 x 10mm ♡	22	HD13A/22	5	Gr	3.43
	22 x 22 x 15mm ♡	22	HD13/22	5	Gr	3.43
	28 x 28 x 15mm ♡	28	HD13A/28	5	Gr	8.79
	28 x 28 x 22mm ♡	28	HD13/28	5	Gr	8.79
	<b>Branch Reduced Tee - Spigot</b> 15 x 15 x 10mm ♡	15	HD15/15	5	Gr Wh	3.43
	22 x 22 x 15mm ♡	22	HD15/22	5	Gr	3.43
	<b>Branch and One End Reduced Tee</b> 15 x 10 x 10mm ♡	15	HD14/15	5	Gr Wh	3.43
	22 x 10 x 10mm ♡	22	HD14A/22	5	Gr	3.43
	22 x 15 x 15mm ♡	22	HD14/22	5	Gr	3.43
	28 x 22 x 22mm ♡	28	HD14/28	5	Gr	8.79
	<b>Tank Connector</b> with BSP tail & backnut (For cold water use only)					
	BSP 1/2"	15	HX20/15	10	Gr	2.00
	BSP 3/4"	22	HX20/22	10	Gr	2.53
	<b>Straight Tap Connector</b> with brass nut and alternative rubber washer					
	BSP 1/2" ♡	15	HD25A/15	10	Gr Wh	2.40
	BSP 3/4" ♡	15	HD25B/15	5	Gr	2.85
	BSP 3/4" ♡	22	HD25B/22	5	Gr	3.09
	<b>Bent Tap Connector</b> with brass nut and alternative rubber washer					
	BSP 1/2" ♡	15	HD27/15	10	Gr Wh	2.67
	<b>Tap Connector Spanner</b> for use with HD25 & HD27 Tap Connectors					
	BSP 1/2"	15	HX54	10	Y	1.17
	BSP 3/4"	15	HX54A	10	Bu	1.17



Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
 <b>Hand-Titan™</b> Tap Connector with rubber washer BSP 1/2" ▼ BSP 1/2" ▼ BSP 3/4" ▼ BSP 3/4" ▼	10	HD26A/10	10	Gr	2.44
	15	HD26A/15	10	Gr Wh	2.04
	15	HD26B/15	10	Gr Wh	2.44
	22	HD26B/22	10	Gr Wh	2.64
 <b>Flexible Tap Connectors</b> with brass nut & rubber washer 300mm BSP 1/2" * 300mm BSP 3/4" * 300mm BSP 3/4" * 500mm BSP 1/2" * 500mm BSP 3/4" * 500mm BSP 3/4" *	15	HD125A/15	2		4.37
	15	HD125B/15	2		5.00
	22	HD125B/22	1		5.00
	15	HD225A/15	2		6.49
	15	HD225B/15	2		7.50
	22	HD225B/22	1		7.50
 <b>Demountable Stop-End</b> ▼ ▼ ▼ ▼	10	HD62/10	10	Gr	1.51
	15	HD62/15	10	Gr	1.30
	22	HD62/22	10	Gr	1.78
	28	HD62/28	10	Gr	2.87



\* For intermittent hot and cold water use up to a maximum of 65°C  
 Not for use with Central Heating











	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	<b>Straight Connector</b>					
	♥	10	HX1/10	10	Gr	2.58
	♥	15	HX1/15	10	Gr	1.66
	♥	22	HX1/22	10	Gr	2.21
	<b>Socket Reducer</b>					
	15mm x 10mm ♥	15	HX2/15	10	Gr	2.54
	22mm x 15mm ♥	22	HX2/22	10	Gr	1.98
	<b>Elbow – 90°</b>					
	♥	10	HX5/10	10	Gr	2.95
	♥	15	HX5/15	10	Gr	2.01
	♥	22	HX5/22	10	Gr	2.95
	<b>Spigot Elbow – 90° Single Socket</b>					
	♥	10	HX4/10	10	Gr	2.95
	♥	15	HX4/15	10	Gr	2.01
	♥	22	HX4/22	10	Gr	2.95
	<b>Equal Tee</b>					
	♥	10	HX10/10	10	Gr	3.64
	♥	15	HX10/15	10	Gr	2.83
	♥	22	HX10/22	10	Gr	3.64
	<b>End Reduced Tee</b> 22mm x 15mm x 22mm ♥	22	HX12/22	5	Gr	3.64
	<b>Branch Reduced Tee</b>					
	15mm x 15mm x 10mm ♥	15	HX13/15	5	Gr	3.64
	22mm x 22mm x 15mm ♥	22	HX13/22	5	Gr	3.64
	<b>Branch and One End Reduced Tee</b> 22mm x 15mm x 15mm ♥	22	HX14/22	5	Gr	3.64
	<b>Straight Tap Connector</b>					
	With brass nut and alternative rubber washer					
	1/2" BSP ♥	15	HX25A/15	10	Gr	2.40
	3/4" BSP ♥	15	HX25B/15	5	Gr	2.77














	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	<b>Bent Tap Connector</b> With brass nut and alternative rubber washer 1/2" BSP ♡	15	HX27/15	10	Gr	2.97
	<b>Blanking Plug</b> ♡ ♡	15 22	HX41/15 HX41/22	10 10	Gr Gr	1.48 1.91














	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	<b>Adaptor</b> Male BSP/Hep2O socket DZR Brass					
	BSP 1/2" ♡	15	HX29/15	10	Gr	3.86
	BSP 3/4" ♡	22	HX29/22	10	Gr	5.55
	BSP 1" ♡	28	HX29/28	10	Gr	10.55
	<b>Adaptor</b> Female BSP/Hep2O socket DZR Brass					
	BSP 1/2" ♡	15	HX28/15	10	Gr	3.86
	BSP 3/4" ♡	15	HX24/15	10	Gr	5.55
	BSP 3/4" ♡	22	HX28/22	10	Gr	5.55
BSP 1" ♡	28	HX28/28	10	Gr	10.90	
	<b>Adaptor</b> Male BSP/Hep2O spigot DZR Brass					
	BSP 1/2" ♡	15	HX31/15	10		2.15
	BSP 3/4" ♡	22	HX31/22	10		3.55
	BSP 1" ♡	28	HX31/28	10		5.20
	<b>Adaptor</b> Female BSP/Hep2O spigot DZR Brass					
	BSP 1/2" ♡	15	HX30/15	10		2.15
	BSP 3/4" ♡	22	HX30/22	10		3.55
	BSP 1" ♡	28	HX30/28	10		5.20
	<b>Draincock</b> Brass 15mm spigot DZR Brass ♡	15	HX32/15	10		3.86
	<b>Adaptor</b> Converts 1/2" tap connector to 3/8" DZR Brass BSP 1/2" x 3/8" ♡		HX39	10		1.99
	<b>Wall Plate Elbow</b> Hep2O					
	BSP 1/2" ♡	15	HX6/15	5	Bl	5.96
	BSP 3/4" ♡	22	HX6/22	5	Bl	6.48
	<b>Cylinder Connector</b> DZR Brass BSP 1" (cone ended socket adaptor with nut) ♡	22	HX34/22	5		5.22












	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	<b>Ball Valve</b> Plated Brass (for hot & cold water use)					
	15x15mm 22x22mm	15 22	HX22/15 HX22/22	5 5	Gr Gr	7.21 9.41
	<b>Gate Valve – Hot/Cold</b> DZR Brass Hep2O ends					
		15 22	HX35/15 HX35/22	5 5	Gr Gr	6.04 8.62
	<b>Stopcock – Cold Water</b> fitted with Hep2O ends					
		15 22	HX36/15 HX36/22	5 5	Gr Gr	6.08 7.28
	<b>Stopcock – Cold Water</b> Hep2O to MDPE Conversion 22mm to 25mm MDPE	22	HX43/22	5	Gr	12.91
	<b>Shut-off Valve</b> With hot/cold indicator insert. NB: *SEE USAGE NOTE	15	HX37/15	5	Wh	4.06
	<b>Appliance Valve</b> With hot/cold indicator insert. NB: *SEE USAGE NOTE	15	HX38/15	5	Wh	3.97
	<b>Straight Service Valve</b> With hot/cold indicator insert. NB: *SEE USAGE NOTE	15	HX18/15	5	Wh	4.31
	<b>Angled Service Valve</b> With hot/cold indicator insert. NB: *SEE USAGE NOTE	15	HX19/15	5	Wh	4.57
	<b>Double-Check Valve</b> Plastics NB: *SEE USAGE NOTE	15	HX72/15	1	Gr	10.23

\*For intermittent hot and cold water use up to a maximum of 65°C  
Not for use with Central Heating









	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	<b>Radiator or Lockshield Valve</b>	10	HX73/10	1	Wh	4.96
		15	HX73/15	1	Wh	4.96
	<b>Thermostatic Radiator Valve</b>	10	HX71/10	1	Wh	19.88
		15	HX71/15	1	Wh	19.88
	<b>Radiator Draincock</b>	15	HX23/15	1		5.99
	<b>Two Port Manifold</b> 22x15mm ports Closed Spigot ♡	22	HX88/22	5	Gr	4.63
	<b>Two Port Manifold</b> 22x15mm ports All socket ♡	22	HX88B/22	5	Gr	4.78
	<b>Three Port Manifold</b> 22x15mm ports Closed Spigot ♡	22	HX89/22	5	Gr	6.23
	<b>Three Port Manifold</b> 22x15mm ports All socket ♡	22	HX89B/22	5	Gr	6.45
	<b>Two Port Manifold</b> 22x10mm ports All socket ♡	22	HX92B/22	5	Gr	4.78
	<b>Four Port Manifold</b> 22x10mm ports All socket ♡	22	HX94B/22	5	Gr	6.45
	<b>Two Port Manifold</b> 22x10mm ports Socket and closed spigot ♡	22	HX92/22	5	Gr	4.63
	<b>Four Port Manifold</b> 22x10mm ports Socket and closed spigot ♡	22	HX94/22	5	Gr	6.23













	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	<b>Four Port Manifold</b> 22x10mm ports Socket and closed spigot, on one side	22	HX96/22	5	Gr	7.11
	<b>Four Port Manifold</b> 22x10mm ports All socket, on one side	22	HX96B/22	5	Gr	7.11
	<b>One Port Valved Manifold</b> Plated Brass 3/4" BSP Male/Female. 22mm Hep2O port	22	HX91T/22	1	Gr	12.97
	<b>Two Port Valved Manifold</b> Plated Brass 3/4" BSP Male/Female. 15mm Hep2O ports	15	HX92T/15	1	Gr	21.77
	<b>Three Port Valved Manifold</b> Plated Brass 3/4" BSP Male/Female. 15mm Hep2O ports	15	HX93T/15	1	Gr	31.95
	<b>Four Port Valved Manifold</b> Plated Brass 3/4" BSP Male/Female. 15mm Hep2O ports	15	HX94T/15	1	Gr	43.60
	<b>Manifold End Caps</b> 3/4" BSP Female End Cap 3/4" BSP Male End Cap		HX97 HX98	5 5		1.89 2.19
	<b>Manifold Bracket – Pair</b> for HX92T/15, HX93T/15 & HX94T/15		HX95A	2		per pack 12.49
	<b>Straight Radiator Connector</b> Polybutylene – white	10	HX77/10	10	Wh	1.30









	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	<b>Swept Radiator Connector – 90°</b> Polybutylene – white	10	HX78/10	10	Wh	1.30
	<b>Radiator Outlet Back Box</b> Plastic (for stud wall)		HX109	5	Wh	2.00
	<b>Radiator Outlet Back Box</b> Metal(for solid wall)		HX110	5		1.67
	<b>Radiator Outlet Cover with Flap</b> For use with HX109 & HX110		HX113	5	Wh	4.40
	<b>Back Box Grommet</b> For use with HX110		HX112	50	Bl	per pack 5.47
	<b>Hep2O Pipe Cover</b> 15mm x 1m	15	HX108/15	5	Wh	per pack 18.30



	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Pack £
	<b>Pipe Support Sleeves</b>	10	HX60/10	20		5.49
		15	HX60/15	50		14.30
		22	HX60/22	50		17.80
		28	HX60/28	20		11.06
	<b>Escutcheon Plate</b>	10	HX83/10	50	Wh	13.66
		15	HX83/15	50	Wh	13.66
	<b>Copper Pipe Cut End Protectors</b> For use with Hep2O Fittings	15	HX61/15	20	Gr	0.89
		22	HX61/22	20	Gr	1.30
	<b>Pipe Clips – Screw</b>	15	HX85/15	50	Gr	9.58
		22	HX85/22	50	Gr	9.58
		28	HX85/28	50	Gr	16.23
	<b>Pipe Clip – Spacers</b>	15	HX86/15	20	Gr	2.87
		22	HX86/22	20	Gr	3.83
	<b>Pipe Clip Cable Type</b>	10	HX65/10	50	Gr	5.78
		15	HX65/15	50	Gr	9.58
		22	HX65/22	50	Gr	9.58
		28	HX65/28	50	Gr	11.62
	<b>Fitting Clip</b> For use with HX5/10 Elbow	10	HX84/10	10	Gr	1.30
	<b>Metal Fixing Bracket</b> Passivate finish For use with HD5/15 and HD5/22	15	HD87/15	10		6.28
		22	HD87/22	10		7.73
	<b>Conical Tap Connector Washers – Rubber</b>	15	HX57/15	20		2.82
		22	HX57/22	20		2.82
	<b>Flat Tap Connector Washers – Rubber</b>	15	HX58/15	20		2.82
		22	HX58/22	20		2.82











Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Pack £
 <b>Pipe Dust Cap</b>	10	HX59/10	20	Bu Rd	1.10
	15	HX59/15	20	Bu Rd	1.24
	22	HX59/22	20	Bu Rd	1.36
	28	HX59/28	20	Bu Rd	1.65
 <b>Fitting Dust Plug</b>	10	HX63/10	20	Gn	1.10
	15	HX63/15	20	Gn	1.24
	22	HX63/22	20	Gn	1.36
	28	HX63/28	20	Gn	1.65
 <b>Blanking Peg</b> For Demountable Hep2O Fittings	10	HX44/10	10	Gr	3.41
	15	HX44/15	10	Gr	4.02
	22	HX44/22	10	Gr	4.02
	28	HX44/28	10	Gr	4.78
					

Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
 <b>Hep2O Joint Test Kit</b>		HX81	1	Rd	258.21
Replacement Seals		HX81A	1		31.39
 <b>Product Display Stand</b> Height 1840mm (1620mm + header 220mm) Depth 500mm Width 1000mm		HX2009	1	Bl	348.15















Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Pack £
 <b>Wedge Removal Tool</b> For Demountable Hep <sub>2</sub> O Fittings	10	HX79/10	10	Gn	2.04
	15	HX79/15	10	Gn	2.40
	22	HX79/22	10	Gn	2.40
	28	HX79/28	10	Gn	2.60
 <b>'O' Rings</b> For Demountable Hep <sub>2</sub> O Fittings	10	HX51/10	20	Bl	2.95
	15	HX51/15	20	Bl	4.24
	22	HX51/22	20	Bl	4.24
	28	HX51/28	20	Bl	5.20
 <b>Grab Wedge</b> For Demountable Hep <sub>2</sub> O Fittings	10	HX46/10	20	Gn	6.83
	15	HX46/15	20	Gn	8.34
	22	HX46/22	20	Gn	10.79
	28	HX46/28	20	Gn	15.37
 Hep <sub>2</sub> O Silicone Lubricant Spray 400 ml Aerosol Can Hep <sub>2</sub> O Fittings		HX200	1		£ Each 7.37

Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
 <b>Cold Forming Bend Fixture</b> Metal with passivate finish	15	HX75/15	5		1.36
	16	HX75/16	5		1.36
	22	HX75/22	5		1.91
 <b>Pipe Cutter – Scissor Type</b> Standard		HD74	1	Rd	10.74
 <b>Pro Cutter</b>		HD75	1	Rd	22.93
 <b>Pipe Cutter – Ratchet Type</b> up to 42mm pipe up to 28mm pipe		HD77	1	Rd	33.81
		HD78	1	Rd	27.09



Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
 <b>Conduit Pipe</b>	15	HXC25/15	25m	Bl	22.58
	15	HXC50/15	50m	Bl	45.17
	22	HXC25/22	25m	Bl	28.23
	22	HXC50/22	50m	Bl	56.17
 Conduit Junction Box		HX100	1	Bl	3.75
 Conduit Junction Box Lid		HX104	1	Bl	1.25
 Conduit Terminal	15	HX101/15	2	Gn	5.21
 Terminal Back Plate		HX103	1		1.04
 <b>Routabout Spacer Ring</b> Ring, 250mm, for 18mm board		HX404		Rd	5.35
	Ring, 250mm, for 22mm board		HX405		Rd

Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
 <b>UFH Packs</b> Conservatory Pack	16	UH150	1		436.71
 Room System Control Pack	16	UH200	1		471.70
 Room System Pipe Pack	16	UH201	1		174.67
 Room System Twin Circuit Pack	16	UH202	1		46.93

## Important Notes

All purchases are subject to our standard terms and conditions of sale, available at [www.wavin.co.uk](http://www.wavin.co.uk) or call for a copy.

Prices are subject to VAT at the current rate.

Free delivery is subject to minimum order values as stated in your Wavin agreement.

### Quality Assurance

Wavin manufacturing sites operate Environmental Management Systems which comply with the requirements of and are certified to EN ISO 14001:2004, Certificate No. 1473.

All Wavin products are manufactured under a quality management system which is approved to BS EN ISO 9001: 2008.

## Contact

Orders and enquiries	Tel: 0844 856 5152
Literature requests	Tel: 0844 856 5156 Email: <a href="mailto:literature@wavin.co.uk">literature@wavin.co.uk</a>
Technical advice	Tel: 0844 856 5165 Fax: 0844 856 5166 Email: <a href="mailto:technical.design@wavin.co.uk">technical.design@wavin.co.uk</a>

**Hep<sub>2</sub>O®**

**Pocket  
Trade Price List**



**Meeting your needs**

Wavin offers a comprehensive range of plastic, clay and terracotta systems under the OSMA, Hepworth, Hep<sub>2</sub>O® Intesio and Certus brands that provide intelligent solutions for all Building & Installation, Civils & Infrastructure and Surface Heating & Cooling applications.

Wavin offers a programme of continuous improvement and reserves the right to modify the specification of products without notice. All information in this publication is believed to be correct at time of going to press. However, no responsibility can be accepted for any errors or omissions.



**Wavin**

Registered Office  
Crow Edge  
Sheffield  
S36 4HG

[www.wavin.co.uk](http://www.wavin.co.uk)