



Perth 2 Stainless Steel WC Pan Seat & Cover

Illustrated

- S3442** Perth 2 back inlet WC pan with horizontal outlet with black seat and cover
- S3622** Conceala 2 cistern 6 litre single flush valve side supply and internal overflow, alternative height plastic flushbends, no push button
- S4512** Finger push button pneumatic, stainless steel for 31mm maximum thickness partition

Configuration options

- S3623** Conceala 2 cistern 6 litre single flush valve bottom supply and internal overflow, alternative height plastic flushbends
- S3624** Conceala 2 cistern 6/4 litre dual flush valve top inlet and internal overflow, alternative height plastic flushbends
- S3625** Conceala 2 cistern 4/6 litre dual flush valve bottom supply and internal overflow, alternative height plastic flushbends, no flushplate
- S3589** Sensorflow 21 WC flushing device, panel mounted sensor complete with concealed valve and 6 litre duct cistern
- S4513** Palm push button Pneumatic, stainless steel for 31mm maximum thickness partition
- S4464** Finger push button pneumatic, plastic for 31mm maximum thickness partition
- S4463** Palm push button Pneumatic, plastic for 31mm maximum thickness partition
- S4395** Traditional flushing lever extended, chrome plated
- S4305** Panekta outlet Connector, finned pattern to convert horizontal outlet WCs to P trap
- S4300** Panekta outlet Connector, finned pattern to convert horizontal outlet WCs to S or turned P trap

Material

Stainless Steel

Weights

- S3442 11.50KG
- S3622 3.00KG
- S4512 0.71KG

Standards

Manufactured from 1.2 – 1.5mm Stainless Steel 1.4301 (304) to BSEN 10088: Part2:2005. Back Plate is 3.0mm

Special Notes

For valve cisterns only, not syphon/lever operated. Supplied with earthing tag. WC pan secured with fixing bolts supplied. Joint to wall sealed with waterproof sealant (not supplied).

Colours

Stainless Steel (MY)

Frequently used applications

- Factory
- Sports and Leisure
- Public Building
- Vandal Risk

Accreditations

Water Label
WTL

Armitage Shanks

Tel: 0870 122 8822
Fax: 0870 122 8282
Email: info@idealspec.co.uk
Web: www.idealspec.co.uk

Ideal Standard (UK) Ltd. makes every effort to ensure that the information provided on its website is accurate. However, we cannot guarantee this, and accept no liability for any information or advice given via its website.

Powered by
IdealSpec

Date created:06/01/2014