

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name: Sentinel Leak Sealer Rapid-Dose

Chemical Name: Mixture.

CAS No.: EC No.: -

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s):

Leak sealer for central heating systems

1.3 Details of the supplier of the safety data sheet

Company Identification: SENTINEL PERFORMANCE SOLUTIONS LTD

The Heath Business & Technical Park

Runcorn Cheshire WA7 4QX United Kingdom

Telephone: +44 (0) 1928 588 330 (office hours, Monday - Friday)

Fax: +44 (0) 01928 588 368

E-Mail (competent person): info.uk@sentinel-solutions.net

1.4 Emergency telephone number

Emergency Phone No. (24 h): +44 (0) 1928 588 339 (24 hours/ 7 days)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)

Not classified.

According to Directive 67/548/EEC & Directive 1999/45/EC

Not classified.

2.2.1 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictogram(s):

Signal word(s):

None.

Hazard statement(s):

Precautionary statement(s):

Supplemental Hazard Information:

None.

2.2.2 Label elements According to Directive 67/548/EEC & Directive 1999/45/EC

Hazard pictogram(s):

Hazard Symbol:

Risk Phrases:

None.

Safety Phrases: S2: Keep out of the reach of children.

S24/25: Avoid contact with skin and eyes.

S26: In case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

S28: After contact with skin, wash immediately with plenty of

soap and water.

Revision: 002 Sentinel Leak Sealer Rapid-Dose Date: 17 June 2011



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Special labelling for aerosols:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C.

Pressurized container: Do not pierce or burn, even after use.

2.3 Other hazards

May cause eye irritation. Repeated and/or prolonged skin contact may cause irritation. Ingestion may cause irritation of the gastrointestinal tract.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixture

Revision: 002

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard symbol(s) and hazard statement(s)
Contains no hazardous	-	-	-	-	-
ingredients					

EC Classification No. 67/548/EEC

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH	Hazard Symbol and
				Registration No.	Risk Phrases
Contains no hazardous	-	=	=	=	=
ingredients					

4. FIRST AID MEASURES

4.1	Description of first aid measures Inhalation:	Remove patient from exposure, keep warm and at rest. If symptoms persist, obtain medical attention.		
	Skin Contact:	Remove contaminated clothing immediately and drench affected skin with plenty of water, then wash with soap and water. If symptoms persist, obtain medical attention. Contaminated clothing should be thoroughly cleaned.		
	Eye Contact:	If substance has got into the eyes, immediately wash out with plenty of water for at least 15 minutes. If symptoms persist, obtain medical attention.		
	Ingestion:	Do not induce vomiting. Provided the patient is conscious, wash out mouth with water and give 200-300 ml (half a pint) of water to drink. If symptoms persist, obtain medical attention.		
4.2	Most important symptoms and effects, both acute and delayed	May cause eye irritation. Repeated and/or prolonged skin contact may cause irritation. Ingestion may cause irritation of the gastrointestinal tract.		
4.3	Indication of the immediate medical attention and special treatment needed	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).		

Sentinel Leak Sealer Rapid-Dose Date: 17 June 2011

Page: 2/7



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing Media: Water spray, foam, dry powder or CO2

Unsuitable Extinguishing Media: Do not use water jet.

5.2 Special hazards arising from the substance or

mixture

May give off toxic fumes in a fire. Carbon monoxide, Carbon

dioxide.

Heating of containers may cause pressure rise, with risk of

bursting.

5.3 Advice for fire-fighters

A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions. Keep fire exposed

containers cool by spraying with water.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and

emergency procedures

Ensure adequate ventilation. Avoid contact with skin and eyes. Avoid inhalation of vapours. Wear suitable protective clothing

and gloves. (See Section: 8). Contaminated clothing should be thoroughly cleaned.

6.2 Environmental precautions

Large spillages: Spillages or uncontrolled discharges into

watercourses must be alerted to the Environment Agency or

other appropriate regulatory body.

6.3 Methods and material for containment and

cleaning up

Physically collect containers.

Liquid-Content: Adsorb spillages onto sand, earth or any suitable adsorbent material. Wash spill area with soapy water.

6.4 Reference to other sections Personal Protection: See Section: 8.

Other advice None.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Ensure adequate ventilation. Avoid inhalation of vapours. Avoid

contact with skin and eyes. Wear suitable protective clothing

and gloves. (See Section: 8).

Do not eat, drink or smoke at the work place. Wash hands and

exposed skin after use. Contaminated clothing should be

thoroughly cleaned.

7.2 Conditions for safe storage, including any

incompatibilities

Keep away from heat and sources of ignition. Keep from direct

sunlight. Keep away from frost. Keep only in the original

container in a cool, well-ventilated place. Storage temperature (°C): < 50

7.3 Specific end use(s)

Revision: 002

Leak sealer for central heating systems

Sentinel Leak Sealer Rapid-Dose Date: 17 June 2011

Page: 3/7



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters No Occupational Exposure Limit assigned.

8.2 Exposure controls

8.2.1 Appropriate engineering controls Provide adequate ventilation, including appropriate local

extraction if dusts, fumes or vapours are likely to be evolved.

8.2.2 Personal Protection

Eye/face protection Goggles giving complete protection to eyes. (EN 166)



Skin protection Protective gloves. Nitrile rubber. (EN 374)



Respiratory protection In case of insufficient ventilation, wear suitable respiratory

equipment. (EN 141)



Other: Apron or other light protective clothing, boots and plastic or

rubber gloves.

8.2.3 Environmental Exposure ControlsAvoid release to the environment.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance: Aerosol spray can - Contains: Emulsion.

 Colour:
 White.

 Odour:
 Slight.

 Boiling Point (°C):
 Ca. 100

 Melting Point (°C):
 0

 pH (Value):
 7.0

 Bulk Density:
 1000 kg/m³

Solubility (Water): Dispersible in water.

9.2 Other information No data.

10. STABILITY AND REACTIVITY

Revision: 002

10.1 Reactivity No information available.
10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactionsNo information available.

10.4 Conditions to avoid Keep away from heat, sources of ignition and direct sunlight.

10.5 Incompatible materials None known. Do not allow material to freeze.

10.6 Hazardous Decomposition Product(s) May give off toxic fumes in a fire. Carbon monoxide, Carbon

dioxide.

Sentinel Leak Sealer Rapid-Dose Date: 17 June 2011

Page: 4/7



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity:

 $\label{eq:local_problem} \begin{tabular}{ll} LD_{50} (oral/rat): >2000 mg/kg \\ \hline \end{tabular}$ Inhalation: No information available.

Skin Contact: LD_{50} (dermal/rabbit): > 2000 mg/kg

Eye Contact: No information available.

Hazard label(s): Repeated and/or prolonged skin contact may cause irritation.

Serious eye damage/irritation: May cause eye irritation. respiratory or skin sensitization: No information available. Mutagenicity: No information available. Carcinogenicity: No information available. Reproductive toxicity: No information available. STOT-single exposure: No information available. STOT-repeated exposure: No information available. Aspiration hazard: No information available. Other information: No information available.

12. ECOLOGICAL INFORMATION

12.1 **Toxicity** No information available. Persistence and degradability No information available. 12.2 12.3 Bioaccumulative potential No information available. 12.4 Mobility in soil No information available. Results of PBT and vPvB assessment 12.5 No information available. 12.6 Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Disposal should be in accordance with local, state or national

legislation.

14. TRANSPORT INFORMATION

 14.1
 UN number
 1950

 14.2
 Proper Shipping Name
 AEROSOLS

14.3 Transport hazard class(es)

14.4 Packing Group Not applicable.

14.5 Environmental hazards None.

14.6 Special precautions for user See Section: 2.2
 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Modal information:

Revision: 002

Land transport:ADRProper Shipping Name:AEROSOLS

Transport - Hazard label(s): 2.2 Non-flammable, non-toxic, Gas

ADR/RID Class:

Packing Group: Not applicable.

HIN: None.
EAC: None.
Limited Quantity: 1 litre
Sea transport: IMDG
Proper Shipping Name: AEROSOLS

Transport - Hazard label(s): 2.2 Non-flammable, non-toxic, Gas

Sentinel Leak Sealer Rapid-Dose Date: 17 June 2011

Page: 5/7



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

IMO-IMDG Class:

Not applicable. Packing Group: EmS: F-D. S-U Marine Pollutant: No.

Limited Quantity: 1 litre Air transport: ICAO/IATA

Proper Shipping Name: AEROSOLS, Non-flammable Transport - Hazard label(s): 2.2 Non-flammable, non-toxic, Gas

ICAO/IATA Class:

Packing Group: Not applicable.

ERG: 2L

Packing instruction (cargo aircraft): Y203, 203 Packing instruction (passenger aircraft): Y203, 203

Max. Net qty/ package: Packing instruction (cargo aircraft): 150 kg

Packing instruction (passenger aircraft): 75 kg (30 kg non-UN

Packaging.)

1 litre

15. REGULATORY INFORMATION

Safety, health and environmental This Safety Data Sheet was prepared in accordance with EC regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006., Regulation (EC) No. 1272/2008 (CLP), Directive 67/548/EEC & Directive

1999/45/EC.

15.1 Chemical Safety Assessment

Limited Quantity:

16. OTHER INFORMATION

Full text of Hazard statements and Risk phrases for pure substances listed in section 3.

Revision: 002

Date of Issue: 17 June 2011

The following sections contain revisions or new statements: 2, 5, 6, 7, 9, 14

Hazard Symbol: Risk Phrases: The following sections contain revisions or new statements: 1-16.

Abbreviations:

CAS = Chemical Abstracts Service;

CNS = Central Nervous System;

EINECS = European Inventory of Existing Commercial Chemical Substances;

EC50 = Effective Concentration 50%;

IARC = International Agency for Research on Cancer;

IC50 = Inhibitory Concentration 50%;

LC50 = Lethal Concentration 50%;

LD50 = Lethal Dose 50%;

LTEL = Long Term Exposure Limit;

STEL = Short Term Exposure Limit;

TWA = Time Weighted Average;

References:

Revision: 002 Sentinel Leak Sealer Rapid-Dose Date: 17 June 2011

Page: 6/7



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Disclaimer:

Revision: 002

The information and recommendations contained herein are based upon data believed to be up-to-date and correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information and recommendations contained herein. We accept no responsibility and disclaim all liability for any harmful effects that may be caused by (incorrect) use, handling, purchase, resale, or exposure to our product. Customers and users of our product must comply with all applicable health and safety laws, regulations, and orders. In particular, they are under an obligation to carry out a risk assessment for the particular work places and to take adequate risk management measures in accordance with the national implementation legislation of EU Directives 89/391 and 98/24.

> Sentinel Leak Sealer Rapid-Dose Date: 17 June 2011

Page: 7/7