

SAFETY DATA SHEET ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

1.	IDENTIFICATION OF THE SUBSTANCE/I COMPANY/UNDERTAKING	MIXTURE AND OF THE
1.1	Product identifier Product Name: Chemical Name:	Sentinel R500 C Mixture.
1.2	CAS No.: EC No.: Relevant identified uses of the substance or mixt Identified use(s):	- - cure and uses advised against Concentrated Heat Transfer Fluid For Ground Source Heat Pump Circuits For Dilution.
1.3	Details of the supplier of the safety data sheet Company Identification:	SENTINEL PERFORMANCE SOLUTIONS LTD The Heath Business & Technical Park Runcorn Cheshire WA7 4QX United Kingdom
1.4	Telephone: Fax: E-Mail (competent person): Emergency telephone number Emergency Phone No. (24 h):	+44 (0) 1928 588 330 (office hours, Monday - Friday) +44 (0) 01928 588 368 <u>info.uk@sentinel-solutions.net</u> +44 (0) 1928 588 339 (24 hours/ 7 days)
2. HAZARDS IDENTIFICATION		
2.1	Classification of the substance or mixture	According to Regulation (EC) No. 1272/2008 (CLP) Not classified. According to Directive 67/548/EEC & Directive 1999/45/EC Not classified.
2.2.1	Label elements Hazard pictogram(s): Signal word(s): Hazard statement(s): Precautionary statement(s): Supplemental Hazard Information:	According to Regulation (EC) No. 1272/2008 (CLP) None. None. None. None. None.
2.2.2	Label elements Hazard pictogram(s): Hazard Symbol: Risk Phrases: Safety Phrases:	According to Directive 67/548/EEC & Directive 1999/45/EC None. None. None. S2: Keep out of the reach of children. S24/25: Avoid contact with skin and eyes. S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28: After contact with skin, wash immediately with plenty of soap and water.

Date: 01 December 2010 Page: 1/6



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

2.3 Other hazards

May cause eye irritation. Repeated and/or prolonged skin contact may cause irritation. Ingestion may cause irritation of the gastrointestinal tract.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixture

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH	Hazard symbol(s) and
				Registration No.	hazard statement(s)
Propane-1,2-diol	90-100	57-55-6	200-338-0	-	Not classified.

EC Classification No. 67/548/EEC

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH	Hazard Symbol and
				Registration No.	Risk Phrases
Propane-1,2-diol	90-100	57-55-6	200-338-0	-	Not classified.

4. FIRST AID MEASURES

4.1	Description of first aid measures Inhalation:	Remove patient from exposure, keep warm and at rest. If symptoms persist, obtain medical attention.
	Skin Contact:	Remove contaminated clothing immediately and drench affected skin with plenty of water, then wash with soap and water. If symptoms persist, obtain medical attention. Contaminated clothing should be thoroughly cleaned.
	Eye Contact:	If substance has got into the eyes, immediately wash out with plenty of water for at least 15 minutes. If symptoms persist, obtain medical attention.
	Ingestion:	Do not induce vomiting. Provided the patient is conscious, wash out mouth with water and give 200-300 ml (half a pint) of water to drink. If symptoms persist, obtain medical attention.
4.2	Most important symptoms and effects, both acute and delayed	May cause eye irritation. Repeated and/or prolonged skin contact may cause irritation. Ingestion may cause irritation of the gastrointestinal tract.
4.3	Indication of the immediate medical attention and special treatment needed	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
5.	FIRE-FIGHTING MEASURES	
5.1	Extinguishing media Suitable Extinguishing Media: Unsuitable Extinguishing Media:	Water spray, foam, dry powder or CO2 Do not use water jet.

- 5.2 Special hazards arising from the substance or mixture
 5.3 Advice for fire-fighters
 Advice for fire-fighters
 - A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Keep fire exposed containers cool by spraying with water.



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

6. **ACCIDENTAL RELEASE MEASURES** 6.1 Personal precautions, protective equipment and Ensure adequate ventilation. Avoid contact with skin and eyes. emergency procedures Avoid inhalation of vapours. Wear suitable protective clothing and gloves. (See Section: 8). Contaminated clothing should be thoroughly cleaned. 6.2 **Environmental precautions** Large spillages: Spillages or uncontrolled discharges into watercourses must be alerted to the Environment Agency or other appropriate regulatory body. 6.3 Methods and material for containment and Adsorb spillages onto sand, earth or any suitable adsorbent material. Wash spill area with soapy water. cleaning up 64 Reference to other sections Personal Protection: See Section: 8. Other advice None. HANDLING AND STORAGE 7.

7.1 Precautions for safe handling Ensure adequate ventilation. Avoid inhalation of vapours. Avoid contact with skin and eyes. Wear suitable protective clothing and gloves. (See Section: 8). Do not eat, drink or smoke at the work place. Wash hands and exposed skin after use. Contaminated clothing should be thoroughly cleaned. 7.2 Conditions for safe storage, including any Keep away from heat and sources of ignition. Keep from direct incompatibilities sunlight. Keep away from frost. Keep only in the original container in a cool, well-ventilated place. 7.3 Specific end use(s) Concentrated Heat Transfer Fluid For Ground Source Heat Pump Circuits For Dilution.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Source: Workplace Exposure Limit (UK HSE EH40)

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Propane-1,2-diol	57-55-6					-
total vapour and particulates		150	474	-	-	
particulates		-	10	-	-	

8.2 Exposure controls

8.2.1 Appropriate engineering controls

8.2.2 Personal Protection

Eye/face protection

Provide adequate ventilation, including appropriate local extraction if dusts, fumes or vapours are likely to be evolved.

Goggles giving complete protection to eyes. (EN 166)

Revision: 001

Sentinel R500 C

Date: 01 December 2010 Page: 3/6



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Skin protection

Protective gloves. Nitrile rubber. (EN 374)

Respiratory protection



In case of insufficient ventilation, wear suitable respiratory equipment. (EN 141)

Other:

Apron or other light protective clothing, boots and plastic or rubber gloves.

8.2.3 Environmental Exposure Controls

Avoid release to the environment.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

33.3 % v/v Dilute with water. Appearance: Colour: pH (Value): Specific Gravity: Solubility (Water): Other information

Liquid. Blue. 8.2-8.8 (20 oC) 1.045 g/cm3 (25 oC) Soluble. No data.

10. STABILITY AND REACTIVITY

10.1 Reactivity

9.2

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

No information available. Stable under normal conditions. No information available. Keep away from heat, sources of ignition and direct sunlight. Strong oxidising agents. Acids. Alkalis. May give off toxic fumes in a fire. Carbon monoxide, Carbon dioxide, Alcohols and Ether.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity: Ingestion: Inhalation: Skin Contact: Eye Contact:

Hazard label(s): Serious eye damage/irritation: respiratory or skin sensitization: Mutagenicity: Carcinogenicity: Reproductive toxicity: STOT-single exposure: STOT-repeated exposure: Aspiration hazard: Other information: LD₅₀ (oral/rat): 20,000 mg/kg No information available. No information available. No information available.

Repeated and/or prolonged skin contact may cause irritation. May cause eye irritation. No information available. No information available.



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

12.1	Toxicity	LC_{50} (Rainbow trout): > 44,000 mg/l/96h E C_{50} (Daphnia magna): > 4,850 mg/l/48h I C_{50} (Algae): 19,000 mg/l/72h WGK: 1		
12.2 12.3 12.4 12.5 12.6	Persistence and degradability Bioaccumulative potential Mobility in soil Results of PBT and vPvB assessment Other adverse effects	Readily biodegradable. 28 Days.> 80% No information available. Mobile liquid. No information available. No information available.		
13.	DISPOSAL CONSIDERATIONS			
13.1	Waste treatment methods	Disposal should be in accordance with local, state or national legislation.		
14.	TRANSPORT INFORMATION			
14.1 14.2	UN number Proper Shipping Name	Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'. None.		
14.3	Transport hazard class(es)	None.		
14.4 14.5	Packing Group Environmental hazards	None. Not classified as a Marine Pollutant.		
14.6 14.7	Special precautions for user Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	None. Not applicable.		
15.	REGULATORY INFORMATION			
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	This Safety Data Sheet was prepared in accordance with EC Regulation (EC) No. 1907/2006., Regulation (EC) No. 1272/2008 (CLP), Directive 67/548/EEC & Directive 1999/45/EC.		
15.1	Chemical Safety Assessment	-		
16.	OTHER INFORMATION			
Full te	ext of Hazard statements and Risk phrases for pure	substances listed in section 3.		
Hazard Symbol: Risk Phrases:		None. None.		
Tho fr	ollowing sections contain revisions or new stat	ements: 1-16		

CAS = Chemical Abstracts Service; CNS = Central Nervous System; EINECS = European Inventory of Existing Commercial Chemical Substances; EC50 = Effective Concentration 50%; IARC = International Agency for Research on Cancer; IC50 = Inhibitory Concentration 50%; LC50 = Lethal Concentration 50%; LD50 = Lethal Dose 50%; LTEL = Long Term Exposure Limit;

Sentinel R500 C

Date: 01 December 2010 Page: 5/6



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

STEL = Short Term Exposure Limit; TWA = Time Weighted Average;

References:

IUCLID Dataset: Potassium hydroxide (2000).

Disclaimer:

The information and recommendations contained herein are based upon data believed to be up-to-date and correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information and recommendations contained herein. We accept no responsibility and disclaim all liability for any harmful effects that may be caused by (incorrect) use, handling, purchase, resale, or exposure to our product. Customers and users of our product must comply with all applicable health and safety laws, regulations, and orders. In particular, they are under an obligation to carry out a risk assessment for the particular work places and to take adequate risk management measures in accordance with the national implementation legislation of EU Directives 89/391 and 98/24.

Revision: 001

Sentinel R500 C

Date: 01 December 2010 Page: 6/6