

Differential pressure measuring instrument

testo 510 - Pocket-sized differential pressure measurement

Differential pressure measurement 0 to 100 hPa

Flow velocity measurement possible with Pitot tube

Temperature and air density compensation

Display illumination

10 selectable units



testo 510 measures differential pressure in the range from 0 to 100 hPa. The differential pressure measurement is temperature-compensated for accurate measurement values. The measurement values can be displayed in Pascal over the entire measurement range. Magnets at the rear permit free-hand work. The backlit display allows the measurement values to be easily read out, even in unfavourable light conditions. The testo 510, in combination with a Pitot tube, measures air flow velocity. For accurate measurement values, the air density can be compensated. testo 510 is very handy, small and easy to operate.

www.testo.com

Part no.

Technical data / Accessories

testo 510

testo 510; differential pressure meter incl. protective cap, batteries and calibration protocol



Part no. 0560 0510

Sensor type	Differential pressure sensor
Meas. range	0 to 100 hPa
Accuracy ±1 digit	±0.03 hPa (0 to 0.30 hPa) ±0.05 hPa (0.31 to 1.00 hPa) ±(0.1 hPa + 1.5 %of mv) (1.01 to 100 hPa)
Resolution	0.01 hPa
General technica	I data
Positive pressure	500 mbar
max. static pressure	1.5 bar
Oper. temp.	0 to +50 °C
Storage temp.	-40 to +70 °C
Selectable units	hPa, mbar, Pa, mmH2O, inH2O, inHg, mmHg, psi, m/s, fpm
Protection class	IP40
Battery type	2 batteries Type AAA
Battery life	50 h (average, without display illumination)
Measurement rate	0.5 s
Dimensions	119 x 46 x 25 mm
Weight	90 g (with batteries and protective cap)
Warranty	2 years

Accessories

Accessories for measuring instrument			
Connection hose, silicone, 2 m long, max. load 700 hPa (mbar)	0554 0448		
ISO calibration certificate pressure; differential pressure; 3 points distributed over meas. range			
ISO calibration certificate pressure; differential pressure; 5 points distributed over meas. range	0520 0005		

www.testo.com

0981 9764/msp/A/01.2012 Subject to change without notice.