

FOR LIFE IN EDUCATION

Uniclass
L721:D71/2

Cl/SfB
71/2 (74) X



INCLUDING
**THE NEW
SOLA SCHOOL
RIMLESS WCS**

THE LATEST INNOVATIVE
WASHROOM AND
WC SOLUTIONS

Twyford
FOR LIFE

TWYFORD BATHROOMS. THE EDUCATED CHOICE.

IN A CLASS OF ITS OWN THE NEW TWYFORD **SOLA SCHOOL RIMLESS PAN**




CONTENTS

- NEW SOLA SCHOOL RIMLESS PAN **P3**
- SOLA RIMLESS WCS **P4**
- CONCEALED CISTERNS **P5**
- BASINS **P6**
- BRASSWARE **P7**
- URINALS **P8**
- SINK & TROUGH SOLUTIONS **P9**
- DOC.M RIMLESS PACKS **P10**
- SPECMASTER™ **P11**



Twyford's revolutionary rimless toilet technology is now available for all school age groups.

Sola School is the only rimless school pan range. With no hidden channels and no dirt traps it is ultra hygienic and easy to clean. Sola is also economic and ecologically friendly too - capable of flushing effectively on 4 litres to meet BREEAM specifications.



Nowhere for germs to hide

Available as:

- 300mm pan height for Pre-school and Infants
- 350mm pan height for Infants and Juniors
- Back-to-wall or close coupled options for flexible installation
- White or blue seat options
- Also available - Sola Rimless standard height pan in wall hung or back-to-wall options



From nurseries through to adult education and less able, Twyford Bathrooms provides the perfect washroom and WC solution. Twyford offer specific designs for each age group and exceptional, market leading products to answer all your needs.

Twyford has been leading the way in washroom innovation for over 160 years. And we're still top of the class in the education sector - introducing the only rimless school pan, and the most water-efficient WC flushing options available.

The education range incorporates water saving innovations, so whatever the budget or application, specifiers can be sure of making the right choice. Our WCs all comply with the UK water regulations and meet EN997-Class 2 requirements. The WC range includes 4 litre single flush low water consumption options. In addition most of the brassware options in this publication are compliant with the latest BREEAM WAT1 assessment criteria, limiting flow in taps to 6 litres per minute.

For life in education - trust Twyford every time

- Nursery
- Colleges and Universities
- Primary
- Less able
- Secondary
- Utilities

FOR FULL PRODUCT SPECIFICATION AND DIMENSIONS SEE WWW.TWYFORDBATHROOMS.COM

For latest prices and delivery to your door visit MyTub Ltd - www.mytub.co.uk - info@mytub.co.uk 0844 556 1818

THE SOLA RIMLESS WC FAMILY

FLEXIBLE INSTALLATION WITH BACK-TO-WALL, CLOSE COUPLED OR WALL HUNG OPTIONS

CONCEALED CISTERNS

WATER SAVING - INCLUDING THE UK'S FIRST FLUSHWISE® 4/2.6 LITRE CONCEALED CISTERN



- 1. Sola School Rimless (300mm)**
Back-to-Wall Pan - SA1512WH
- Ideal for Pre-school and Infants
 - Also available as close coupled
 - Capable of flushing on 4 litres to meet BREEAM specifications
 - Fully shrouded makes it easier to clean
 - Open seat ring - SA1304WH (white) or SA1304BE (blue)
- 2. Sola School Rimless (350mm)**
Back-to-Wall Pan - SA1514WH
- Ideal for Infants and Juniors
 - Also available as close coupled
 - Capable of flushing on 4 litres to meet BREEAM specifications
 - Fully shrouded makes it easier to clean
 - Full seat ring - SA1306WH (white) or SA1306BE (blue)

- 3. Sola Rimless Standard Height (400mm)**
Back-to-Wall Pan - SA1968WH
Avalon Rimless (450mm)
Back-to-Wall Pan - AV1968WH
- Perfect for secondary, colleges and universities
 - Avalon designed for less abled use
 - Also available as close coupled
 - Fully shrouded makes it easier to clean
 - Flushes on 4 litres to meet BREEAM specifications
 - Seat ring - AV7861WH (white), AV7861BE (blue) or AV7861GY (grey)
 - Seat & cover - AV7865WH (white) or AV7865WH (blue)
- 4. Sola Rimless Wall Hung - SA1738WH**
- Fully shrouded makes it easier to clean
 - Flushes on 4 litres to meet BREEAM specifications
 - Seat ring - AV7865WH (white) or AV7865BE (blue)
 - Seat & cover - AV7865WH (white) or AV7865BE (blue)



Lever, Single Flush

Concealed cistern, complete with fittings, including chrome plated lever and flushbend:

- SSIO 4 litre - CX9540XX
- SSIO 4 litre, with delayed action inlet valve - CX9544XX
- SSIO 6 litre - CX9560XX
- Concealed plastic cistern for front or back wall fixing, reversible for right or left hand operation
- Single flush 4 litre, with an option for a delayed action inlet valve to gain additional BREEAM points
- Single flush 6 litre - SSIO

Air Push Button, Single Flush

Concealed cistern, complete with fittings and flushbend (excludes push button):

- SSIO 4 litre - CX9640XX
- SSIO 4 litre, with delayed action inlet valve - CX9644XX
- SSIO 6 litre - CX9660XX
- SS small button - CF9001SS
- Concealed plastic cistern for front or back wall fixing, with option of delayed action inlet valve
- Single flush 4 litre, with an option for a delayed action inlet valve to gain additional BREEAM points
- Single flush 6 litre

Push Plate, Dual Flush

Concealed cistern, complete with fittings and flushbend (excludes push button):

- Flushwise® dual flush SSIO 4/2.6 litre - CX9642XX
- Dual flush SSIO 6/4 litre - CX9664XX
- CP D/F mini plate 80x124mm - CF9012CP
- CP D/F plate 150x230mm - CF9022CP
- Concealed plastic cistern for front or back wall fixing
- Range of push buttons to offer a greater choice in specification

BASINS

STYLE, QUALITY AND FLEXIBILITY



1. Sola Basins (400mm and 500mm)

- 400mm, 1 tap hole - SA4111WH
- 400mm, 2 tap hole - SA4112WH
- 500mm, 1 tap hole - SA4211WH
- 500mm, 2 tap hole - SA4212WH
- Modern design
- Deeper side walls for superior strength
- Enclosed fixings for hygiene

2. Refresh Countertop Basins (550mm)

- 1 tap hole - RE4561WH
- 2 tap hole - RE4562WH
- Modern design

3. Sola Optimise Semi-Recessed Basins (450mm)




- 1 tap hole - SA4621WH
- 2 tap hole - SA4622WH
- Short projection semi-recessed
- Deeper side walls for superior strength

4. Galerie Semi-Recessed Basins (500mm & 560mm)

- 500mm, 1 tap hole - GN4621WH
- 500mm, 2 tap hole - GN4622WH
- 560mm, 1 tap hole - GN4661WH
- 560mm, 2 tap hole - GN4662WH

BRASSWARE

INNOVATION ON TAP



1. Sola Infra Red Monobloc Mixer - SF2601CP

- Water saving - 6 litres per minute
- Battery operated
- Minimum operating pressure 1.0 bar
- 240V mains conversion kit - SF2600XX

2. Sola Thermostatic Monobloc, TMV3 - SF1053CP Fitted with copper tails - SF1054CP Fitted with flexi hoses

- Single lever sequential thermostatic monobloc basin mixer
- Prevents scalding
- Removable flow regulator fitted for BREEAM compliance limiting water flow to 6 litres per minute

3. Sola Touch Tap - SF2105CP

- Water saving monobloc - 6 litres per minute
- Battery operated
- Minimum operating pressure 0.5 bar

4. Sola 1/2" Non-Concussive Tap - SF2101CP

- Single, hot & cold indice - SF2101CP
- Pair, hot & cold indice - SF2102CP
- Water saving
- Easy to use for the less abled

5. Sola Temperature Controlled Non-Concussive Tap - SF2104CP

- Water saving
- Minimum operating pressure 0.5 bar

6. Laboratory Swivel High Neck Tap - SF1040XX

URINALS

COMPACT, FLEXIBLE AND HYGIENIC



Cliffon Urinal - VC7002WH

- Compact design with deep bowl
- Exposed or concealed cistern and flush pipes
- Exposed flushpipes & spreaders, 1-5 persons - **SS6071SS to SS6075SS**
- Concealed flushpipes & spreaders, 1-5 persons - **SS6271SS to SS6275SS**
- Auto cistern 4.5L - **CX8611WH**
- Auto cistern 9L - **CX8612WH**
- Wall hangers - **SR5307XX**

Camden Urinal - VC7003WH


- Shallow open bowl design with water guide channels
- Exposed or concealed cistern and flush pipes
- Exposed flushpipes & spreaders, 1-5 persons - **SS6071SS to SS6075SS**
- Concealed flushpipes & spreaders, 1-5 persons - **SS6271SS to SS6275SS**
- Auto cistern 4.5L - **CX8611WH**
- Auto cistern 9L - **CX8612WH**
- Wall hangers - **SR5307XX**

Spectrum Urinal - VC7004WH

- Vandal resistant
- Designed for panel faced ducts
- Back outlet
- Fully concealed cistern, flush pipes and water pipes
- Concealed flushpipes & spreaders, 1-5 persons - **SS6271SS to SS6275SS**
- Auto cistern 4.5L - **CX8611WH**
- Auto cistern 9L - **CX8612WH**

SINK & TROUGH SOLUTIONS

FOR EVERY APPLICATION



1. Washing Trough FC2350WH

- 1000 x 390 x 200mm
- Brackets (pair) - **SR1350XX**
- ½" bib lever action taps, back inlet (pair) - **SF2301CP**
- ½" bib taps extension tube/wall plate, 150mm projection (pair) - **SF2701CP**
- Multi purpose use

2. Laboratory Sink

- 390 x 255 x 160mm - **FC1414WH**
- 420 x 315 x 160mm - **FC1415WH**
- Waste hole rebated for acid-resistant waste fitting
- Glazed all round and reversible

3. Vecta Stainless Steel Washing Trough

- 1200 x 410mm, 2 person - **SS9312SS**
- 1800 x 410mm, 3 person - **SS9318SS**
- Complete with waste & semi-pedestal

4. Cleaner's Sinks

- 465 x 400mm, sink with grating - **FC1034WH**
- 470 x 400mm, high splash back sink with grating - **FC1044WH**
- Legs & supports - **SR3048XX**
- Cantilever brackets (pair) - **SR1331XX**

DOC.M RIMLESS PACKS

4 LITRE FLUSH

SPECMASTER™

SPECIALIST SOLUTIONS FOR SPECIFIERS -
IN PRINT AND ONLINE




The Twyford SpecMaster™ manual simplifies the process of choosing and specifying products for specific applications. Designed in consultation with architects and developed through research with a wide range of clients, it's an essential resource for every specifier.

www.specmasteronline.com - Your online specification tool

SpecMasteronline makes life even easier by providing a comprehensive range of interactive design tools which produce a complete bathroom or washroom specification - right down to pricing.

For your copy of the SpecMaster™ manual call
0870 020 0099 or email twyford@westex.co.uk



1. Doc.M Rimless Super Pack

- With white grab rails & seat - **PK8146WH**
- With blue grab rails & seat - **PK8146BE**
- Modern rimless design
- Hygienic and easy to clean
- 4 litre flush
- Integral TMV3 mixer tap
- Concealed fixings

2. Doc.M Rimless Ambulant BTW Pack

- With white grab rails & seat - **PK8148WH**
- Modern rimless design
- Hygienic and easy to clean
- 4 litre flush

3. Doc.M Rimless Value Pack

- With white grab rails & seat - **PK8145WH**
- With blue grab rails & seat - **PK8145BE**
- Modern rimless design
- Hygienic and easy to clean
- 4 litre flush
- Spray mixer tap
- TMV3 mixing valve

4. Doc.M Shower Pack

- With white grab rails & seat - **PK7005WH**
- With blue grab rails & seat - **PK7005BE**
- TMV3 approved thermostatic shower valve
- Fixed and moveable shower head

For more information on products for the education sector or to arrange a meeting with your Twyford Area Sales Manager call **01270 871538** or email twyford.sales@twyfordbathrooms.com



Twyford bathrooms

Registered office: Lawton Road, Alsager, Stoke-on-Trent ST7 2DF, UK

T: +44(0) 1270 879777 F: +44(0) 1270 873864

www.twyfordbathrooms.com

Part of the Sanitec Group

Ref: TWNYED04/04

Whilst every care has been taken to ensure that the information included in this document was accurate at the time of printing, we reserve the right to change product specifications at any time without prior notice. The photographs reproduced in this publication are within the constraints of the printing process and are not to be used for matching purposes. All photographs are used for approximate representation only and may not show the actual products on offer. E&OE.